

## Johnson Controls Inc.

---

### OSS Disclosures

|                         |                   |
|-------------------------|-------------------|
| <b>Product name</b>     | <b>SNX</b>        |
| <b>Version</b>          | <b>14.0.0.518</b> |
| <b>Date of creation</b> | <b>9/27/2024</b>  |

This document provides list of all open source software components used in this product and their corresponding licenses.

This product may contain Open Source covered under such licenses as General Public License, Mozilla Public License and Lesser General Public License etc. These licenses may require their source code to be made available to customers. If such source code is not shipped with this release, the same can be obtained by anyone, upon receipt of this information, during the period as applicable, at following

#### Address

##### **Legal Department**

**507 E. Michigan Street**

**Milwaukee, WI 53202**

**USA**

JCI may charge you a minimal fee up to \$5 as delivery/handling charges.

## Open source software Components

---

### SNX 14.0.0.518

| Component Name     | Version   | License                   |
|--------------------|---|---------------------------|
| libgpod2           | 1.4   | LGPL-2.1-or-later         |
| cpuidle            |   | SeeSNxWRLinuxLTS19        |
| virtlon            | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| thermal_sys        |   | GPL-2.0-only              |
| nfs_acl            |   | GPL-1.0-only              |
| libgcrypt          | 1.8.4   | LGPL-2.1;GPL-2.0-only     |
| weston-shell-ivi   | 8.0.0-r3  | MIT                       |
| netpoll            |   | SeeSNxWRLinuxLTS19        |
| xxhash             |   | GPL-1.0-only;BSD-1-Clause |
| ltnng_probe_i2c    | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| mbcache            |   | GPL-1.0-only              |
| ppp_generic        |   | GPL-1.0-only              |
| ltnng_probe_module | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| iptables           | 1.4.0   | GPL-2.0-only              |
| libahci_platform   |   | GPL-1.0-only              |
| loop               |   | GPL-1.0-only              |
| fscrypto           |   | GPL-1.0-only              |
| mc13xxx_spi        |   | GPL-2.0-only              |
| sysrq              |   | SeeSNxWRLinuxLTS19        |
| crc_t10dif         |   | GPL-1.0-only              |
| snvs_pwrkey        |   | GPL-1.0-only              |
| imx_weim           |   | GPL-1.0-only              |
| ext4               |   | GPL-1.0-only              |
| libnsl             | 2.28  | LGPL-2.0-or-later         |
| jQuery             | 3.5.0   | MIT                       |
| virtio_net         |   | GPL-1.0-only              |
| zlib               | 1.3.1.1   | Zlib                      |
| mi0283qt           |   | GPL-1.0-only              |
| generic_bl         |   | GPL-1.0-only              |
| libahci            |   | GPL-1.0-only              |
| libcrc32c          |   | GPL-1.0-only              |
| i2c_mux_pca954x    |   | GPL-2.0-only              |

|                                  |   |                                    |
|----------------------------------|---|------------------------------------|
| binutils                         |   | GPL-3.0-only                       |
| gf128mul                         |   | GPL-1.0-only                       |
| dynamic_debug                    |   | SeeSNxWRLinuxLTS19                 |
| cJSON                            |   | MIT                                |
| rtc_s35390a                      |   | GPL-1.0-only                       |
| power_supply                     |   | GPL-1.0-only                       |
| ifupdown-ng-compat               | 0.12.1-4  | SeeSNxWRLinuxLTS19                 |
| sch_fq_codel                     |   | GPL-1.0-only                       |
| mtd-utils                        | 2.1.1   | GPL-2.0-only                       |
| srcutree                         |   | SeeSNxWRLinuxLTS19                 |
| sst25l                           |   | GPL-1.0-only                       |
| rmd256                           |   | GPL-1.0-only                       |
| autofs4                          |   | GPL-1.0-only                       |
| led_class                        |   | GPL-1.0-only                       |
| nfsv2                            |   | GPL-1.0-only                       |
| systemd-mini                     | 246.13  | LGPL-2.1-or-later                  |
| debugfs                          |   | SeeSNxWRLinuxLTS19                 |
| ledtrig_oneshot                  |   | GPL-2.0-only                       |
| libacl                           | 2.2.51  | LGPL-2.0-or-later                  |
| aufs                             | 5.x-rcN-20190610  | GPL-1.0-only                       |
| virtio_rng                       |   | GPL-1.0-only                       |
| veritysetup                      | 2.0.3   | LGPL-2.0-or-later;GPL-2.0-or-later |
| component                        |   | GPL-2.0-only                       |
| openssl-engine-libp11            | 0.4.10  | LGPL-2.1-or-later                  |
| cbc                              |   | GPL-1.0-only                       |
| ca-certificates-mozilla-prebuilt | 2.56  | MPL-2.0                            |
| zstd_decompress                  |   | GPL-1.0-only;BSD-1-Clause          |
| libattr                          | 2.4.46  | LGPL-2.0-or-later                  |
| mmdc                             |   | SeeSNxWRLinuxLTS19                 |
| ltnng_probe_gpio                 | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only                       |
| 9pnet_virtio                     |   | GPL-1.0-only                       |
| uinput                           |   | GPL-1.0-only                       |
| deflate                          |   | GPL-1.0-only                       |
| imx2_wdt                         |   | GPL-2.0-only                       |
| netconsole                       |   | GPL-1.0-only                       |
| update                           |   | SeeSNxWRLinuxLTS19                 |
| hid_generic                      |   | GPL-1.0-only                       |
| arm-none-eabi-gcc                | 5.3.0   | GPL-1.0-only;GPL-3.0-only          |
| cpufreq                          |   | SeeSNxWRLinuxLTS19                 |
| random                           |   | SeeSNxWRLinuxLTS19                 |

|                      |   |                           |
|----------------------|---|---------------------------|
| ledtrig_transient    |   | GPL-2.0-only              |
| glob                 |   | GPL-1.0-only;MIT          |
| busfreq_imx          |   | GPL-1.0-only              |
| libdb                | 11.2.5  | BSD-2-Clause              |
| crct10dif_common     |   | GPL-1.0-only              |
| i2c_smbus            |   | GPL-1.0-only              |
| dm_mod               |   | GPL-1.0-only              |
| mc13892_regulator    |   | GPL-2.0-only              |
| libcap2-32bit        | 2.26  | GPL-2.0-only;BSD-3-Clause |
| coreutils-basenc     | 9.0-2   | GPL-3.0-or-later          |
| caamalg              |   | GPL-1.0-only              |
| twofish_common       |   | GPL-1.0-only              |
| 9pnet                |   | GPL-1.0-only              |
| virtio_rpmsg_bus     |   | GPL-2.0-only              |
| fsl_usb2_udc         |   | GPL-1.0-only              |
| spi_nor              |   | GPL-2.0-only              |
| ltnng_test           | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| configs              |   | GPL-1.0-only              |
| cpufreq_performance  |   | GPL-1.0-only              |
| macvlan              |   | GPL-1.0-only              |
| ltnng_kretprobes     | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| bind                 | 4.9.5   | MPL-2.0                   |
| serial_mctrl_gpio    |   | GPL-1.0-only              |
| wpa_supplicant       | 2.9   | BSD-3-Clause              |
| fec                  |   | GPL-1.0-only              |
| dm_bufio             |   | GPL-1.0-only              |
| pam_cap-32bit        | 2.26  | GPL-2.0-only;BSD-3-Clause |
| regmap_i2c           |   | GPL-1.0-only              |
| cfi_probe            |   | GPL-1.0-only              |
| nss-myhostname-32bit | 249.16  | LGPL-2.1-or-later         |
| matrix_keymap        |   | GPL-1.0-only              |
| n_null               |   | GPL-1.0-only              |
| ledtrig_timer        |   | GPL-2.0-only              |
| shadow-grpunconv     | 4.8.1-3   | BSD-3-Clause              |
| sha1_generic         |   | GPL-1.0-only              |
| libaio1-32bit        | 0.3.109   | LGPL-2.1-or-later         |
| gen_probe            |   | GPL-1.0-only              |
| hid                  |   | GPL-1.0-only              |
| tee                  | 1   | GPL-2.0-only              |

|                   |   |                                    |
|-------------------|---|------------------------------------|
| jffs2             |   | GPL-1.0-only                       |
| backlight         |   | GPL-1.0-only                       |
| spi_imx           |   | GPL-1.0-only                       |
| libjpeg-turbo     | 2.0.3   | Zlib;BSD-3-Clause-Modification;IJG |
| grace             |   | GPL-1.0-only                       |
| esp6              |   | GPL-1.0-only                       |
| usbhid            |   | GPL-1.0-only                       |
| serio             |   | GPL-1.0-only                       |
| libpcap           | 1.9.1   | BSD-3-Clause                       |
| tgr192            |   | GPL-1.0-only                       |
| proc_board        |   | GPL-1.0-only                       |
| icu               |   | ICU                                |
| lzo               |   | GPL-1.0-only                       |
| usb_storage       |   | GPL-1.0-only                       |
| nvmem_core        |   | GPL-2.0-only                       |
| sha256_generic    |   | GPL-1.0-only                       |
| crypto_wq         |   | GPL-1.0-only                       |
| libkcap           | 1.2.0   | GPL-2.0-only;BSD-1-Clause          |
| crypto_acompress  |   | GPL-1.0-only                       |
| libps2            |   | GPL-1.0-only                       |
| des_generic       |   | GPL-1.0-only                       |
| imx_sema4         |   | GPL-1.0-only                       |
| ahci_platform     |   | GPL-1.0-only                       |
| tree              |   | SeeSNxWRLinuxLTS19                 |
| crypto_user       |   | GPL-1.0-only                       |
| libsrecord0-dbg   | 1.58-1.1  | SeeSNxWRLinuxLTS19                 |
| pppoe             |   | GPL-1.0-only                       |
| libmagic1         | 5.32  | BSD-2-Clause                       |
| rtc_mc13xxx       |   | GPL-2.0-only                       |
| cryptomgr         |   | GPL-1.0-only                       |
| crypto_engine     |   | GPL-1.0-only                       |
| ltnng_probe_power | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only                       |
| oid_registry      |   | GPL-1.0-only                       |
| nls_utf8          |   | GPL-1.0-only;BSD-1-Clause          |
| libpng            | 1.6.37  | libpng                             |
| libc6-armel-cross | 2.28-7cross1  | SeeSNxWRLinuxLTS19                 |
| failover          |   | GPL-2.0-only                       |
| camellia_generic  |   | GPL-1.0-only                       |
| authenc           |   | GPL-1.0-only                       |

|  |   |                                    |
|--|---|------------------------------------|
| ltnng_probe_statedump                  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only                       |
| sdhci_pltfrm                           |   | GPL-2.0-only                       |
| ltnng_ring_buffer_metadata_mmap_client | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only                       |
| ncurses                                | 6.1.20190803  | MIT                                |
| mtddblock                              |   | GPL-1.0-only                       |
| libdevmapper-event1_03                 | 1.02.163  | LGPL-2.1-or-later;GPL-2.0-or-later |
| WolfSSL                                |   | GPL-2.0-only                       |
| algif_hash                             |   | GPL-1.0-only                       |
| cmdlinepart                            |   | GPL-1.0-only                       |
| Linux                                  | 5.2.60  | GPL-2.0-only                       |
| libdevmapper1_03                       | 1.02.163  | LGPL-2.1-or-later;GPL-2.0-or-later |
| regmap_mmio                            |   | GPL-2.0-only                       |
| cpufreq_ondemand                       |   | GPL-1.0-only                       |
| kernel-firmware                        | 20220509  | MIT;GPL-2.0-or-later;GPL-2.0-only  |
| pretimeout_noop                        |   | GPL-1.0-only                       |
| systemd-network                        | 246.16  | LGPL-2.1-or-later                  |
| ipu_idmac                              |   | GPL-2.0-only                       |
| ttm                                    |   | GPL-1.0-only                       |
| cn                                     |   | GPL-1.0-only                       |
| virtio_console                         |   | GPL-1.0-only                       |
| FatFS                                  |   | GPL-1.0-or-later;BSD-1-Clause      |
| ltnng_tracer                           | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only                       |
| sdhci_esdhc_imx                        |   | GPL-2.0-only                       |
| aead                                   |   | GPL-1.0-only                       |
| auth_rpcgss                            |   | GPL-1.0-only                       |
| scsi_mod                               |   | GPL-1.0-only                       |
| algif_skcipher                         |   | GPL-1.0-only                       |
| crc_ccitt                              |   | GPL-1.0-only                       |
| lrw                                    |   | GPL-1.0-only                       |
| shadow-logoutd                         | 4.8.1-3   | BSD-3-Clause                       |
| wp512                                  |   | GPL-1.0-only                       |
| fsl_otp                                |   | GPL-1.0-only                       |
| weston-shell-fullscreen                | 8.0.0-r3  | MIT                                |
| Controls.Toolkit.Silverlight           | 1.0.0.0   | SeeSNxWRLinuxLTS19                 |

|                                    |   |                           |
|------------------------------------|---|---------------------------|
| debugfs                            | 1.47.0-2  | GPL-2.0-only              |
| bsdtar                             | 3.5.0   | BSD-2-Clause              |
| serial_core                        |   | GPL-1.0-only              |
| Yocto Linux Embedded kernel        | 5.2.60  | GPL-2.0-only              |
| nls_cp437                          |   | GPL-1.0-only;BSD-1-Clause |
| input_polldev                      |   | GPL-2.0-only              |
| ncurses                            |   | MIT                       |
| i2c_algo_bit                       |   | GPL-1.0-only              |
| ledtrig_default_on                 |   | GPL-2.0-only              |
| gpio_keys_polled                   |   | GPL-2.0-only              |
| ltnng_probe_scsi                   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| inet_diag                          |   | GPL-1.0-only              |
| libsmartcols1-32bit                | 2.36.2  | LGPL-2.1-or-later         |
| shadow-faillog                     | 4.2.1-8   | BSD-3-Clause              |
| authencesn                         |   | GPL-1.0-only              |
| lvu                                | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| ltnng_probe_block                  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| mc13xxx_core                       |   | GPL-2.0-only              |
| arc4                               |   | GPL-1.0-only              |
| fixed                              |   | GPL-1.0-only              |
| e2freefrag                         | 1.45.6-2  | GPL-2.0-only              |
| net_failover                       |   | GPL-2.0-only              |
| ltnng_ring_buffer_client_overwrite | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| device-mapper-event                | 1.02.175  | GPL-2.0-only              |
| drm                                |   | GPL-1.0-only              |
| asn1_decoder                       |   | GPL-1.0-only              |
| ltnng_probe_btrfs                  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| ltnng_clock_plugin_test            | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| shadow-chgpasswd                   | 4.8.1-1   | BSD-3-Clause              |
| bsd_comp                           |   | GPL-1.0-only;BSD-1-Clause |
| option                             |   | GPL-2.0-only              |
| mtd-utils                          |   | GPL-2.0-only              |
| spidev                             |   | GPL-1.0-only              |

|                    |   |   |
|--------------------|---|---|
| watchdog           |   | GPL-1.0-only                                |
| blowfish_generic   |   | GPL-1.0-only                                |
| usbserial          |   | GPL-2.0-only                                |
| libcrypt1          | 4.4.15  | BSD-3-Clause;BSD-2-Clause;LGPL-2.1-or-later |
| kernel-obs-build   | 5.3.18  | GPL-2.0-only                                |
| ltnng_probe_signal | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only                                |
| ppp_mppe           | 1.0.2   | GPL-1.0-only;BSD-1-Clause                   |
| weston-info        | 9.0.0-r0  | MIT   |
| mpi                |   | GPL-1.0-only                                |
| fsl_lpuart         |   | GPL-2.0-only                                |
| nfnetlink          |   | GPL-1.0-only                                |
| pinctrl_imx6sll    |   | GPL-2.0-only                                |
| shadow-grpconv     | 4.8.1-1   | BSD-3-Clause                                |
| rng-tools-extra    | 6.12-r0   | GPL-2.0-or-later                            |
| sit                |   | GPL-1.0-only                                |
| ltnng_kprobes      | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only                                |
| overlay            |   | GPL-1.0-only                                |
| setserial          | 2.17  | GPL-2.0-only                                |
| unix               |   | GPL-1.0-only                                |
| mmc_block          |   | GPL-1.0-only                                |
| cfi_cmdset_0020    |   | GPL-1.0-only                                |
| xts                |   | GPL-1.0-only                                |
| virtio_blk         |   | GPL-1.0-only                                |
| phy_mxs_usb        |   | GPL-1.0-only                                |
| rtc_mxc            |   | GPL-1.0-only                                |
| imx                |   | GPL-1.0-only                                |
| lz4_decompress     |   | GPL-1.0-only;BSD-1-Clause                   |
| ledtrig_heartbeat  |   | GPL-2.0-only                                |
| util-linux         | 2.34  | GPL-2.0-only                                |
| sdhci              |   | GPL-1.0-only                                |
| OpenSSH            |   | BSD-2-Clause                                |
| bzip2-libs         | 1.0.6   | BSD-1-Clause                                |
| dm_multipath       |   | GPL-1.0-only                                |
| error              |   | GPL-1.0-only                                |
| cls_u32            |   | GPL-1.0-only                                |
| ltnng_probe_rcu    | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only                                |
| spurious           |   | SeeSNxWRLinuxLTS19                          |



|                                       |   |                           |
|---------------------------------------|---|---------------------------|
| libudev1-32bit                        | 234   | LGPL-2.1-or-later         |
| btrfs                                 |   | GPL-1.0-only              |
| expat                                 | 2.2.8   | MIT                       |
| i2c_dev                               |   | GPL-1.0-only              |
| zlib_inflate                          |   | GPL-1.0-only              |
| lttng_probe_napi                      | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| libext2fs-devel                       | 1.43.8  | LGPL-2.0-only             |
| lttng_probe_vmscan                    | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| jitterentropy_rng                     |   | GPL-1.0-only;BSD-1-Clause |
| i2c_imx                               |   | GPL-1.0-only              |
| libgpiod-utils                        | 1.4.3   | LGPL-2.1-or-later         |
| regmap_spi                            |   | GPL-1.0-only              |
| rng_core                              |   | GPL-1.0-only              |
| imx_thermal                           |   | GPL-2.0-only              |
| caamalg_desc                          |   | GPL-1.0-only              |
| gpio_backlight                        |   | GPL-1.0-only              |
| jedec_probe                           |   | GPL-1.0-only              |
| lttng_ring_buffer_client_mmap_discard | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| freq_table                            |   | GPL-1.0-only              |
| shadow-pwconv                         | 4.8.1-1   | BSD-3-Clause              |
| 9p                                    |   | GPL-1.0-only              |
| af_alg                                |   | GPL-1.0-only              |
| leds_pca955x                          |   | GPL-2.0-only              |
| imx_rpmsg                             |   | GPL-2.0-only              |
| Graphical Elements                    | 1.3.0.0   | SeeSNxWRLinuxLTS19        |
| cfi_cmdset_0001                       |   | GPL-1.0-only              |
| lttng_probe_sunrpc                    | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| sha512_generic                        |   | GPL-1.0-only              |
| drm_kms_helper                        |   | GPL-1.0-only              |
| ethtool                               | 5.2   | GPL-2.0-only              |
| zlib                                  | 1.2.11  | Zlib                      |
| libxml2                               |   | MIT                       |
| md4                                   |   | GPL-1.0-only              |
| lttng_probe_jbd2                      | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |

|                                  |   |                                    |
|----------------------------------|---|------------------------------------|
| ltnng_probe_skb                  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only                       |
| crypto_algapi                    |   | GPL-1.0-only                       |
| lzo_compress                     |   | GPL-1.0-only                       |
| FJCore                           | 1.0.0.0   | SeeSNxWRLinuxLTS19                 |
| ah6                              |   | GPL-1.0-only                       |
| ltnng_probe_timer                | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only                       |
| led_class_flash                  |   | GPL-2.0-only                       |
| OpenSSL                          | 1.1.1i  | Apache-2.0;OpenSSL                 |
| dm_round_robin                   |   | GPL-1.0-only                       |
| rsa_generic                      |   | GPL-1.0-only                       |
| pretimeout_panic                 |   | GPL-1.0-only                       |
| xz_dec                           | 1   | GPL-1.0-only                       |
| Graphics.Viewer.Silverlight.dll  | 0.0.0.0   | SeeSNxWRLinuxLTS19                 |
| vfat                             |   | GPL-1.0-only                       |
| i2c_mux                          |   | GPL-2.0-only                       |
| lzo_decompress                   |   | GPL-1.0-only                       |
| ltnng_ring_buffer_client_discard | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only                       |
| tcp_diag                         |   | GPL-1.0-only                       |
| eudev                            | 3.2.9-r3  | GPL-2.0-only                       |
| brd                              |   | GPL-1.0-only                       |
| lib64tinfo5                      | 5.9+20140913-1+deb8u3   | SeeSNxWRLinuxLTS19                 |
| m25p80                           |   | GPL-1.0-only                       |
| caamrng                          |   | GPL-1.0-only                       |
| rng                              |   | GPL-1.0-only                       |
| nls_base                         |   | GPL-1.0-only;BSD-1-Clause          |
| mtdev                            |   | GPL-1.0-only                       |
| yacc                             |   | BSD-3-Clause                       |
| nls_ascii                        |   | GPL-1.0-only;BSD-1-Clause          |
| hmac                             |   | GPL-1.0-only                       |
| public_key                       |   | GPL-1.0-only                       |
| rtc_snvs                         |   | GPL-1.0-only                       |
| lsof                             | 4.91  | BSD-4-Clause                       |
| libcrypt20-32bit                 | 1.8.2   | LGPL-2.1-or-later;GPL-2.0-or-later |
| crc32c_generic                   |   | GPL-1.0-only                       |
| optee                            | 1   | GPL-2.0-only                       |
| hwids-udev                       | 20200306-r0   | GPL-2.0-or-later;BSD-3-Clause      |

|                                      |   |                           |
|--------------------------------------|---|---------------------------|
| crc16                                |   | GPL-1.0-only              |
| gpio_charger                         |   | GPL-1.0-only              |
| cpufreq_conservative                 |   | GPL-1.0-only              |
| zlib_deflate                         |   | GPL-1.0-only              |
| michael_mic                          |   | GPL-2.0-only              |
| xfrm_algo                            |   | GPL-1.0-only              |
| of_mdio                              |   | GPL-1.0-only              |
| at803x                               |   | GPL-1.0-only              |
| libcryptsetup12-32bit                | 2.3.4   | LGPL-2.0-or-later         |
| warewolf-provision-aarch64-initramfs | 3.8.1   | BSD-3-Clause-LBNL         |
| rmd128                               |   | GPL-1.0-only              |
| cmac                                 |   | GPL-1.0-only              |
| suspend                              |   | SeeSNxWRLinuxLTS19        |
| terminfo                             | 6.2-1   | MIT                       |
| exportfs                             |   | GPL-1.0-only              |
| libgpiodcx1                          | 1.5.1   | LGPL-2.1-or-later         |
| cpufreq_userspace                    |   | GPL-1.0-only              |
| ipv6                                 |   | GPL-1.0-only              |
| nls_iso8859_1                        |   | GPL-1.0-only;BSD-1-Clause |
| rmd320                               |   | GPL-1.0-only              |
| tcp_cubic                            | 2.3   | GPL-1.0-only              |
| nfs                                  |   | GPL-1.0-only              |
| zstd_compress                        |   | GPL-1.0-only;BSD-1-Clause |
| lttng_probe_workqueue                | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| crc32                                |   | GPL-1.0-only              |
| usb_common                           |   | GPL-1.0-only              |
| hwmon                                |   | GPL-1.0-only              |
| lttng_statedump                      | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| cfi_cmdset_0002                      |   | GPL-1.0-only              |
| nfsv4                                |   | GPL-1.0-only              |
| U-Boot                               | 2018.09   | GPL-2.0-only              |
| realtek                              |   | GPL-1.0-only              |
| libusb-1_0-0-32bit                   | 1.0.24  | LGPL-2.1-or-later         |
| slhc                                 |   | GPL-1.0-only;BSD-1-Clause |
| reed_solomon                         |   | GPL-1.0-only              |
| caam_jr                              |   | GPL-1.0-only              |
| crypto                               |   | GPL-1.0-only              |

|                                   |   |                           |
|-----------------------------------|---|---------------------------|
| ltnng_clock                       | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| ltnng_probe_sched                 | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| gpio_generic                      |   | GPL-1.0-only              |
| kpp                               |   | GPL-1.0-only              |
| imx6q_cpufreq                     |   | GPL-1.0-only              |
| ltnng_probe_irq                   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| ltnng_ring_buffer_metadata_client | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| virtio                            |   | GPL-1.0-only              |
| sunrpc                            |   | GPL-1.0-only              |
| bananapir2-firmware               | 0.0~git20201119.b0a0872   | SeeSNxWRLinuxLTS19        |
| ltnng_probe_random                | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| virtio_gpu                        |   | GPL-1.0-only              |
| crypto_hash                       |   | GPL-1.0-only              |
| virt_dma                          |   | GPL-1.0-only              |
| at25                              |   | GPL-1.0-only              |
| cURL                              | 7.67.0  | MIT                       |
| ofpart                            |   | GPL-1.0-only              |
| libcurl4-32bit                    | 7.66.0  | curl                      |
| libcom_err                        | 1.42.9  | MIT                       |
| x509_key_parser                   |   | GPL-1.0-only              |
| ltnng_probe_ext4                  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| blk_cgroup                        |   | SeeSNxWRLinuxLTS19        |
| mtd_blkdevs                       |   | GPL-1.0-only              |
| md5                               |   | GPL-1.0-only              |
| libss                             | 1.45.6  | MIT                       |
| shadow-uidmap                     | 4.8.1-r0  | BSD-3-Clause              |
| aes_generic                       |   | GPL-1.0-only;BSD-1-Clause |
| pkcs7_message                     |   | GPL-1.0-only              |
| kfifo_buf                         |   | GPL-1.0-only              |
| virtio_ring                       |   | GPL-1.0-only              |
| kbd-misc                          | 1.15.5  | GPL-2.0-or-later          |
| vf610_adc                         |   | GPL-2.0-only              |

|                              |   |                           |
|------------------------------|---|---------------------------|
| lttng_probe_regmap           | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| binfmt_script                |   | GPL-1.0-only              |
| evdev                        |   | GPL-1.0-only              |
| nginx                        | 1.14.2  | BSD-2-Clause              |
| gpio_keys                    |   | GPL-1.0-only              |
| ppp_async                    |   | GPL-1.0-only              |
| mmc_core                     |   | GPL-1.0-only              |
| workqueue                    |   | SeeSNxWRLinuxLTS19        |
| Graphical Symbols            | 1.3.0.1021  | SeeSNxWRLinuxLTS19        |
| cts                          |   | GPL-1.0-only;BSD-1-Clause |
| lttng_probe_compaction       | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| dm_crypt                     |   | GPL-1.0-only              |
| gdisk                        | 1.0.3-1.1   | SeeSNxWRLinuxLTS19        |
| at24                         |   | GPL-1.0-only              |
| CyaSSL                       |   | GPL-2.0-only              |
| af_packet                    |   | GPL-1.0-only              |
| ip_set                       |   | GPL-1.0-only              |
| caamhash                     |   | GPL-1.0-only              |
| lttng_probe_regulator        | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| tps65910_regulator           |   | GPL-2.0-only              |
| rmd160                       |   | GPL-1.0-only              |
| crypto_null                  |   | GPL-1.0-only              |
| caamhash_desc                |   | GPL-1.0-only;BSD-1-Clause |
| nss-myhostname-32bit         | 246.16  | LGPL-2.1-or-later         |
| printk                       |   | SeeSNxWRLinuxLTS19        |
| fat                          |   | GPL-1.0-only              |
| vgem                         |   | GPL-1.0-only              |
| lsblk                        | 2.36.1-2  | GPL-2.0-only              |
| lttng_probe_sock             | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| anatop_regulator             |   | GPL-2.0-only              |
| dbus                         | 1.12.20-r2  | GPL-2.0-or-later;AFL-2.1  |
| raid6_pq                     |   | GPL-1.0-only              |
| pata_imx                     |   | GPL-1.0-only              |
| leds_pwm                     |   | GPL-2.0-only              |
| virtio_crypto                |   | GPL-1.0-only              |
| drm_panel_orientation_quirks |   | GPL-1.0-only;MIT          |

|                   |   |                                    |
|-------------------|---|------------------------------------|
| blowfish_common   |   | GPL-1.0-only                       |
| ecb               |   | GPL-1.0-only                       |
| lockd             |   | GPL-1.0-only                       |
| OpenSSL           | 1.2.0   | Apache-2.0;OpenSSL                 |
| OpenSSH           | 8.0p1   | BSD-2-Clause                       |
| rtc_tps65910      |   | GPL-1.0-only                       |
| imx_sdma          |   | GPL-1.0-only                       |
| ahci_imx          |   | GPL-1.0-only                       |
| lvm2-libs         | 2.02.180  | LGPL-2.0-only                      |
| akcipher          |   | GPL-1.0-only                       |
| PSmisc            |   | GPL-2.0-only                       |
| rtc_pcf85263      |   | GPL-1.0-only                       |
| libkeyutils1      | 1.6.3   | LGPL-2.1-or-later                  |
| OpenSSL           | 1.0.2n  | Apache-2.0;OpenSSL                 |
| glibc             | 2.3   | LGPL-2.1-or-later                  |
| Bash              | 5.0.7   | GPL-2.0-or-later                   |
| asymmetric_keys   |   | GPL-1.0-only                       |
| spi_bitbang       |   | GPL-1.0-only                       |
| ltnng_probe_udp   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only                       |
| xor               |   | GPL-1.0-only                       |
| device-mapper     | 1.02.163  | LGPL-2.1-or-later;GPL-2.0-or-later |
| cfi_util          |   | GPL-1.0-only                       |
| icu               | 1.8.1   | ICU                                |
| ramoops           |   | GPL-1.0-only                       |
| ppp_synctty       |   | GPL-1.0-only                       |
| extcon_core       |   | GPL-2.0-only                       |
| mtd-utils-flash   | 2.1.2-r1  | GPL-2.0-only                       |
| usbcore           |   | GPL-1.0-only                       |
| SLVisifire.Charts | 4.5.1.0   | SeeSNxWRLinuxLTS19                 |
| libFcitx5Utils2   | 5.0.18  | LGPL-2.1-or-later                  |
| cqhci             |   | GPL-2.0-only                       |
| mipi_dbi          |   | GPL-1.0-only                       |
| libata            | 3   | GPL-1.0-only                       |
| ltnng_probe_kmem  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only                       |
| syslog-ng         | 6.0.2   | GPL-2.0-only;LGPL-2.1-or-later     |
| udc_core          |   | GPL-2.0-only                       |
| pppox             |   | GPL-1.0-only                       |
| tinydrm           |   | GPL-1.0-only                       |

|   |   |  |
|---|---|--|
| shadow-pwunconv                             | 4.8.1-3   | BSD-3-Clause                           |
| Boost                                       |   | BSL-1.0                                |
| input_core                                  |   | GPL-1.0-only                           |
| zlib  | 1.2.8   | Zlib                                   |
| dns_resolver                                |   | GPL-1.0-only                           |
| veth  |   | GPL-2.0-only                           |
| chipreg                                     |   | GPL-1.0-only                           |
| ltnng_ring_buffer_client_mmap_ove<br>rwrite | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only                           |
| mc13783_regulator                           |   | GPL-2.0-only                           |
| WolfSSL                                     | 4.6.0   | GPL-2.0-only                           |
| zlib  | 1.3.1   | Zlib                                   |
| keyboard                                    |   | SeeSNxWRLinuxLTS19                     |
| libteec1                                    | 3.9.0   | BSD-2-Clause                           |
| vt  |   | SeeSNxWRLinuxLTS19                     |
| sd_mod                                      |   | GPL-1.0-only                           |
| libde265-dev                                | 1.0.4-r0  | LGPL-3.0-or-later                      |
| cpufreq_powersave                           |   | GPL-1.0-only                           |
| drbg  |   | GPL-1.0-only                           |
| cls_basic                                   |   | GPL-1.0-only                           |
| ppp_deflate                                 |   | GPL-1.0-only;BSD-1-Clause              |
| usb_wwan                                    |   | GPL-2.0-only                           |
| libgpg-error0-32bit                         | 1.42  | LGPL-2.1-or-later;GPL-2.0-<br>or-later |
| SharpZipLibSilverlight                      | 1.0.0.0   | MIT                                    |
| pstore                                      |   | GPL-1.0-only                           |
| fsl_mph_dr_of                               |   | GPL-1.0-only                           |
| e4crypt                                     | 1.46.5-1  | GPL-2.0-only                           |
| jbd2  |   | GPL-1.0-only                           |
| mtd   |   | GPL-1.0-only                           |
| fixed_phy                                   |   | GPL-1.0-only                           |
| nfsv3                                       |   | GPL-1.0-only                           |
| crypto_blkcipher                            |   | GPL-1.0-only                           |
| libc6-armel-cross                           | 2.31-9cross4  | SeeSNxWRLinuxLTS19                     |
| libphy                                      |   | GPL-1.0-only                           |
| dm_verity                                   |   | GPL-1.0-only                           |
| weston-shell-desktop                        | 8.0.0-r3  | MIT                                    |
| libsolv                                     | 0.7.19  | BSD-1-Clause                           |
| ltnng_probe_net                             | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only                           |
| caam  |   | GPL-1.0-only                           |
| mxc_mlb                                     |   | GPL-1.0-only                           |

|  |   |                                    |
|--|---|------------------------------------|
| pps_core   |   | GPL-1.0-only                       |
| ltnng_lib_ring_buffer  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only                       |
| liblvm2cmd2_03   | 2.03.05   | LGPL-2.1-or-later;GPL-2.0-or-later |
| ltnng_probe_printk   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only                       |
| tunnel4  |   | GPL-1.0-only                       |
| lcd  |   | GPL-1.0-only                       |
| industrialio   |   | GPL-1.0-only                       |
| lzo_rle  |   | GPL-1.0-only                       |
| libarchive   | 3.4.0   | BSD-2-Clause                       |
| i2c_core   |   | GPL-1.0-only                       |
| firmware_class   |   | GPL-1.0-only                       |
| ledtrig_gpio   |   | GPL-2.0-only                       |
| libxml2-2-32bit  | 2.9.14  | MIT                                |
| mfd_core   |   | GPL-1.0-only                       |
| mc13xxx_regulator_core   |   | GPL-2.0-only                       |
| twofish_generic  |   | GPL-1.0-only                       |
| imxdrm   |   | GPL-1.0-only                       |
| binfmt_elf   |   | GPL-1.0-only                       |
| ip_tunnel  |   | GPL-1.0-only                       |
| leds_gpio  |   | GPL-1.0-only                       |
| crct10dif_generic  |   | GPL-1.0-only                       |
| industrialio_triggered_buffer  |   | GPL-1.0-only                       |
| rpmsg_core   |   | GPL-2.0-only                       |
| ext2   |   | GPL-1.0-only                       |
| echainiv   |   | GPL-1.0-only                       |
| arm_cci  |   | GPL-1.0-only                       |
| tracefs  |   | SeeSNxWRLinuxLTS19                 |
| sed  |   | GPL-3.0-only                       |
| libarc4  |   | GPL-1.0-only                       |
| ca-translations  | 1.0+git0+b634b7285c-r8  | SeeSNxWRLinuxLTS19                 |
| nhc_udp  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only                       |
| kernel-module-ltnng-ring-buffer-client-discard-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19                 |
| wr-init  | 1.0-r0+jci0   | SeeSNxWRLinuxLTS19                 |
| kernel-module-ltnng-probe-ext4-5.2.60-yocto-standard                 | 2.10.11-r0  | SeeSNxWRLinuxLTS19                 |
| g3-base-lic  | 1.0+git0+2b86050dfe-r11   | SeeSNxWRLinuxLTS19                 |



|   |   |                    |
|---|---|--------------------|
| tzdata-lic  | 2021a-r0+jci2   | SeeSNxWRLinuxLTS19 |
| cdc_acm   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| lvm2-lic  | 2.03.05-r0  | SeeSNxWRLinuxLTS19 |
| libboost-wave1.69.0                                     | 1.69.0-r0   | SeeSNxWRLinuxLTS19 |
| xt_NETMAP   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| ipt_REJECT  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kernel-module-ebt-802-3-5.2.60-yocto-standard           | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| m4  | 1.4.9-r2  | SeeSNxWRLinuxLTS19 |
| 6lowpan   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| syslog-ng-factory                                       | 1.0-+jci1   | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-bpf                                  | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| libpcap1  | 1.9.1-r0  | SeeSNxWRLinuxLTS19 |
| u-boot-fw-utils   | 1:2018.09+git0+f45ed961e5-r0+jci2   | SeeSNxWRLinuxLTS19 |
| tzdata  | 2021a-r0+jci2   | SeeSNxWRLinuxLTS19 |
| luks-utils  | 1.0-r0-jci8   | SeeSNxWRLinuxLTS19 |
| kernel-module-ipcomp6-5.2.60-yocto-standard             | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| kernel-module-nf-contrack-netlink-5.2.60-yocto-standard | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| kernel-module-sch-ingress-5.2.60-yocto-standard         | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| libkmod2  | 26-r0   | SeeSNxWRLinuxLTS19 |
| iptables-module-ipt-realm                               | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| tcpdump   | 4.9.3-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-dmatest-5.2.60-yocto-standard             | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| opkg-arch-config  | 1.0-r1  | SeeSNxWRLinuxLTS19 |
| findutils-lic   | 4.2.31-r4   | SeeSNxWRLinuxLTS19 |
| kernel-module-ftdi-sio-5.2.60-yocto-standard            | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| xkeyboard-config  | 2.27-r0   | SeeSNxWRLinuxLTS19 |
| libext2fs2  | 1.45.3-r0   | SeeSNxWRLinuxLTS19 |
| nae-update  | 1.0+git0+4ff52c0396-r41   | SeeSNxWRLinuxLTS19 |
| gdbm  | 1.8.3-r4  | SeeSNxWRLinuxLTS19 |
| initscripts-functions                                   | 1.0-r155+jci11  | SeeSNxWRLinuxLTS19 |

|   |   |                    |
|---|---|--------------------|
| kernel-module-xt-nat-5.2.60-yocto-standard        | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| kernel-module-ghash-generic-5.2.60-yocto-standard | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| iperf3-lic  | 3.7-r0  | SeeSNxWRLinuxLTS19 |
| pam-plugin-permit                                 | 1.3.1-r0  | SeeSNxWRLinuxLTS19 |
| nf_nat_pptp                                       | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kernel-module-nhc-dest-5.2.60-yocto-standard      | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| lmsensors-config-libsensors                       | 1.0-r0  | SeeSNxWRLinuxLTS19 |
| libegl-mesa-dev                                   | 2:19.1.6-r0+jci1  | SeeSNxWRLinuxLTS19 |
| xt_string   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kernel-module-oprofile-5.2.60-yocto-standard      | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| kernel-module-xfrm6-tunnel-5.2.60-yocto-standard  | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-dscp                           | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| xt_hl   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| e2fsprogs-badblocks                               | 1.45.3-r0   | SeeSNxWRLinuxLTS19 |
| libtcl8.6-0                                       | 8.6.9-r0  | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-tcp                            | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| libblkid1   | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-nf-nat-5.2.60-yocto-standard        | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| iputils   | s20190709-r0  | SeeSNxWRLinuxLTS19 |
| board-interface-daemon-lic                        | 1.0+git0+27a61bf922-r4  | SeeSNxWRLinuxLTS19 |
| xt_connbytes                                      | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kernel-module-ebt-redirect-5.2.60-yocto-standard  | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| tzdata-africa                                     | 2021a-r0+jci2   | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-tcpoptstrip                    | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| setserial   | 2.17-r3   | SeeSNxWRLinuxLTS19 |
| kernel-module-fuse-5.2.60-yocto-standard          | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libwebsockets-evlib-uv                            | 4.3.1+git0+3acc9c8e74-r0+jci2   | SeeSNxWRLinuxLTS19 |
| ci_hdrc_msm                                       | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-2.0-only       |

|  |   |                    |
|--|---|--------------------|
| iptables-module-ip6t-log                           | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-udf-5.2.60-yocto-standard            | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| kernel-module-nf-nat-amanda-5.2.60-yocto-standard  | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| modutils-initscripts                               | 1.0-r7  | SeeSNxWRLinuxLTS19 |
| wpa-supPLICANT                                     | 2.9-r0+jci1   | SeeSNxWRLinuxLTS19 |
| network-status-lic                                 | 1.0-r14   | SeeSNxWRLinuxLTS19 |
| bzip2  | 1.0.8-r0  | SeeSNxWRLinuxLTS19 |
| ip6table_filter                                    | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| pam-plugin-warn                                    | 1.3.1-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-psnap-5.2.60-yocto-standard          | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| openssh-ssh  | 8.0p1-r0+jci2   | SeeSNxWRLinuxLTS19 |
| util-linux-rfkill                                  | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-nf-nat-sip-5.2.60-yocto-standard     | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| snx-power-state                                    | 1.00-r1   | SeeSNxWRLinuxLTS19 |
| iptables-module-ip6t-reject                        | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| ebtable_nat  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| iptables-module-xt-ipcomp                          | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-arpt-mangle-5.2.60-yocto-standard    | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libsolv1   | 0.7.6-r0  | SeeSNxWRLinuxLTS19 |
| ncurses-termInfo                                   | 6.1+20190803-r0   | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-owner                           | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| tzdata-posix                                       | 2021a-r0+jci2   | SeeSNxWRLinuxLTS19 |
| libmbim  | 1.20.2-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-ebt-arpreply-5.2.60-yocto-standard   | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| util-linux-fsfreeze                                | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| util-macros-lic                                    | 1:1.19.2-r0   | SeeSNxWRLinuxLTS19 |
| ipt_ah   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| perl-lic   | 5.30.0-r0   | SeeSNxWRLinuxLTS19 |
| pam-plugin-faildelay                               | 1.3.1-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-look                                    | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| libpopt0   | 1.16-r3   | SeeSNxWRLinuxLTS19 |
| kernel-module-iptable-filter-5.2.60-yocto-standard | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |

|  |   |                    |
|--|---|--------------------|
| iptables-module-xt-socket                            | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-last                                      | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| breakpad-lic   | 2:1.0-r0+jci1   | SeeSNxWRLinuxLTS19 |
| kernel-module-r8152-5.2.60-yocto-standard            | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| kernel-module-nf-contrack-irc-5.2.60-yocto-standard  | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| kernel-5.2.60-yocto-standard                         | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| xt_CLASSIFY  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kernel-module-llc-5.2.60-yocto-standard              | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| ebt_among  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| ci_hdrc_usb2   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| socat  | 1.7.3.3-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-vxlan-5.2.60-yocto-standard            | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libc6-thread-db                                      | 2.30-r0+jci1  | SeeSNxWRLinuxLTS19 |
| libgcc-s-dev   | 9.2.0-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-ip6-tables-5.2.60-yocto-standard       | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| util-linux-col                                       | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| e2fsprogs  | 1.45.3-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-cls-cgroup-5.2.60-yocto-standard       | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| nginx-lic  | 1.14.2-r0+jci12+jci2  | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-hmark                             | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-log-5.2.60-yocto-standard           | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| kernel-module-cdc-subset-5.2.60-yocto-standard       | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-nfacct                            | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-g-ether-5.2.60-yocto-standard          | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-hashlimit-5.2.60-yocto-standard     | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| kernel-module-usb-f-ecm-subset-5.2.60-yocto-standard | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libreadline-lic                                      | 5.2-r9  | SeeSNxWRLinuxLTS19 |
| watchdog-timing                                      | 1.0-r1  | SeeSNxWRLinuxLTS19 |

|   |   |                      |
|---|---|----------------------|
| optee-client  | 2.6.0+git0+6dc3d0fdea-r0+jci7   | SeeSNxWRLinuxLTS19   |
| kernel-module-nf-contrack-ftp-5.2.60-yocto-standard | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19   |
| libxml2   | 2.9.9-r0  | SeeSNxWRLinuxLTS19   |
| libgmp-lic  | 6.1.2-r0  | SeeSNxWRLinuxLTS19   |
| libmtdev-lic  | 1.1.5-r0  | SeeSNxWRLinuxLTS19   |
| ncurses-terminfo-base                               | 6.1+20190803-r0   | SeeSNxWRLinuxLTS19   |
| iptables-module-xt-u32                              | 1.8.3-r0  | SeeSNxWRLinuxLTS19   |
| xorgproto-dev                                       | 2019.1-r0   | SeeSNxWRLinuxLTS19   |
| icu-lic   | 64.2-r0   | SeeSNxWRLinuxLTS19   |
| kernel-module-nf-nat-h323-5.2.60-yocto-standard     | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19   |
| kernel-module-usb-f-serial-5.2.60-yocto-standard    | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19   |
| jci-release-lic                                     | 1.0-r0  | SeeSNxWRLinuxLTS19   |
| xt_CT   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only         |
| iputils-rdisc                                       | s20190709-r0  | SeeSNxWRLinuxLTS19   |
| kernel-module-ebt-mark-5.2.60-yocto-standard        | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19   |
| libgles2-mesa                                       | 2:19.1.6-r0+jci1  | SeeSNxWRLinuxLTS19   |
| ethtool   | 5.2-r0  | SeeSNxWRLinuxLTS19   |
| virtlond  | 0.2.7-r4  | SeeSNxWRLinuxLTS19   |
| kernel-module-cdc-ncm-5.2.60-yocto-standard         | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19   |
| ed  | 0.5-r2  | SeeSNxWRLinuxLTS19   |
| iptables-module-xt-cgroup                           | 1.8.3-r0  | SeeSNxWRLinuxLTS19   |
| kernel-module-ts-bm-5.2.60-yocto-standard           | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19   |
| kernel-module-g-ncm-5.2.60-yocto-standard           | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19   |
| openssh-sshd  | 8.0p1-r0+jci2   | SeeSNxWRLinuxLTS19   |
| Microsoft.OpenApi                                   | 1.2.3   | Microsoft SW License |
| util-linux-getopt                                   | 2.34-r0   | SeeSNxWRLinuxLTS19   |
| wpa-supPLICANT-passphrase                           | 2.9-r0+jci1   | SeeSNxWRLinuxLTS19   |
| libcrypt-dev  | 4.4.8-r0  | SeeSNxWRLinuxLTS19   |
| ulpi  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-2.0-only         |
| gcc-sanitizers-lic                                  | 9.2.0-r0  | SeeSNxWRLinuxLTS19   |
| iptables-module-xt-dccp                             | 1.8.3-r0  | SeeSNxWRLinuxLTS19   |
| iptables-module-xt-standard                         | 1.8.3-r0  | SeeSNxWRLinuxLTS19   |
| kernel-module-ci-hdrc-zevio-5.2.60-yocto-standard   | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19   |

|  |   |                    |
|--|---|--------------------|
| iptables-module-ip6t-ipv6header                        | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-rtl8150-5.2.60-yocto-standard            | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| gawk   | 3.1.5-r2  | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-policy                              | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-mark-5.2.60-yocto-standard            | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| bc   | 1.06-r3   | SeeSNxWRLinuxLTS19 |
| lttng-modules-lic                                      | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-tproxy                              | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| xt_MASQUERADE  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| xt_addrtype  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| pm-utils   | 1.4.1-r1  | SeeSNxWRLinuxLTS19 |
| libinput-lic   | 1.14.1-r0   | SeeSNxWRLinuxLTS19 |
| coreutils  | 8.31-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-cuse-5.2.60-yocto-standard               | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| util-linux-mesg  | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-ip6-tunnel-5.2.60-yocto-standard         | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libicutu64   | 64.2-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-ipt-synproxy-5.2.60-yocto-standard       | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| recovery-daemon  | 1.0+git0+03ee53090c-r2  | SeeSNxWRLinuxLTS19 |
| kernel-module-ebt-among-5.2.60-yocto-standard          | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| util-linux-uuidgen                                     | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-classify-5.2.60-yocto-standard        | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| kernel-module-ipt-clusterip-5.2.60-yocto-standard      | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| delete-old-crash-dumps                                 | 1.0+git0+4ff52c0396-r41   | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-helper-5.2.60-yocto-standard          | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-checksum-5.2.60-yocto-standard        | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| kernel-module-lttng-probe-signal-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| iptables-module-ip6t-frag                              | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-esp                                 | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| initscripts  | 1.0-r155+jci11  | SeeSNxWRLinuxLTS19 |

|   |   |                      |
|---|---|----------------------|
| kernel-module-xt-state-5.2.60-yocto-standard              | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19   |
| libpthread-stubs-dev                                      | 0.4-r0  | SeeSNxWRLinuxLTS19   |
| kernel-module-lttng-probe-module-5.2.60-yocto-standard    | 2.10.11-r0  | SeeSNxWRLinuxLTS19   |
| screen  | 4.6.2-r0  | SeeSNxWRLinuxLTS19   |
| util-linux-cal  | 2.34-r0   | SeeSNxWRLinuxLTS19   |
| iptables-module-ip6t-dnpt                                 | 1.8.3-r0  | SeeSNxWRLinuxLTS19   |
| kernel-module-isofs-5.2.60-yocto-standard                 | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19   |
| packagegroup-core-ssh-openssh-lic                         | 1.0-r1  | SeeSNxWRLinuxLTS19   |
| kernel-module-p8022-5.2.60-yocto-standard                 | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19   |
| util-linux-wipefs   | 2.34-r0   | SeeSNxWRLinuxLTS19   |
| kernel-module-serport-5.2.60-yocto-standard               | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19   |
| kernel-module-ccm-5.2.60-yocto-standard                   | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19   |
| bridge  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only         |
| ebt_802_3   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only         |
| packagegroup-wr-boot                                      | 1.0-r17   | SeeSNxWRLinuxLTS19   |
| eth-led-driver  | 1.0-r1  | SeeSNxWRLinuxLTS19   |
| kernel-module-xt-ct-5.2.60-yocto-standard                 | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19   |
| packagegroup-core-boot                                    | 1.0-r17   | SeeSNxWRLinuxLTS19   |
| msdos   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only         |
| iptables-modules  | 1.8.3-r0  | SeeSNxWRLinuxLTS19   |
| Microsoft® Silverlight                                    | 4.0.50401.0   | Microsoft SW License |
| udev-extraconf-lic  | 1.1-r0+jci56  | SeeSNxWRLinuxLTS19   |
| util-linux-swapon   | 2.34-r0   | SeeSNxWRLinuxLTS19   |
| nf_nat_sip  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only         |
| glibc-gconv-utf-16  | 2.30-r0   | SeeSNxWRLinuxLTS19   |
| netbase   | 1:5.6-r0  | SeeSNxWRLinuxLTS19   |
| kernel-module-lttng-probe-workqueue-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19   |
| xt_TCPMSS   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only         |

|  |   |                    |
|--|---|--------------------|
| packagegroup-wr-bsps-lic                             | 1.0-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-g-serial-5.2.60-yocto-standard         | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libc6-lic  | 2.30-r0+jci1  | SeeSNxWRLinuxLTS19 |
| openssl  | 1.1.1v-r0+jci4  | SeeSNxWRLinuxLTS19 |
| Newtonsoft.Json                                      | 11.0.2  | MIT                |
| iptables-module-xt-nfqueue                           | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| tar-lic  | 1.17-r3   | SeeSNxWRLinuxLTS19 |
| Newtonsoft.Json.Bson                                 | 1.0.2   | MIT                |
| mount-mx6  | 1.0-r5  | SeeSNxWRLinuxLTS19 |
| os-release-lic                                       | 1.0-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-gadgetfs-5.2.60-yocto-standard         | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libqmi   | 1.24.2-r0   | SeeSNxWRLinuxLTS19 |
| Newtonsoft.Json.Schema                               | 3.0.14  | MIT                |
| systemd-extra-utils                                  | 1:243.2-r0+jci11+jci43  | SeeSNxWRLinuxLTS19 |
| ntp  | 4.2.8p13-r0+jci9  | SeeSNxWRLinuxLTS19 |
| RabbitMQ.Client                                      | 5.1.1   | MPL 2.0            |
| xt_esp   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| libcui18n64  | 64.2-r0   | SeeSNxWRLinuxLTS19 |
| systemd-vconsole-setup                               | 1:243.2-r0+jci11+jci43  | SeeSNxWRLinuxLTS19 |
| gawk-lic   | 3.1.5-r2  | SeeSNxWRLinuxLTS19 |
| kernel-module-nf-contrack-h323-5.2.60-yocto-standard | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| kernel-module-act-police-5.2.60-yocto-standard       | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libmms-security1.0                                   | 1.0+git0+17ee920eeb-r17   | SeeSNxWRLinuxLTS19 |
| gdb  | 8.3.1-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-ipt-ah-5.2.60-yocto-standard           | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libnl-3-200  | 1:3.5.0-r0  | SeeSNxWRLinuxLTS19 |
| xfrm6_tunnel   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| seqiv  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| psmisc   | 23.2-r0   | SeeSNxWRLinuxLTS19 |
| file   | 5.37-r0   | SeeSNxWRLinuxLTS19 |
| nf_nat_amanda  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |



|   |   |                    |
|---|---|--------------------|
| kernel-module-spi-loopback-test-5.2.60-yocto-standard | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| ci_hdrc   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-2.0-only       |
| kernel-module-ebt-nflog-5.2.60-yocto-standard         | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| kernel-module-msdos-5.2.60-yocto-standard             | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libdrm-nouveau2                                       | 2.4.99-r0   | SeeSNxWRLinuxLTS19 |
| iptables-module-ip6t-eui64                            | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-nf-contrack-sip-5.2.60-yocto-standard   | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| nf_contrack_sane                                      | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kernel-module-xt-limit-5.2.60-yocto-standard          | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-iprange                            | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| libkms1   | 2.4.99-r0   | SeeSNxWRLinuxLTS19 |
| run-postinsts   | 1.0-r10   | SeeSNxWRLinuxLTS19 |
| linux-firmware-imx-sdma-imx6q                         | 1:20190815-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-lttng-probe-i2c-5.2.60-yocto-standard   | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| boost-lic   | 1.69.0-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-crc-itu-t-5.2.60-yocto-standard         | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libelf1   | 0.177-r0  | SeeSNxWRLinuxLTS19 |
| ts_bm   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| util-linux-blkid                                      | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-seqiv-5.2.60-yocto-standard             | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| SharpZipLib   | 1.3.3   | MIT                |
| valgrind-lic  | 3.15.0-r0   | SeeSNxWRLinuxLTS19 |
| xt_policy   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| lvm2  | 2.03.05-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-xfrm-ipcomp-5.2.60-yocto-standard       | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| tcl   | 8.6.9-r0  | SeeSNxWRLinuxLTS19 |
| lttng-ust-lic   | 2:2.10.5-r0   | SeeSNxWRLinuxLTS19 |
| sysstat   | 12.1.6-r0   | SeeSNxWRLinuxLTS19 |

|  |   |                    |
|--|---|--------------------|
| acl-lic  | 2.2.52-r0   | SeeSNxWRLinuxLTS19 |
| libglib-2.0-0  | 1:2.60.7-r0   | SeeSNxWRLinuxLTS19 |
| libpixman-1-0  | 1:0.38.4-r0   | SeeSNxWRLinuxLTS19 |
| pstree   | 23.2-r0   | SeeSNxWRLinuxLTS19 |
| iptables_mangle                                      | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kernel-module-ip6-udp-tunnel-5.2.60-yocto-standard   | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| nhc_hop  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| lmsensors-lic  | 3.5.0-r0  | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-contrack                          | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| libe2p2  | 1.45.3-r0   | SeeSNxWRLinuxLTS19 |
| lvm2-udevrules                                       | 2.03.05-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-fsck                                      | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-xfrm4-tunnel-5.2.60-yocto-standard     | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| kernel-module-ipt-reject-5.2.60-yocto-standard       | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| tzdata-pacific                                       | 2021a-r0+jci2   | SeeSNxWRLinuxLTS19 |
| at   | 3.1.23-r0   | SeeSNxWRLinuxLTS19 |
| glibc-gconv  | 2.30-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-netmap-5.2.60-yocto-standard        | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| provision-daemon-lic                                 | 1.0-r30   | SeeSNxWRLinuxLTS19 |
| provision-daemon                                     | 1.0-r30   | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-quota-5.2.60-yocto-standard         | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| init-ifupdown-lic                                    | 1.0-r7+jci6   | SeeSNxWRLinuxLTS19 |
| openssh-keygen                                       | 8.0p1-r0+jci2   | SeeSNxWRLinuxLTS19 |
| kernel-module-ltng-probe-block-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| libpng16-lic   | 1.6.37-r0   | SeeSNxWRLinuxLTS19 |
| libmount1  | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| libboost-system1.69.0                                | 1.69.0-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-ebt-vlan-5.2.60-yocto-standard         | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| libcom-err2  | 1.45.3-r0   | SeeSNxWRLinuxLTS19 |
| attr-lic   | 2.4.47-r0   | SeeSNxWRLinuxLTS19 |
| crc7   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |

|   |   |                    |
|---|---|--------------------|
| kernel-module-xt-string-5.2.60-yocto-standard         | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libwrap0  | 7.6-r10   | SeeSNxWRLinuxLTS19 |
| iputils-tftpd   | s20190709-r0  | SeeSNxWRLinuxLTS19 |
| ncurses   | 6.1+20190803-r0   | SeeSNxWRLinuxLTS19 |
| sqlite3-lic   | 3:3.29.0-r0   | SeeSNxWRLinuxLTS19 |
| bash-lic  | 5.0-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-nflog-5.2.60-yocto-standard          | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| util-linux-logger                                     | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| tzdata-atlantic                                       | 2021a-r0+jci2   | SeeSNxWRLinuxLTS19 |
| iptables-module-ipt-masquerade                        | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-nhc-fragment-5.2.60-yocto-standard      | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-addrtype-5.2.60-yocto-standard       | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| util-linux-blkzone                                    | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| gzip-lic  | 1.3.12-r2   | SeeSNxWRLinuxLTS19 |
| kernel-module-ebtable-broute-5.2.60-yocto-standard    | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| packagegroup-tzdata                                   | 1.0-r2  | SeeSNxWRLinuxLTS19 |
| iptables-module-ip6t-srh                              | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-ci-hdrc-tegra-5.2.60-yocto-standard     | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| kernel-module-ltng-probe-vmscan-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| gre   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| miidm   | 1.0+git0+4ff52c0396-r41   | SeeSNxWRLinuxLTS19 |
| kernel-module-ltng-kretprobes-5.2.60-yocto-standard   | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-usb-f-acm-5.2.60-yocto-standard         | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| trusted-applications-lic                              | 1.0-r3  | SeeSNxWRLinuxLTS19 |
| kernel-module-ci-hdrc-msm-5.2.60-yocto-standard       | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| nf_contrack_broadcast                                 | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kernel-module-usb-f-ncm-5.2.60-yocto-standard         | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libharfbuzz0  | 2.6.1-r0  | SeeSNxWRLinuxLTS19 |
| xt_sctp   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |

|   |   |                    |
|---|---|--------------------|
| iptables-module-xt-pkttype  | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| update-rc.d   | 0.8-r0  | SeeSNxWRLinuxLTS19 |
| nsh   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-2.0-only       |
| kmod  | 26-r0   | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-checksum   | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| base-files-dev  | 3.0.14-r89.3+jci19  | SeeSNxWRLinuxLTS19 |
| bc-lic  | 1.06-r3   | SeeSNxWRLinuxLTS19 |
| kernel-module-ebt-limit-5.2.60-yocto-standard                             | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| kernel-module-usbmisc-imx-5.2.60-yocto-standard                           | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| shadow  | 4.6-r0+jci1   | SeeSNxWRLinuxLTS19 |
| kernel-module-gcm-5.2.60-yocto-standard                                   | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| tcp-wrappers-lic  | 7.6-r10   | SeeSNxWRLinuxLTS19 |
| kernel-module-lttng-ring-buffer-client-mmap-discard-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-sctp   | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-wdctl  | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| curl-lic  | 7.67.0-r0+jci9  | SeeSNxWRLinuxLTS19 |
| kernel-module-nhc-udp-5.2.60-yocto-standard                               | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| kernel-module-lvu-5.2.60-yocto-standard                                   | 3.27-r5   | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-nflog  | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-prlimit  | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-ctr-5.2.60-yocto-standard                                   | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| libgcrypt   | 1.8.4-r0  | SeeSNxWRLinuxLTS19 |
| iperf3  | 3.7-r0  | SeeSNxWRLinuxLTS19 |
| update-alternatives-opkg  | 0.4.2-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-usb-f-obex-5.2.60-yocto-standard                            | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| keyutils  | 1.6-r0+jci1   | SeeSNxWRLinuxLTS19 |
| libpam  | 1.3.1-r0  | SeeSNxWRLinuxLTS19 |
| libc6-dev   | 2.30-r0+jci1  | SeeSNxWRLinuxLTS19 |
| util-linux-whereis  | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| jci-release   | 1.0-r0  | SeeSNxWRLinuxLTS19 |
| libjson-c4  | 0.13.1-r0   | SeeSNxWRLinuxLTS19 |
| pam-plugin-rootok   | 1.3.1-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-nf-synproxy-core-5.2.60-yocto-standard                      | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |

|   |   |                    |
|---|---|--------------------|
| libpcre1  | 8.43-r0   | SeeSNxWRLinuxLTS19 |
| libc6-dbg   | 2.30-r0+jci1  | SeeSNxWRLinuxLTS19 |
| kernel-module-nf-log-ipv6-5.2.60-yocto-standard       | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| ci_hdrc_zevio   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-2.0-only       |
| ip6t_ipv6header                                       | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| util-linux-umount                                     | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-ledtrig-backlight-5.2.60-yocto-standard | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libgcc1   | 9.2.0-r0  | SeeSNxWRLinuxLTS19 |
| libmtdev1   | 1.1.5-r0  | SeeSNxWRLinuxLTS19 |
| kernel-modules  | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| virtlon   | 1.0-r5  | SeeSNxWRLinuxLTS19 |
| network-status  | 1.0-r14   | SeeSNxWRLinuxLTS19 |
| pam-plugin-shells                                     | 1.3.1-r0  | SeeSNxWRLinuxLTS19 |
| libc6-extra-nss                                       | 2.30-r0+jci1  | SeeSNxWRLinuxLTS19 |
| kernel-module-cp210x-5.2.60-yocto-standard            | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| nf_defrag_ipv4  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| xt_nat  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| ah4   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kernel-module-nf-log-common-5.2.60-yocto-standard     | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| oprofile  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kernel-module-nf-log-ipv4-5.2.60-yocto-standard       | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| util-linux-addpart                                    | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| libdrm-omap1  | 2.4.99-r0   | SeeSNxWRLinuxLTS19 |
| packagegroup-tzdata-lic                               | 1.0-r2  | SeeSNxWRLinuxLTS19 |
| pam-plugin-mail                                       | 1.3.1-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-ulpi-5.2.60-yocto-standard              | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |

|  |   |                           |
|--|---|---------------------------|
| kernel-module-nfnetlink-queue-5.2.60-yocto-standard  | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19        |
| libcap-bin   | 2.27-r0   | SeeSNxWRLinuxLTS19        |
| kernel-module-ip6table-filter-5.2.60-yocto-standard  | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19        |
| i2c-tools  | 4.1-r0  | SeeSNxWRLinuxLTS19        |
| libnl-genl-3-200                                     | 1:3.5.0-r0  | SeeSNxWRLinuxLTS19        |
| libfreetype6   | 2.10.1-r0   | SeeSNxWRLinuxLTS19        |
| diag   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | BSD-1-Clause;GPL-1.0-only |
| gadgetfs   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| xt_hashlimit   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| kernel-module-xt-u32-5.2.60-yocto-standard           | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19        |
| kernel-module-ebt-stp-5.2.60-yocto-standard          | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19        |
| kernel-module-tun-5.2.60-yocto-standard              | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19        |
| iptables-module-ip6t-icmp6                           | 1.8.3-r0  | SeeSNxWRLinuxLTS19        |
| ebt_ip   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| libdrm-dev   | 2.4.99-r0   | SeeSNxWRLinuxLTS19        |
| util-linux-findmnt                                   | 2.34-r0   | SeeSNxWRLinuxLTS19        |
| iptables-module-xt-tcpmss                            | 1.8.3-r0  | SeeSNxWRLinuxLTS19        |
| kernel-module-ltng-probe-btrfs-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19        |
| kernel-module-xt-dccp-5.2.60-yocto-standard          | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19        |
| pam-plugin-securetty                                 | 1.3.1-r0  | SeeSNxWRLinuxLTS19        |
| kernel-module-xt-tcpmss-5.2.60-yocto-standard        | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19        |
| libfdisk1  | 2.34-r0   | SeeSNxWRLinuxLTS19        |
| util-linux-dmesg                                     | 2.34-r0   | SeeSNxWRLinuxLTS19        |
| kernel-module-ltng-probe-jbd2-5.2.60-yocto-standard  | 2.10.11-r0  | SeeSNxWRLinuxLTS19        |
| iptables-module-ip6t-mh                              | 1.8.3-r0  | SeeSNxWRLinuxLTS19        |
| libgpiod-lic   | 1.4.1-r0  | SeeSNxWRLinuxLTS19        |
| kernel-module-iptable-mangle-5.2.60-yocto-standard   | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19        |

|  |   |                    |
|--|---|--------------------|
| kernel-module-xt-nfqueue-5.2.60-yocto-standard | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| openssh  | 8.0p1-r0+jci2   | SeeSNxWRLinuxLTS19 |
| util-linux-rtcwake                             | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| packagegroup-wr-base                           | 1.0-r0+jci6   | SeeSNxWRLinuxLTS19 |
| kernel-module-ebt-snat-5.2.60-yocto-standard   | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libmms-security-dbg                            | 1.0+git0+17ee920eeb-r17   | SeeSNxWRLinuxLTS19 |
| libpopt-lic                                    | 1.16-r3   | SeeSNxWRLinuxLTS19 |
| pam-plugin-limits                              | 1.3.1-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-policy-5.2.60-yocto-standard  | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| iputils-ninford                                | s20190709-r0  | SeeSNxWRLinuxLTS19 |
| microsoft-aspnetcore-runtime-lic               | 8.0.1-r1  | SeeSNxWRLinuxLTS19 |
| util-linux-ldattach                            | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| systemd-compatible-units                       | 1.0-r29   | SeeSNxWRLinuxLTS19 |
| kernel-module-ipip-5.2.60-yocto-standard       | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| bash-completion-lic                            | 2.9-r0  | SeeSNxWRLinuxLTS19 |
| dbus-1   | 1.12.16-r0  | SeeSNxWRLinuxLTS19 |
| udev   | 1:243.2-r0+jci11+jci43  | SeeSNxWRLinuxLTS19 |
| db-dev   | 1:5.3.28-r1   | SeeSNxWRLinuxLTS19 |
| libuv1   | 1.32.0-r0   | SeeSNxWRLinuxLTS19 |
| libpanelw5                                     | 6.1+20190803-r0   | SeeSNxWRLinuxLTS19 |
| iptables-module-ipt-ah                         | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| libboost-random1.69.0                          | 1.69.0-r0   | SeeSNxWRLinuxLTS19 |
| rftkill-lic                                    | 0.5-r0  | SeeSNxWRLinuxLTS19 |
| base-passwd-dev                                | 3.5.29-r0   | SeeSNxWRLinuxLTS19 |
| isofs  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| pango  | 1.44.7-r0   | SeeSNxWRLinuxLTS19 |
| util-linux-rename                              | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| libffi-dbg                                     | 3.3~rc0-r0  | SeeSNxWRLinuxLTS19 |
| libcuc64                                       | 64.2-r0   | SeeSNxWRLinuxLTS19 |
| which  | 2.18-r2   | SeeSNxWRLinuxLTS19 |
| libdrm2  | 2.4.99-r0   | SeeSNxWRLinuxLTS19 |
| pegasus  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| linux-yocto-lic                                | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libcairo-lic                                   | 1.16.0-r0   | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-mac                         | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |

|   |   |                    |
|---|---|--------------------|
| iputils-rarpd                                     | s20190709-r0  | SeeSNxWRLinuxLTS19 |
| pam-plugin-deny                                   | 1.3.1-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-sctp-5.2.60-yocto-standard          | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libevdev  | 1.8.0-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-flock                                  | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| nf_defrag_ipv6                                    | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| xfrm4_tunnel                                      | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| ftdi_sio  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| screen-lic  | 4.6.2-r0  | SeeSNxWRLinuxLTS19 |
| ip6_udp_tunnel                                    | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| iputils-clockdiff                                 | s20190709-r0  | SeeSNxWRLinuxLTS19 |
| os-release  | 1.0-r0  | SeeSNxWRLinuxLTS19 |
| libxkbcommon0                                     | 0.8.4-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-nfnetlink-log-5.2.60-yocto-standard | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| wolfssl-dbg                                       | 4.6.0+git0+86517a79a1-r0+jci14  | SeeSNxWRLinuxLTS19 |
| kernel-module-ipt-rpfilter-5.2.60-yocto-standard  | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libxml2-dev                                       | 2.9.9-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-ebt-ip-5.2.60-yocto-standard        | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| rng-tools-lic                                     | 6.7-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-ip6t-frag-5.2.60-yocto-standard     | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| llc   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| base-files  | 3.0.14-r89.3+jci19  | SeeSNxWRLinuxLTS19 |
| ccm   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| gcc-sanitizers                                    | 9.2.0-r0  | SeeSNxWRLinuxLTS19 |
| libfribidi0                                       | 1.0.5-r0  | SeeSNxWRLinuxLTS19 |
| volatile-binds-lic                                | 1.0-r0  | SeeSNxWRLinuxLTS19 |
| iptables_filter                                   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |



|  |   |                    |
|--|---|--------------------|
| i2c-tools-lic                                      | 4.1-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-bonding-5.2.60-yocto-standard        | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| ipip   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| time   | 1.7-r2  | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-connmark-5.2.60-yocto-standard    | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| kernel-module-ip6t-eui64-5.2.60-yocto-standard     | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libncurses5  | 6.1+20190803-r0   | SeeSNxWRLinuxLTS19 |
| ctr  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| libffi7  | 3.3~rc0-r0  | SeeSNxWRLinuxLTS19 |
| pam-plugin-env                                     | 1.3.1-r0  | SeeSNxWRLinuxLTS19 |
| libdw1   | 0.177-r0  | SeeSNxWRLinuxLTS19 |
| ebt_redirect                                       | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kernel-module-diag-5.2.60-yocto-standard           | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| af_key   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| libpam-dev   | 1.3.1-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-ctrlaltdel                              | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-usbnet-5.2.60-yocto-standard         | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| util-linux-fdformat                                | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-nls-iso8859-15-5.2.60-yocto-standard | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| m4-lic   | 1.4.9-r2  | SeeSNxWRLinuxLTS19 |
| nf_contrack_h323                                   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kernel-module-ebt-ip6-5.2.60-yocto-standard        | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libncursesw5                                       | 6.1+20190803-r0   | SeeSNxWRLinuxLTS19 |
| vim-lic  | 9.0.2048-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-ip-gre-5.2.60-yocto-standard         | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| xfrm_ipcomp  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |

|  |   |                    |
|--|---|--------------------|
| tzdata-core  | 2021a-r0+jci2   | SeeSNxWRLinuxLTS19 |
| kernel-module-dummy-5.2.60-yocto-standard          | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libsysfs2  | 2.1.0-r5  | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-trace                           | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-agetty                                  | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| gzip   | 1.3.12-r2   | SeeSNxWRLinuxLTS19 |
| boost-log  | 1.69.0-r0   | SeeSNxWRLinuxLTS19 |
| packagegroup-wr-bsps                               | 1.0-r0  | SeeSNxWRLinuxLTS19 |
| linux-libc-headers-lic                             | 5.2-r0  | SeeSNxWRLinuxLTS19 |
| libns12  | 1.2.0+git0+37c5ffe303-r0  | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-ecn                             | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| gcc-runtime-lic                                    | 9.2.0-r0  | SeeSNxWRLinuxLTS19 |
| mesa-megadriver                                    | 2:19.1.6-r0+jci1  | SeeSNxWRLinuxLTS19 |
| e2fsprogs-resize2fs                                | 1.45.3-r0   | SeeSNxWRLinuxLTS19 |
| util-linux   | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-arp-tables-5.2.60-yocto-standard     | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| act_mirred   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| acl  | 2.2.52-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-ebtable-filter-5.2.60-yocto-standard | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| kernel-module-nf-defrag-ipv6-5.2.60-yocto-standard | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libstdc++6   | 9.2.0-r0  | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-connsecmark                     | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| libgpg-error-lic                                   | 1.36-r0   | SeeSNxWRLinuxLTS19 |
| tar  | 1.17-r3   | SeeSNxWRLinuxLTS19 |
| wolfssl  | 4.6.0+git0+86517a79a1-r0+jci14  | SeeSNxWRLinuxLTS19 |
| kernel-devicetree                                  | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| kernel-module-binfmt-misc-5.2.60-yocto-standard    | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libtcp-lic   | 1.0+git0+8cdfdaa705-r16   | SeeSNxWRLinuxLTS19 |
| kernel-module-nf-reject-ipv4-5.2.60-yocto-standard | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| bash-completion                                    | 2.9-r0  | SeeSNxWRLinuxLTS19 |
| libcap-ng-lic                                      | 0.7.9-r0  | SeeSNxWRLinuxLTS19 |
| kmod-lic   | 26-r0   | SeeSNxWRLinuxLTS19 |
| iptables-module-ip6t-hbh                           | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| coreutils-lic                                      | 8.31-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-crc7-5.2.60-yocto-standard           | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |

|  |   |                    |
|--|---|--------------------|
| libtcp1.0  | 1.0+git0+8cdfdaa705-r16   | SeeSNxWRLinuxLTS19 |
| libsystemd0  | 1:243.2-r0+jci11+jci43  | SeeSNxWRLinuxLTS19 |
| packagegroup-graphics-support                            | 1.0-r3  | SeeSNxWRLinuxLTS19 |
| dosfstools   | 2.11-r5   | SeeSNxWRLinuxLTS19 |
| kernel-module-ltng-probe-irq-5.2.60-yocto-standard       | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| perl-module-config-heavy                                 | 5.30.0-r0   | SeeSNxWRLinuxLTS19 |
| tzdata-americas  | 2021a-r0+jci2   | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-addrtype                              | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-ltng-probe-regulator-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| ltng-modules   | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| xz   | 5.2.4-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-ebt-mark-m-5.2.60-yocto-standard           | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| util-linux-choom   | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-usb-f-mass-storage-5.2.60-yocto-standard   | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| kernel-module-x-tables-5.2.60-yocto-standard             | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libgbm1  | 2:19.1.6-r0+jci1  | SeeSNxWRLinuxLTS19 |
| libtic5  | 6.1+20190803-r0   | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-udp                                   | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| vxlan  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| xt_DSCP  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| iptables-module-ipt-icmp                                 | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| iputils-tracepath  | s20190709-r0  | SeeSNxWRLinuxLTS19 |
| iptables-module-ipt-ttl                                  | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| u_ether  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| libcomposite   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| pam-plugin-unix  | 1.3.1-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-ip6t-ipv6header-5.2.60-yocto-standard      | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| kernel-module-nf-nat-tftp-5.2.60-yocto-standard          | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| vendor-protocol-drivers                                  | 14.0-r2   | SeeSNxWRLinuxLTS19 |
| manage-bootloop-lic                                      | 1.0-r3  | SeeSNxWRLinuxLTS19 |

|  |   |                    |
|--|---|--------------------|
| kernel-image-5.2.60-yocto-standard                 | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| libglib-2.0-lic                                    | 1:2.60.7-r0   | SeeSNxWRLinuxLTS19 |
| g3-base  | 1.0+git0+2b86050dfe-r11   | SeeSNxWRLinuxLTS19 |
| kernel-module-u-ether-5.2.60-yocto-standard        | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| shadow-lic   | 4.6-r0+jci1   | SeeSNxWRLinuxLTS19 |
| xt_multiport                                       | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kernel-module-ipvlan-5.2.60-yocto-standard         | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| kernel-module-nsh-5.2.60-yocto-standard            | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| iproute2   | 5.2.0-r0  | SeeSNxWRLinuxLTS19 |
| boost  | 1.69.0-r0   | SeeSNxWRLinuxLTS19 |
| usbnet   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| trusted-applications                               | 1.0-r3  | SeeSNxWRLinuxLTS19 |
| kernel-module-ts-kmp-5.2.60-yocto-standard         | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| libbz2-1   | 1.0.8-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-lttng-clock-5.2.60-yocto-standard    | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| packagegroup-core-boot-lic                         | 1.0-r17   | SeeSNxWRLinuxLTS19 |
| libcap-ng0   | 0.7.9-r0  | SeeSNxWRLinuxLTS19 |
| libpcap-lic  | 1.9.1-r0  | SeeSNxWRLinuxLTS19 |
| tzdata-australia                                   | 2021a-r0+jci2   | SeeSNxWRLinuxLTS19 |
| ehtable_filter                                     | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| e2fsprogs-mke2fs                                   | 1.45.3-r0   | SeeSNxWRLinuxLTS19 |
| logrotate-lic                                      | 3.15.1-r0+jci13   | SeeSNxWRLinuxLTS19 |
| kernel-module-nf-defrag-ipv4-5.2.60-yocto-standard | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| gpio-export  | 1.0-r2  | SeeSNxWRLinuxLTS19 |
| xt_contrack  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| usb_f_ecm  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| xt_ecn   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |

|   |   |                    |
|---|---|--------------------|
| pam-plugin-nologin                                | 1.3.1-r0  | SeeSNxWRLinuxLTS19 |
| packagegroup-wr-base-net                          | 1.0-r0+jci6   | SeeSNxWRLinuxLTS19 |
| enable-weston                                     | 1.0-r1  | SeeSNxWRLinuxLTS19 |
| libaio1   | 0.3.111-r0  | SeeSNxWRLinuxLTS19 |
| gdbm-lic  | 1.8.3-r4  | SeeSNxWRLinuxLTS19 |
| systemd-serialgetty                               | 1.0-r5+jci1   | SeeSNxWRLinuxLTS19 |
| ebt_ip6   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| ca-certificates-lic                               | 20190110-r0+jci6  | SeeSNxWRLinuxLTS19 |
| liblzma5  | 5.2.4-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-ehci-hcd-5.2.60-yocto-standard      | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| nf_conntrack_amanda                               | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| iptables-module-xt-rpfilter                       | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| iptables  | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-led                            | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-sctp-diag-5.2.60-yocto-standard     | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| libsmartcols1                                     | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| killall   | 23.2-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-u-serial-5.2.60-yocto-standard      | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| util-linux-mkswap                                 | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| udev-extraconf                                    | 1.1-r0+jci56  | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-tcpudp-5.2.60-yocto-standard     | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| libubsan1   | 9.2.0-r0  | SeeSNxWRLinuxLTS19 |
| liberation-fonts-lic                              | 1:2.00.1-r0   | SeeSNxWRLinuxLTS19 |
| kbd   | 2.0.4-r0  | SeeSNxWRLinuxLTS19 |
| ca-translations-lic                               | 1.0+git0+b634b7285c-r8  | SeeSNxWRLinuxLTS19 |
| shadow-securetty                                  | 4.6-r3  | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-connlimit                      | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-fsck.cramfs                            | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-masquerade-5.2.60-yocto-standard | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| packagegroup-wr-core-util                         | 1.0-r3  | SeeSNxWRLinuxLTS19 |
| libreadline-dev                                   | 5.2-r9  | SeeSNxWRLinuxLTS19 |
| ltnng-ust   | 2:2.10.5-r0   | SeeSNxWRLinuxLTS19 |
| util-linux-ul                                     | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| libdrm-lic  | 2.4.99-r0   | SeeSNxWRLinuxLTS19 |

|  |   |                    |
|--|---|--------------------|
| kernel-module-nf-nat-ftp-5.2.60-yocto-standard                       | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                          | SeeSNxWRLinuxLTS19 |
| ebt_pkttype  | 5.2.60-yocto-standard SMP preempt mod_unload modversions ARMv7 p2v8 | GPL-1.0-only       |
| libboost-atomic1.69.0  | 1.69.0-r0   | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-multiport   | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-mark  | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-mac-5.2.60-yocto-standard                           | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                          | SeeSNxWRLinuxLTS19 |
| libpng16-16  | 1.6.37-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-nf-nat-pptp-5.2.60-yocto-standard                      | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                          | SeeSNxWRLinuxLTS19 |
| util-linux-mountpoint  | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-ltng-ring-buffer-metadata-client-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-ipcmk   | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| e2fsprogs-tune2fs  | 1.45.3-r0   | SeeSNxWRLinuxLTS19 |
| flex-libfl   | 2.6.0-r0  | SeeSNxWRLinuxLTS19 |
| vim-common   | 9.0.2048-r0   | SeeSNxWRLinuxLTS19 |
| gawk-common  | 3.1.5-r2  | SeeSNxWRLinuxLTS19 |
| libunwind  | 1.3.1-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-iptables-raw-5.2.60-yocto-standard                     | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                          | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-sctp-5.2.60-yocto-standard                          | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                          | SeeSNxWRLinuxLTS19 |
| tzdata-antarctica  | 2021a-r0+jci2   | SeeSNxWRLinuxLTS19 |
| liberation-fonts   | 1:2.00.1-r0   | SeeSNxWRLinuxLTS19 |
| optee-client-dbg   | 2.6.0+git0+6dc3d0fdea-r0+jci7                                       | SeeSNxWRLinuxLTS19 |
| libopkg1   | 1:0.4.1-r0  | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-physdev   | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| net1080  | 5.2.60-yocto-standard SMP preempt mod_unload modversions ARMv7 p2v8 | GPL-1.0-only       |
| xt_LOG   | 5.2.60-yocto-standard SMP preempt mod_unload modversions ARMv7 p2v8 | GPL-1.0-only       |
| libjpeg62  | 1:2.0.3-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-nf-contrack-pptp-5.2.60-yocto-standard                 | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                          | SeeSNxWRLinuxLTS19 |
| opkg-arch-config-lic   | 1.0-r1  | SeeSNxWRLinuxLTS19 |
| libnss-myhostname2   | 1:243.2-r0+jci11+jci43  | SeeSNxWRLinuxLTS19 |
| weston   | 7.0.0-r0+jci2   | SeeSNxWRLinuxLTS19 |
| util-linux-mcookie   | 2.34-r0   | SeeSNxWRLinuxLTS19 |

|  |   |                    |
|--|---|--------------------|
| mpls_gso   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| libsyslog-ng-3.24-0                                  | 3.24.1-r0+jci11   | SeeSNxWRLinuxLTS19 |
| pam-plugin-keyinit                                   | 1.3.1-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-virtlton-5.2.60-yocto-standard         | 1.0-r5  | SeeSNxWRLinuxLTS19 |
| ca-certificates                                      | 20190110-r0+jci6  | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-rateest                           | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-hl-5.2.60-yocto-standard            | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| liblz2-dbg   | 2.10-r0   | SeeSNxWRLinuxLTS19 |
| libudev1   | 1:243.2-r0+jci11+jci43  | SeeSNxWRLinuxLTS19 |
| libjpeg-lic  | 1:2.0.3-r0  | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-limit                             | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| tzdata-misc  | 2021a-r0+jci2   | SeeSNxWRLinuxLTS19 |
| ldconfig   | 2.30-r0+jci1  | SeeSNxWRLinuxLTS19 |
| libcap2  | 2.27-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-nf-contrack-tftp-5.2.60-yocto-standard | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| util-linux-fincore                                   | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| swapfeed   | git0+8aa1ad1b06-r1  | SeeSNxWRLinuxLTS19 |
| libz1  | 1.2.11-r0   | SeeSNxWRLinuxLTS19 |
| fontconfig-utils                                     | 2.13.1-r0   | SeeSNxWRLinuxLTS19 |
| nf_nat   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| libjitterentropy-lic                                 | 2.1.2-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-gre-5.2.60-yocto-standard              | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| kernel-module-ip6table-raw-5.2.60-yocto-standard     | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| util-linux-readprofile                               | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| libsensors5  | 3.5.0-r0  | SeeSNxWRLinuxLTS19 |
| binfmt_misc  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kernel-module-8021q-5.2.60-yocto-standard            | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| libcrypto1.1   | 1.1.1v-r0+jci4  | SeeSNxWRLinuxLTS19 |
| configs  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| microsoft-asnnetcore-runtime                         | 8.0.1-r1  | SeeSNxWRLinuxLTS19 |
| volatile-binds                                       | 1.0-r0  | SeeSNxWRLinuxLTS19 |

|  |   |                    |
|--|---|--------------------|
| ip6t_frag  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| libacl1  | 2.2.52-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-ebt-dnat-5.2.60-yocto-standard                               | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| util-linux-hwclock   | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| usbutils-lic   | 012-r0  | SeeSNxWRLinuxLTS19 |
| usb_f_acm  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| libexpat-dbg   | 2.2.8-r0  | SeeSNxWRLinuxLTS19 |
| tzdata-asia  | 2021a-r0+jci2   | SeeSNxWRLinuxLTS19 |
| liburcu  | 0.11.1-r0   | SeeSNxWRLinuxLTS19 |
| ksz9563-reg-set  | 1.0+git0+667da2d048-r5  | SeeSNxWRLinuxLTS19 |
| snc-io-product-fw-rx-bin   | 1.0-r4  | SeeSNxWRLinuxLTS19 |
| vendor-protocol-drivers-lic  | 14.0-r2   | SeeSNxWRLinuxLTS19 |
| p8022  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| iptables-module-xt-ct  | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| mesa-lic   | 2:19.1.6-r0+jci1  | SeeSNxWRLinuxLTS19 |
| sed  | 4.2.2-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-lttng-tracer-5.2.60-yocto-standard                           | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-ts-fsm-5.2.60-yocto-standard                                 | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| util-linux-fstrim  | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-lttng-probe-regmap-5.2.60-yocto-standard                     | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| libmenuw5  | 6.1+20190803-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-nf-contrack-5.2.60-yocto-standard                            | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| libstdc++-dev  | 9.2.0-r0  | SeeSNxWRLinuxLTS19 |
| glibc-gconv-cp932  | 2.30-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-lttng-ring-buffer-metadata-mmap-client-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| libmnl-dbg   | 1.0.4-r0  | SeeSNxWRLinuxLTS19 |
| fuser  | 23.2-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-ath9k-htc-5.2.60-yocto-standard                              | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-contrack-5.2.60-yocto-standard                            | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| libdbus-1-3  | 1.12.16-r0  | SeeSNxWRLinuxLTS19 |



|   |   |                           |
|---|---|---------------------------|
| nf_nat_h323   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| iptables-module-xt-devgroup   | 1.8.3-r0  | SeeSNxWRLinuxLTS19        |
| kernel-module-configfs-5.2.60-yocto-standard                          | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19        |
| iptables-module-xt-connbytes  | 1.8.3-r0  | SeeSNxWRLinuxLTS19        |
| iptables-module-xt-recent   | 1.8.3-r0  | SeeSNxWRLinuxLTS19        |
| which-lic   | 2.18-r2   | SeeSNxWRLinuxLTS19        |
| kernel-module-arptable-filter-5.2.60-yocto-standard                   | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19        |
| kernel-module-nf-conncount-5.2.60-yocto-standard                      | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19        |
| kernel-module-udp-tunnel-5.2.60-yocto-standard                        | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19        |
| kernel-module-ltng-ring-buffer-client-overwrite-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19        |
| kernel-module-xt-multiport-5.2.60-yocto-standard                      | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19        |
| xfrm_user   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| ath9k_htc   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | BSD-1-Clause;GPL-1.0-only |
| kernel-module-bridge-5.2.60-yocto-standard                            | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19        |
| util-linux-uuidparse  | 2.34-r0   | SeeSNxWRLinuxLTS19        |
| iptables-module-xt-statistic  | 1.8.3-r0  | SeeSNxWRLinuxLTS19        |
| pam-plugin-group  | 1.3.1-r0  | SeeSNxWRLinuxLTS19        |
| flex-dev  | 2.6.0-r0  | SeeSNxWRLinuxLTS19        |
| tree  | 1.8.0-r0  | SeeSNxWRLinuxLTS19        |
| kernel-module-xfrm-user-5.2.60-yocto-standard                         | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19        |
| cryptsetup  | 2.2.1-r0  | SeeSNxWRLinuxLTS19        |
| xt_mac  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| libasan5  | 9.2.0-r0  | SeeSNxWRLinuxLTS19        |
| iptables-module-xt-set  | 1.8.3-r0  | SeeSNxWRLinuxLTS19        |
| libpciaccess0   | 0.16-r0   | SeeSNxWRLinuxLTS19        |
| g_ether   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |

|  |   |                    |
|--|---|--------------------|
| kernel-module-lttnng-test-5.2.60-yocto-standard        | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| libdrm-freedreno1                                      | 2.4.99-r0   | SeeSNxWRLinuxLTS19 |
| liblzo2-2  | 2.10-r0   | SeeSNxWRLinuxLTS19 |
| usbvni-lic   | 3.27-r5   | SeeSNxWRLinuxLTS19 |
| grep   | 3.3-r0  | SeeSNxWRLinuxLTS19 |
| linux-libc-headers-dev                                 | 5.2-r0  | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-secmark                             | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| libdrm-radeon1   | 2.4.99-r0   | SeeSNxWRLinuxLTS19 |
| nhc_dest   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| cracklib-lic   | 2.9.5-r0  | SeeSNxWRLinuxLTS19 |
| elfutils   | 0.177-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-tipc-5.2.60-yocto-standard               | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| kernel-module-libcomposite-5.2.60-yocto-standard       | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| ghash_generic  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| util-linux-setpriv                                     | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-lttnng-probe-sched-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| linux-firmware-imx-sdma-license                        | 1:20190815-r0   | SeeSNxWRLinuxLTS19 |
| nf_contrack_ftp  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| ts_fsm   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kbd-lic  | 2.0.4-r0  | SeeSNxWRLinuxLTS19 |
| xt_CHECKSUM  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| systemd-serialgetty-lic                                | 1.0-r5+jci1   | SeeSNxWRLinuxLTS19 |
| libboost-date-time1.69.0                               | 1.69.0-r0   | SeeSNxWRLinuxLTS19 |
| cfg80211   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| ca-dictionary  | 1.0+git0+52873a49cd-r21   | SeeSNxWRLinuxLTS19 |
| util-linux-unshare                                     | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| libuuid1   | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| pam-plugin-motd  | 1.3.1-r0  | SeeSNxWRLinuxLTS19 |
| wayland-dbg  | 1.17.0-r0   | SeeSNxWRLinuxLTS19 |

|   |   |                    |
|---|---|--------------------|
| kernel-module-ci-hdrc-usb2-5.2.60-yocto-standard      | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libpciaccess-lic                                      | 0.16-r0   | SeeSNxWRLinuxLTS19 |
| xt_dccp   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| ebt_arpreply  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| mingetty  | 1.08-r3   | SeeSNxWRLinuxLTS19 |
| libpcre-lic   | 8.43-r0   | SeeSNxWRLinuxLTS19 |
| snx-power-state-lic                                   | 1.00-r1   | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-string                             | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| libpixman-1-lic                                       | 1:0.38.4-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-lttng-probe-power-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-ionice                                     | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-ebt-arp-5.2.60-yocto-standard           | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libboost-locale1.69.0                                 | 1.69.0-r0   | SeeSNxWRLinuxLTS19 |
| libdevmapper  | 2.03.05-r0  | SeeSNxWRLinuxLTS19 |
| packagegroup-wr-base-lic                              | 1.0-r0+jci6   | SeeSNxWRLinuxLTS19 |
| attr  | 2.4.47-r0   | SeeSNxWRLinuxLTS19 |
| xt_state  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| rng-tools   | 6.7-r0  | SeeSNxWRLinuxLTS19 |
| cpio  | 2.8-r4  | SeeSNxWRLinuxLTS19 |
| zip   | 3.0-r2  | SeeSNxWRLinuxLTS19 |
| coreutils-dev   | 8.31-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-mii-5.2.60-yocto-standard               | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| util-linux-su   | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| nhc_ipv6  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| tzdata-arctic   | 2021a-r0+jci2   | SeeSNxWRLinuxLTS19 |
| wayland-dev   | 1.17.0-r0   | SeeSNxWRLinuxLTS19 |
| g_mass_storage  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| iptables-module-xt-audit                              | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-sulogin                                    | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| libarchive  | 3.4.0-r0  | SeeSNxWRLinuxLTS19 |
| libattr1  | 2.4.47-r0   | SeeSNxWRLinuxLTS19 |

|  |   |                    |
|--|---|--------------------|
| syslog-ng  | 3.24.1-r0+jci11   | SeeSNxWRLinuxLTS19 |
| util-linux-partx                                       | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| libtinfo5  | 6.1+20190803-r0   | SeeSNxWRLinuxLTS19 |
| board-interface-daemon                                 | 1.0+git0+27a61bf922-r4  | SeeSNxWRLinuxLTS19 |
| nginx  | 1.14.2-r0+jci12+jci2  | SeeSNxWRLinuxLTS19 |
| libusb-1.0-lic   | 1.0.22-r0   | SeeSNxWRLinuxLTS19 |
| util-linux-zramctl                                     | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| config-nae   | 1.0+git0+4ff52c0396-r41   | SeeSNxWRLinuxLTS19 |
| ci_hdrc_tegra  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-2.0-only       |
| kernel-module-lttng-probe-random-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-ebt-pktttype-5.2.60-yocto-standard       | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| kernel-module-lttng-kprobes-5.2.60-yocto-standard      | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| libglapi-dev   | 2:19.1.6-r0+jci1  | SeeSNxWRLinuxLTS19 |
| libc6-utils  | 2.30-r0+jci1  | SeeSNxWRLinuxLTS19 |
| libsolv-lic  | 0.7.6-r0  | SeeSNxWRLinuxLTS19 |
| nf_synproxy_core                                       | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| util-linux-losetup                                     | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| libglapi0  | 2:19.1.6-r0+jci1  | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-redirect-5.2.60-yocto-standard        | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| libx11-compose-data                                    | 1.6.8-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-findfs                                      | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| mount-mx6-lic  | 1.0-r5  | SeeSNxWRLinuxLTS19 |
| pam-plugin-access                                      | 1.3.1-r0  | SeeSNxWRLinuxLTS19 |
| libx11-compose-data-lic                                | 1.6.8-r0  | SeeSNxWRLinuxLTS19 |
| lttng-tools  | 2.10.7-r0   | SeeSNxWRLinuxLTS19 |
| iptables-module-ipt-log                                | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-realm-5.2.60-yocto-standard           | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| kernel-module-cdc-ether-5.2.60-yocto-standard          | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| weston-init-lic  | 1.0-r0+jci6   | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-connlimit-5.2.60-yocto-standard       | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| kernel-module-nhc-hop-5.2.60-yocto-standard            | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| util-linux-namei                                       | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| packagegroup-jci-debug                                 | 1.0-r12   | SeeSNxWRLinuxLTS19 |

|   |   |                    |
|---|---|--------------------|
| iptables-module-ip6t-netmap   | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| base-passwd   | 3.5.29-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-nf-contrack-sane-5.2.60-yocto-standard                        | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| util-linux-wall   | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| ip_tables   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| iptables-module-ip6t-snat   | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| sudo  | 1.8.27-r0+jci6  | SeeSNxWRLinuxLTS19 |
| imx6-hardware-test  | 1.0+git0+4eb28da7dd-r2  | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-trace-5.2.60-yocto-standard                                | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-tee  | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| attr-dev  | 2.4.47-r0   | SeeSNxWRLinuxLTS19 |
| e2fsprogs-e2fsck  | 1.45.3-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-ci-hdrc-5.2.60-yocto-standard                                 | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| packagegroup-graphics-support-lic   | 1.0-r3  | SeeSNxWRLinuxLTS19 |
| kernel-module-lttng-ring-buffer-client-mmap-overwrite-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| arpt_mangle   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| nf_contrack_netbios_ns  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kernel-module-g-mass-storage-5.2.60-yocto-standard                          | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| kernel-module-cdc-acm-5.2.60-yocto-standard                                 | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| ehci_hcd  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| libgmp10  | 6.1.2-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-iptable-nat-5.2.60-yocto-standard                             | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| libboost-python37-1.69.0  | 1.69.0-r0   | SeeSNxWRLinuxLTS19 |
| libdrm-etnaviv1   | 2.4.99-r0   | SeeSNxWRLinuxLTS19 |
| time-lic  | 1.7-r2  | SeeSNxWRLinuxLTS19 |
| iptables-module-ipt-netmap  | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| wayland   | 1.17.0-r0   | SeeSNxWRLinuxLTS19 |
| ip6t_rt   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |

|  |   |                    |
|--|---|--------------------|
| kernel-module-nhc-mobility-5.2.60-yocto-standard | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                          | SeeSNxWRLinuxLTS19 |
| nfnetlink_queue                                  | 5.2.60-yocto-standard SMP preempt mod_unload modversions ARMv7 p2v8 | GPL-1.0-only       |
| act_police                                       | 5.2.60-yocto-standard SMP preempt mod_unload modversions ARMv7 p2v8 | GPL-1.0-only       |
| libpanel5  | 6.1+20190803-r0   | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-hashlimit                     | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| base-passwd-lic                                  | 3.5.29-r0   | SeeSNxWRLinuxLTS19 |
| libwolfengine1                                   | 1.2.0+git0+a6896399f6-r0+jci1                                       | SeeSNxWRLinuxLTS19 |
| icu  | 64.2-r0   | SeeSNxWRLinuxLTS19 |
| usb_f_mass_storage                               | 5.2.60-yocto-standard SMP preempt mod_unload modversions ARMv7 p2v8 | GPL-1.0-only       |
| kbd-keymaps                                      | 2.0.4-r0  | SeeSNxWRLinuxLTS19 |
| rftkill  | 0.5-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-ebtables-5.2.60-yocto-standard     | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                          | SeeSNxWRLinuxLTS19 |
| libevdev-lic                                     | 1.8.0-r0  | SeeSNxWRLinuxLTS19 |
| ip6table_mangle                                  | 5.2.60-yocto-standard SMP preempt mod_unload modversions ARMv7 p2v8 | GPL-1.0-only       |
| OpenSSL  | 1.1.1v  | OpenSSL;Apache-2.0 |
| kernel-module-ebtable-nat-5.2.60-yocto-standard  | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                          | SeeSNxWRLinuxLTS19 |
| iptables-module-ip6t-redirect                    | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| bash   | 5.0-r0  | SeeSNxWRLinuxLTS19 |
| nf_nat_irc                                       | 5.2.60-yocto-standard SMP preempt mod_unload modversions ARMv7 p2v8 | GPL-1.0-only       |
| iptables-module-ip6t-rt                          | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-tos                           | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| tzdata-right                                     | 2021a-r0+jci2   | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-cluster                       | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| libboost-coroutine1.69.0                         | 1.69.0-r0   | SeeSNxWRLinuxLTS19 |
| libxml2-dbg                                      | 2.9.9-r0  | SeeSNxWRLinuxLTS19 |
| net-tools-lic                                    | 1.60-26-r0  | SeeSNxWRLinuxLTS19 |
| libcrypt2  | 4.4.8-r0  | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-time                          | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| packagegroup-core-ssh-openssh                    | 1.0-r1  | SeeSNxWRLinuxLTS19 |
| libboost-container1.69.0                         | 1.69.0-r0   | SeeSNxWRLinuxLTS19 |
| linux-firmware-lic                               | 1:20190815-r0   | SeeSNxWRLinuxLTS19 |

|   |   |                           |
|---|---|---------------------------|
| ebt_snat  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| grep-lic  | 3.3-r0  | SeeSNxWRLinuxLTS19        |
| nls_iso8859_15  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | BSD-1-Clause;GPL-1.0-only |
| util-linux-mount  | 2.34-r0   | SeeSNxWRLinuxLTS19        |
| flex-lic  | 2.6.0-r0  | SeeSNxWRLinuxLTS19        |
| deviceapi   | 1.0+git0+4ff52c0396-r41   | SeeSNxWRLinuxLTS19        |
| kernel-module-esp4-5.2.60-yocto-<br>standard            | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19        |
| libboost-timer1.69.0                                    | 1.69.0-r0   | SeeSNxWRLinuxLTS19        |
| bonding   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| cp210x  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-2.0-only              |
| kernel-module-ltng-probe-sock-<br>5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19        |
| iptables-module-xt-osf                                  | 1.8.3-r0  | SeeSNxWRLinuxLTS19        |
| dbus-lic  | 1.12.16-r0  | SeeSNxWRLinuxLTS19        |
| udp_tunnel  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| util-linux-sfdisk                                       | 2.34-r0   | SeeSNxWRLinuxLTS19        |
| manage-usbmodule  | 1.0-r6  | SeeSNxWRLinuxLTS19        |
| kernel-module-ltng-statedump-<br>5.2.60-yocto-standard  | 2.10.11-r0  | SeeSNxWRLinuxLTS19        |
| ledtrig_backlight                                       | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-2.0-only              |
| u_serial  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| libfontconfig1  | 2.13.1-r0   | SeeSNxWRLinuxLTS19        |
| ebt_limit   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| nf_conntrack_irc  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| kernel-module-ebt-log-5.2.60-yocto-<br>standard         | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19        |

|  |   |                    |
|--|---|--------------------|
| kernel-module-ip6table-mangle-5.2.60-yocto-standard    | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| corelockr  | 1.0+git0+01f4c903ca-r6  | SeeSNxWRLinuxLTS19 |
| cpio-lic   | 2.8-r4  | SeeSNxWRLinuxLTS19 |
| iptables-module-ip6t-dnat                              | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| sysstat-lic  | 12.1.6-r0   | SeeSNxWRLinuxLTS19 |
| sudo-lic   | 1.8.27-r0+jci6  | SeeSNxWRLinuxLTS19 |
| libcui64   | 64.2-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-mac80211-5.2.60-yocto-standard           | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| util-linux-lsmem                                       | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-nf-contrack-amanda-5.2.60-yocto-standard | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| evtest-lic   | 1.34-r0   | SeeSNxWRLinuxLTS19 |
| distro-feed-configs                                    | 1.0-r6+jci1   | SeeSNxWRLinuxLTS19 |
| toybox   | 0.7.4+git0+7828920303-r6  | SeeSNxWRLinuxLTS19 |
| libdrm-intel1  | 2.4.99-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-usb-f-ecm-5.2.60-yocto-standard          | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| r8152  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| xt_length  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| vim  | 9.0.2048-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-mpls-gso-5.2.60-yocto-standard           | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| usb_f_ncm  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| xt_pkttype   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kernel-module-vport-vxlan-5.2.60-yocto-standard        | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| ksz9563-reg-set-lic                                    | 1.0+git0+667da2d048-r5  | SeeSNxWRLinuxLTS19 |
| libxml2-lic  | 2.9.9-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-ath9k-common-5.2.60-yocto-standard       | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| kernel-module-vport-gre-5.2.60-yocto-standard          | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| ehtable_broute   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| libnss-db2   | 2.30-r0+jci1  | SeeSNxWRLinuxLTS19 |



|  |   |                    |
|--|---|--------------------|
| xt_helper  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| iptables-module-xt-quota                                 | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| gdbserver  | 8.3.1-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-ipcomp-5.2.60-yocto-standard               | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-length-5.2.60-yocto-standard            | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| eatables   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kernel-module-ltng-probe-statedump-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-af-key-5.2.60-yocto-standard               | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| iptables-module-ipt-ecn                                  | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-mkfs  | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-classify                              | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| libnl-3-lic  | 1:3.5.0-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-mkfs.cramfs                                   | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| ci_hdrc_imx  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| tzdata-europe  | 2021a-r0+jci2   | SeeSNxWRLinuxLTS19 |
| kernel-module-ltng-probe-udp-5.2.60-yocto-standard       | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-dscp-5.2.60-yocto-standard              | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| libz-lic   | 1.2.11-r0   | SeeSNxWRLinuxLTS19 |
| net-tools  | 1.60-26-r0  | SeeSNxWRLinuxLTS19 |
| systemd  |   | LGPL-2.1           |
| nf_log_ipv4  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| libmms-security-lic                                      | 1.0+git0+17ee920eeb-r17   | SeeSNxWRLinuxLTS19 |
| nf_contrack  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kernel-module-openswitch-5.2.60-yocto-standard           | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| 8021q  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |

|   |   |                    |
|---|---|--------------------|
| cdc_subset  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| findutils   | 4.2.31-r4   | SeeSNxWRLinuxLTS19 |
| kernel-module-cfg80211-5.2.60-yocto-standard              | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| jci-msl-dbg   | 1.0+git0+892cd4a540-r8  | SeeSNxWRLinuxLTS19 |
| nhc_routing   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| ntp-lic   | 4.2.8p13-r0+jci9  | SeeSNxWRLinuxLTS19 |
| openssl-conf  | 1.1.1v-r0+jci4  | SeeSNxWRLinuxLTS19 |
| iptables-module-ipt-redirect                              | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| iptables-module-ip6t-dst                                  | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-uidd   | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| ip6t_eui64  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| usb_f_ecm_subset  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| iptables-module-xt-ipvs                                   | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| libgmp-dev  | 6.1.2-r0  | SeeSNxWRLinuxLTS19 |
| vport_vxlan   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| pam-plugin-lastlog  | 1.3.1-r0  | SeeSNxWRLinuxLTS19 |
| procps  | 3.3.15-r0+jci1  | SeeSNxWRLinuxLTS19 |
| kernel-module-net1080-5.2.60-yocto-standard               | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| kernel-module-tunnel6-5.2.60-yocto-standard               | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| libboost-thread1.69.0                                     | 1.69.0-r0   | SeeSNxWRLinuxLTS19 |
| nf_contrack_sip   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kernel-module-xt-esp-5.2.60-yocto-standard                | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| kernel-module-nf-contrack-broadcast-5.2.60-yocto-standard | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| libcairo2   | 1.16.0-r0   | SeeSNxWRLinuxLTS19 |
| libssl1.1   | 1.1.1v-r0+jci4  | SeeSNxWRLinuxLTS19 |
| perl  | 5.30.0-r0   | SeeSNxWRLinuxLTS19 |
| libcrypt-lic  | 1.8.4-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-ipcs   | 2.34-r0   | SeeSNxWRLinuxLTS19 |

|   |   |                    |
|---|---|--------------------|
| iptables-module-xt-connmark                         | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| sed-lic   | 4.2.2-r0  | SeeSNxWRLinuxLTS19 |
| shadow-base   | 4.6-r0+jci1   | SeeSNxWRLinuxLTS19 |
| xt_REDIRECT   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| corelockr-dbg                                       | 1.0+git0+01f4c903ca-r6  | SeeSNxWRLinuxLTS19 |
| glibc-mtrace-lic                                    | 2.30-r0   | SeeSNxWRLinuxLTS19 |
| iptables-module-ipt-ulong                           | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| iptables-module-ipt-clusterip                       | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| iputils-traceroute6                                 | s20190709-r0  | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-length                           | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| dmatest   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-2.0-only       |
| wpa-supPLICANT-lic                                  | 2.9-r0+jci1   | SeeSNxWRLinuxLTS19 |
| libexpat1   | 2.2.8-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-act-mirred-5.2.60-yocto-standard      | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| libmenu5  | 6.1+20190803-r0   | SeeSNxWRLinuxLTS19 |
| xt_tcpudp   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| fuse  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| libwebsockets-lic                                   | 4.3.1+git0+3acc9c8e74-r0+jci2   | SeeSNxWRLinuxLTS19 |
| eth-led-driver-lic                                  | 1.0-r1  | SeeSNxWRLinuxLTS19 |
| networking-rndis                                    | 1.0-r1  | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-pkttypes-5.2.60-yocto-standard     | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| crc_itu_t   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| evtest  | 1.34-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-ltng-probe-napi-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| htop  | 2.2.0-r0  | SeeSNxWRLinuxLTS19 |
| lmsensors-config-lic                                | 1.0-r0  | SeeSNxWRLinuxLTS19 |
| networking-rndis-lic                                | 1.0-r1  | SeeSNxWRLinuxLTS19 |
| openvswitch   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| libweston-7   | 7.0.0-r0+jci2   | SeeSNxWRLinuxLTS19 |
| lsof-lic  | 4.91-r0   | SeeSNxWRLinuxLTS19 |

|  |   |                    |
|--|---|--------------------|
| kernel-module-lttnng-probe-skb-5.2.60-yocto-standard       | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| libpam-runtime   | 1.3.1-r0  | SeeSNxWRLinuxLTS19 |
| libgmpxx4  | 6.1.2-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-setarch   | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-ci-hdrc-imx-5.2.60-yocto-standard            | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| udf  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| libusb-1.0-0   | 1.0.22-r0   | SeeSNxWRLinuxLTS19 |
| iptables-module-ip6t-masquerade                            | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| htop-lic   | 2.2.0-r0  | SeeSNxWRLinuxLTS19 |
| nf_reject_ipv4   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kernel-module-tcrypt-5.2.60-yocto-standard                 | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| ip6_tunnel   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| util-macros-dev  | 1:1.19.2-r0   | SeeSNxWRLinuxLTS19 |
| libboost-program-options1.69.0                             | 1.69.0-r0   | SeeSNxWRLinuxLTS19 |
| ebt_mark_m   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| python3-core   | 3.7.6-r0  | SeeSNxWRLinuxLTS19 |
| iptables-module-ipt-dnat                                   | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| libinput10   | 1.14.1-r0   | SeeSNxWRLinuxLTS19 |
| snc-io-product-fw-rx-bin-lic                               | 1.0-r4  | SeeSNxWRLinuxLTS19 |
| libcap-lic   | 2.27-r0   | SeeSNxWRLinuxLTS19 |
| pam-plugin-loginuid  | 1.3.1-r0  | SeeSNxWRLinuxLTS19 |
| libtirpc-dev   | 1.1.4-r0  | SeeSNxWRLinuxLTS19 |
| kernel-image-zimage-5.2.60-yocto-standard                  | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| ebt_stp  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| util-linux-nsenter   | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-pegasus-5.2.60-yocto-standard                | 5.2.60+git0+c5af41fd9d_dbf8138eea-r0+jci68                                | SeeSNxWRLinuxLTS19 |
| init-ifupdown  | 1.0-r7+jci6   | SeeSNxWRLinuxLTS19 |
| packagegroup-wr-core-util-lic                              | 1.0-r3  | SeeSNxWRLinuxLTS19 |
| kernel-module-lttnng-lib-ring-buffer-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |

|   |   |                           |
|---|---|---------------------------|
| iptables-module-xt-helper                               | 1.8.3-r0  | SeeSNxWRLinuxLTS19        |
| manage-bootloop   | 1.0-r3  | SeeSNxWRLinuxLTS19        |
| jci-se-core   | 1.0+git0+700eead446-r4  | SeeSNxWRLinuxLTS19        |
| psmisc-lic  | 23.2-r0   | SeeSNxWRLinuxLTS19        |
| iptables-module-xt-synproxy                             | 1.8.3-r0  | SeeSNxWRLinuxLTS19        |
| cdc_ncm   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | BSD-1-Clause;GPL-1.0-only |
| xt_comment  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| util-linux-lsblk  | 2.34-r0   | SeeSNxWRLinuxLTS19        |
| kernel-module-nhc-ipv6-5.2.60-yocto-standard            | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19        |
| xt_connlimit  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| libreadline5  | 5.2-r9  | SeeSNxWRLinuxLTS19        |
| opkg-lic  | 1:0.4.1-r0  | SeeSNxWRLinuxLTS19        |
| util-linux-switch-root                                  | 2.34-r0   | SeeSNxWRLinuxLTS19        |
| base-files-lic  | 3.0.14-r89.3+jci19  | SeeSNxWRLinuxLTS19        |
| libpam-lic  | 1.3.1-r0  | SeeSNxWRLinuxLTS19        |
| openssh-scp   | 8.0p1-r0+jci2   | SeeSNxWRLinuxLTS19        |
| libuv-lic   | 1.32.0-r0   | SeeSNxWRLinuxLTS19        |
| shared-mime-info  | 1.10-r0   | SeeSNxWRLinuxLTS19        |
| libegl-mesa   | 2:19.1.6-r0+jci1  | SeeSNxWRLinuxLTS19        |
| libuv-dbg   | 1.32.0-r0   | SeeSNxWRLinuxLTS19        |
| iptables-module-ipt-snat                                | 1.8.3-r0  | SeeSNxWRLinuxLTS19        |
| udev-hwdb   | 1:243.2-r0+jci11+jci43  | SeeSNxWRLinuxLTS19        |
| sctp_diag   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| vim-help  | 9.0.2048-r0   | SeeSNxWRLinuxLTS19        |
| util-linux-fdisk  | 2.34-r0   | SeeSNxWRLinuxLTS19        |
| usbvni  | 3.27-r5   | SeeSNxWRLinuxLTS19        |
| kernel-module-lttnng-probe-printk-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19        |
| xz-dev  | 5.2.4-r0  | SeeSNxWRLinuxLTS19        |
| util-linux-pivot-root                                   | 2.34-r0   | SeeSNxWRLinuxLTS19        |
| kernel-module-lttnng-probe-timer-5.2.60-yocto-standard  | 2.10.11-r0  | SeeSNxWRLinuxLTS19        |
| util-linux-hexdump                                      | 2.34-r0   | SeeSNxWRLinuxLTS19        |
| liburcu-lic   | 0.11.1-r0   | SeeSNxWRLinuxLTS19        |
| xz-lic  | 5.2.4-r0  | SeeSNxWRLinuxLTS19        |

|  |   |                           |
|--|---|---------------------------|
| kernel-module-lttnng-probe-net-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19        |
| ipt_SYNPROXY   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| python3-dev  | 3.7.6-r0  | SeeSNxWRLinuxLTS19        |
| xt_NFLOG   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| usb_f_obex   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| kernel-module-6lowpan-5.2.60-yocto-standard          | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19        |
| virtlond-lic   | 0.2.7-r4  | SeeSNxWRLinuxLTS19        |
| nhc_fragment   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| libgpiod-tools                                       | 1.4.1-r0  | SeeSNxWRLinuxLTS19        |
| iptables_nat   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| db-lic   | 1:5.3.28-r1   | SeeSNxWRLinuxLTS19        |
| iptables-module-xt-cpu                               | 1.8.3-r0  | SeeSNxWRLinuxLTS19        |
| opkg   | 1:0.4.1-r0  | SeeSNxWRLinuxLTS19        |
| kernel-module-xt-comment-5.2.60-yocto-standard       | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19        |
| ipcomp   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| luks-utils-lic                                       | 1.0-r0-jci8   | SeeSNxWRLinuxLTS19        |
| jci-msl  | 1.0+git0+892cd4a540-r8  | SeeSNxWRLinuxLTS19        |
| util-linux-hardlink                                  | 2.34-r0   | SeeSNxWRLinuxLTS19        |
| ath9k_hw   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | BSD-1-Clause;GPL-1.0-only |
| util-linux-column                                    | 2.34-r0   | SeeSNxWRLinuxLTS19        |
| boost-test   | 1.69.0-r0   | SeeSNxWRLinuxLTS19        |
| libxkbcommon-lic                                     | 0.8.4-r0  | SeeSNxWRLinuxLTS19        |
| opkg-utils-lic                                       | 0.4.2-r0  | SeeSNxWRLinuxLTS19        |
| xt_statistic   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| libboost-chrono1.69.0                                | 1.69.0-r0   | SeeSNxWRLinuxLTS19        |

|  |   |                    |
|--|---|--------------------|
| xt_conmark   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| util-linux-runuser   | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| libgpg-error   | 1.36-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-stp-5.2.60-yocto-standard                    | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| libz-dbg   | 1.2.11-r0   | Zlib license       |
| weston-init  | 1.0-r0+jci6   | SeeSNxWRLinuxLTS19 |
| ip6t_hbh   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| wpa-supPLICANT-cli   | 2.9-r0+jci1   | SeeSNxWRLinuxLTS19 |
| breakpad-dev   | 2:1.0-r0+jci1   | SeeSNxWRLinuxLTS19 |
| kernel-module-nf-contrack-netbios-ns-5.2.60-yocto-standard | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| flex   | 2.6.0-r0  | SeeSNxWRLinuxLTS19 |
| libc6  | 2.30-r0+jci1  | SeeSNxWRLinuxLTS19 |
| libwebsockets19  | 4.3.1+git0+3acc9c8e74-r0+jci2   | SeeSNxWRLinuxLTS19 |
| wayland-lic  | 1.17.0-r0   | SeeSNxWRLinuxLTS19 |
| libsqlite3-0   | 3:3.29.0-r0   | SeeSNxWRLinuxLTS19 |
| libunwind-lic  | 1.3.1-r0  | SeeSNxWRLinuxLTS19 |
| pm-utils-lic   | 1.4.1-r1  | SeeSNxWRLinuxLTS19 |
| recovery-daemon-lic  | 1.0+git0+03ee53090c-r2  | SeeSNxWRLinuxLTS19 |
| vim-vimrc  | 9.0.2048-r0   | SeeSNxWRLinuxLTS19 |
| libwolfengine-lic  | 1.2.0+git0+a6896399f6-r0+jci1   | SeeSNxWRLinuxLTS19 |
| xorgproto-lic  | 2019.1-r0   | SeeSNxWRLinuxLTS19 |
| elfutils-lic   | 0.177-r0  | SeeSNxWRLinuxLTS19 |
| libtirpc-lic   | 1.1.4-r0  | SeeSNxWRLinuxLTS19 |
| cracklib   | 2.9.5-r0  | SeeSNxWRLinuxLTS19 |
| file-lic   | 5.37-r0   | SeeSNxWRLinuxLTS19 |
| libjitterentropy2  | 2.1.2-r0  | SeeSNxWRLinuxLTS19 |
| systemd-conf   | 243.2-r0  | SeeSNxWRLinuxLTS19 |
| acl-dev  | 2.2.52-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-ath9k-hw-5.2.60-yocto-standard               | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| libgpod  | 1.4.1-r0  | SeeSNxWRLinuxLTS19 |
| mii  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| breakpad   | 2:1.0-r0+jci1   | SeeSNxWRLinuxLTS19 |
| kernel-module-cdc-eem-5.2.60-yocto-standard                | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| tcl-lic  | 8.6.9-r0  | SeeSNxWRLinuxLTS19 |

|  |   |                    |
|--|---|--------------------|
| lsof   | 4.91-r0   | SeeSNxWRLinuxLTS19 |
| util-linux-more  | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| util-linux-dev   | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| dummy  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| util-linux-scriptreplay                                | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| libboost-regex1.69.0                                   | 1.69.0-r0   | SeeSNxWRLinuxLTS19 |
| iputils-arping   | s20190709-r0  | SeeSNxWRLinuxLTS19 |
| lvm2-scripts   | 2.03.05-r0  | SeeSNxWRLinuxLTS19 |
| cls_cgroup   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| gdb-lic  | 8.3.1-r0  | SeeSNxWRLinuxLTS19 |
| libboost-context1.69.0                                 | 1.69.0-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-ath-5.2.60-yocto-standard                | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-connbytes-5.2.60-yocto-standard       | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| kernel-module-ledtrig-camera-5.2.60-yocto-standard     | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| libharfbuzz-lic  | 2.6.1-r0  | SeeSNxWRLinuxLTS19 |
| iptables-module-ip6t-hl                                | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| tun  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| BusyBox  | 1.31.0  | GPL-2.0-only       |
| iptables-module-xt-idletimer                           | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| systemd  | 1:243.2-r0+jci11+jci43  | SeeSNxWRLinuxLTS19 |
| arptable_filter  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| iptables-module-ip6t-snpt                              | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| arp_tables   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| ncurses-dev  | 6.1+20190803-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-lttng-probe-sunrpc-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| boost-math   | 1.69.0-r0   | SeeSNxWRLinuxLTS19 |
| enable-weston-lic                                      | 1.0-r1  | SeeSNxWRLinuxLTS19 |
| nf_conntrack_netlink                                   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| keyutils-lic   | 1.6-r0+jci1   | SeeSNxWRLinuxLTS19 |



|  |   |                    |
|--|---|--------------------|
| iptables-module-ipt-reject                         | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-chmem                                   | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| python3-distutils                                  | 3.7.6-r0  | SeeSNxWRLinuxLTS19 |
| openssh-lic  | 8.0p1-r0+jci2   | SeeSNxWRLinuxLTS19 |
| shared-mime-info-lic                               | 1.10-r0   | SeeSNxWRLinuxLTS19 |
| util-linux-fallocate                               | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| ebt_arp  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| iputils-lic  | s20190709-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-nhc-routing-5.2.60-yocto-standard    | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| libffi-lic   | 3.3~rc0-r0  | SeeSNxWRLinuxLTS19 |
| mtd-utils  | 2.1.1-r0  | SeeSNxWRLinuxLTS19 |
| iptables-module-ip6t-ah                            | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-xt-statistic-5.2.60-yocto-standard   | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| nf_conncount                                       | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| libgcc-s-dbg                                       | 9.2.0-r0  | SeeSNxWRLinuxLTS19 |
| wolfssl-lic  | 4.6.0+git0+86517a79a1-r0+jci14  | SeeSNxWRLinuxLTS19 |
| libcurl4   | 7.67.0-r0+jci9  | SeeSNxWRLinuxLTS19 |
| libfreetype-lic                                    | 2.10.1-r0   | SeeSNxWRLinuxLTS19 |
| util-linux-cfdisk                                  | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| libpthread-stubs-lic                               | 0.4-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-renice                                  | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| libboost-iostreams1.69.0                           | 1.69.0-r0   | SeeSNxWRLinuxLTS19 |
| libmnl0  | 1.0.4-r0  | SeeSNxWRLinuxLTS19 |
| kernel-module-ah4-5.2.60-yocto-standard            | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| g_ncm  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| libformw5  | 6.1+20190803-r0   | SeeSNxWRLinuxLTS19 |
| bash-completion-dev                                | 2.9-r0  | SeeSNxWRLinuxLTS19 |
| openssl-bin  | 1.1.1v-r0+jci4  | SeeSNxWRLinuxLTS19 |
| dosfstools-lic                                     | 2.11-r5   | SeeSNxWRLinuxLTS19 |
| kernel-module-ltng-probe-rcu-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| toybox-lic   | 0.7.4+git0+7828920303-r6  | SeeSNxWRLinuxLTS19 |
| nf_contrack_tftp                                   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |

|   |   |                    |
|---|---|--------------------|
| cuse  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| modutils-initscripts-lic                        | 1.0-r7  | SeeSNxWRLinuxLTS19 |
| util-linux-colcrt                               | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| xt_u32  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| ip6table_raw                                    | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| tcpdump-lic                                     | 4.9.3-r0  | SeeSNxWRLinuxLTS19 |
| libboost-graph1.69.0                            | 1.69.0-r0   | SeeSNxWRLinuxLTS19 |
| nhc_mobility                                    | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kbd-consolefonts                                | 2.0.4-r0  | SeeSNxWRLinuxLTS19 |
| ebt_vlan  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| util-linux-isosize                              | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| libboost-contract1.69.0                         | 1.69.0-r0   | SeeSNxWRLinuxLTS19 |
| usb_f_rndis                                     | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| iptable_raw                                     | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| xt_mark   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| util-linux-lscpu                                | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| xt_limit  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| diffutils                                       | 2.8.1-r7.0  | SeeSNxWRLinuxLTS19 |
| gpio-export-lic                                 | 1.0-r2  | SeeSNxWRLinuxLTS19 |
| kernel-module-usb-f-rndis-5.2.60-yocto-standard | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19 |
| x_tables  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| nf_log_common                                   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| cracklib-dev                                    | 2.9.5-r0  | SeeSNxWRLinuxLTS19 |

|   |   |                    |
|---|---|--------------------|
| util-linux-utmpdump                                     | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| gcc-runtime-dbg   | 9.2.0-r0  | SeeSNxWRLinuxLTS19 |
| ethtool-lic   | 5.2-r0  | SeeSNxWRLinuxLTS19 |
| xt_quota  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| tunnel6   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| unzip-lic   | 1:6.0-r5  | SeeSNxWRLinuxLTS19 |
| libexpat-lic  | 2.2.8-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-write  | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| br_netfilter  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| libboost-filesystem1.69.0                               | 1.69.0-r0   | SeeSNxWRLinuxLTS19 |
| util-linux-taskset                                      | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| libgudev-1.0-0  | 233-r0  | SeeSNxWRLinuxLTS19 |
| libgcc-s-lic  | 9.2.0-r0  | SeeSNxWRLinuxLTS19 |
| libcap-ng-dev   | 0.7.9-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-nologin                                      | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| ebt_mark  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| swapfeed-lic  | git0+8aa1ad1b06-r1  | SeeSNxWRLinuxLTS19 |
| libffi-dev  | 3.3~rc0-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-blockdev                                     | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| spi_loopback_test                                       | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| kernel-module-ltng-probe-kmem-<br>5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| mingetty-lic  | 1.08-r3   | SeeSNxWRLinuxLTS19 |
| ipvlan  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| libcrypt-dbg  | 4.4.8-r0  | SeeSNxWRLinuxLTS19 |
| nf_log_ipv6   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| libnsl-dev  | 1.2.0+git0+37c5ffe303-r0  | SeeSNxWRLinuxLTS19 |
| ip_gre  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| util-linux-delpart                                      | 2.34-r0   | SeeSNxWRLinuxLTS19 |

|  |   |                    |
|--|---|--------------------|
| tcrypt   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| ip6_tables   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| netbase-lic  | 1:5.6-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-setterm                                       | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| lttng-tools-lic  | 2.10.7-r0   | SeeSNxWRLinuxLTS19 |
| libfribidi-lic   | 1.0.5-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-setsid  | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| boost-serialization                                      | 1.69.0-r0   | SeeSNxWRLinuxLTS19 |
| libnsl-lic   | 1.2.0+git0+37c5ffe303-r0  | SeeSNxWRLinuxLTS19 |
| libtcp-dbg   | 1.0+git0+8cdfdaa705-r16   | SeeSNxWRLinuxLTS19 |
| shadow-securetty-lic                                     | 4.6-r3  | SeeSNxWRLinuxLTS19 |
| libtirpc3  | 1.1.4-r0  | SeeSNxWRLinuxLTS19 |
| stp  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| ts_kmp   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| libexpat-dev   | 2.2.8-r0  | SeeSNxWRLinuxLTS19 |
| util-linux-blkdiscard                                    | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| run-postinsts-lic  | 1.0-r10   | SeeSNxWRLinuxLTS19 |
| cronie-lic   | 1.5.4-r0  | SeeSNxWRLinuxLTS19 |
| sysfsutils-lic   | 2.1.0-r5  | SeeSNxWRLinuxLTS19 |
| util-linux-swapoff                                       | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| kernel-module-lttng-probe-gpio-<br>5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19 |
| rtl8150  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| memtester  | 4.3.0-r0  | SeeSNxWRLinuxLTS19 |
| weston-lic   | 7.0.0-r0+jci2   | SeeSNxWRLinuxLTS19 |
| libdrm-amdgpu1   | 2.4.99-r0   | SeeSNxWRLinuxLTS19 |
| util-linux-kill  | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| libjson-c-lic  | 0.13.1-r0   | SeeSNxWRLinuxLTS19 |
| xt_NFQUEUE   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| util-linux-lslogins                                      | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| libcrypt-lic   | 4.4.8-r0  | SeeSNxWRLinuxLTS19 |

|  |   |                           |
|--|---|---------------------------|
| nfnetlink_log  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| virtlton-lic   | 1.0-r5  | SeeSNxWRLinuxLTS19        |
| update-rc.d-lic  | 0.8-r0  | SeeSNxWRLinuxLTS19        |
| bzip2-lic  | 1.0.8-r0  | SeeSNxWRLinuxLTS19        |
| util-linux-swlabel   | 2.34-r0   | SeeSNxWRLinuxLTS19        |
| sch_ingress  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| gcm  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| systemd-compat-units-lic                                   | 1.0-r29   | SeeSNxWRLinuxLTS19        |
| openssl-dev  | 1.1.1v-r0+jci4  | SeeSNxWRLinuxLTS19        |
| watchdog-timing-lic  | 1.0-r1  | SeeSNxWRLinuxLTS19        |
| ed-lic   | 0.5-r2  | SeeSNxWRLinuxLTS19        |
| ath  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | BSD-1-Clause;GPL-1.0-only |
| iptables-lic   | 1.8.3-r0  | SeeSNxWRLinuxLTS19        |
| libfontconfig-lic  | 2.13.1-r0   | SeeSNxWRLinuxLTS19        |
| bzip2-dev  | 1.0.8-r0  | SeeSNxWRLinuxLTS19        |
| iproute2-lic   | 5.2.0-r0  | SeeSNxWRLinuxLTS19        |
| g_serial   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| m4-dev   | 1.4.9-r2  | SeeSNxWRLinuxLTS19        |
| vport_gre  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| libticw5   | 6.1+20190803-r0   | SeeSNxWRLinuxLTS19        |
| optee-client-lic   | 2.6.0+git0+6dc3d0fdea-r0+jci7   | SeeSNxWRLinuxLTS19        |
| strace-lic   | 5.3-r0  | SeeSNxWRLinuxLTS19        |
| networking-disable-ssh                                     | 1.0-r1  | SeeSNxWRLinuxLTS19        |
| esp4   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| util-linux-colrm   | 2.34-r0   | SeeSNxWRLinuxLTS19        |
| openssl-lic  | 1.1.1v-r0+jci4  | SeeSNxWRLinuxLTS19        |
| kernel-module-ip6t-rt-5.2.60-yocto-standard                | 5.2.60+git0+c5af41fd9d_dbf813<br>8eea-r0+jci68                            | SeeSNxWRLinuxLTS19        |
| kernel-module-lttng-probe-compaction-5.2.60-yocto-standard | 2.10.11-r0  | SeeSNxWRLinuxLTS19        |
| ntp-tickadj  | 4.2.8p13-r0+jci9  | SeeSNxWRLinuxLTS19        |

|                            |   |                    |
|----------------------------|---|--------------------|
| vim-tutor                  | 9.0.2048-r0   | SeeSNxWRLinuxLTS19 |
| libwebsockets-dbg          | 4.3.1+git0+3acc9c8e74-r0+jci2   | SeeSNxWRLinuxLTS19 |
| tree-lic                   | 1.8.0-r0  | SeeSNxWRLinuxLTS19 |
| systemd-lic                | 1:243.2-r0+jci11+jci43  | SeeSNxWRLinuxLTS19 |
| iptables-module-xt-comment | 1.8.3-r0  | SeeSNxWRLinuxLTS19 |
| libform5                   | 6.1+20190803-r0   | SeeSNxWRLinuxLTS19 |
| util-linux-chrt            | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| strace                     | 5.3-r0  | SeeSNxWRLinuxLTS19 |
| usb_f_serial               | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| util-linux-ipcrm           | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| libz-dev                   | 1.2.11-r0   | SeeSNxWRLinuxLTS19 |
| wr-init-lic                | 1.0-r0+jci0   | SeeSNxWRLinuxLTS19 |
| python3-lic                | 3.7.6-r0  | SeeSNxWRLinuxLTS19 |
| setserial-lic              | 2.17-r3   | SeeSNxWRLinuxLTS19 |
| util-linux-lsipc           | 2.34-r0   | SeeSNxWRLinuxLTS19 |
| bash-dev                   | 5.0-r0  | SeeSNxWRLinuxLTS19 |
| usbmisc_imx                | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| xt_TRACE                   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| perl-dev                   | 5.30.0-r0   | SeeSNxWRLinuxLTS19 |
| libpython3.7m1.0           | 3.7.6-r0  | SeeSNxWRLinuxLTS19 |
| ebt_dnat                   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| corelockr-lic              | 1.0+git0+01f4c903ca-r6  | SeeSNxWRLinuxLTS19 |
| sctp                       | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| diffutils-lic              | 2.8.1-r7.0  | SeeSNxWRLinuxLTS19 |
| mac80211                   | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| psnap                      | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only       |
| glibc-mtrace               | 2.30-r0   | SeeSNxWRLinuxLTS19 |
| libaio-lic                 | 0.3.111-r0  | SeeSNxWRLinuxLTS19 |
| db                         | 1:5.3.28-r1   | SeeSNxWRLinuxLTS19 |
| libpciaccess-dev           | 0.16-r0   | SeeSNxWRLinuxLTS19 |

|                            |   |                           |
|----------------------------|---|---------------------------|
| ipt_rpfilter               | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| nf_nat_tftp                | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| initscripts-lic            | 1.0-r155+jci11  | SeeSNxWRLinuxLTS19        |
| libarchive-lic             | 3.4.0-r0  | SeeSNxWRLinuxLTS19        |
| packagegroup-jci-debug-lic | 1.0-r12   | SeeSNxWRLinuxLTS19        |
| gdbm-dev                   | 1.8.3-r4  | SeeSNxWRLinuxLTS19        |
| ipt_EC�                    | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| util-linux-lic             | 2.34-r0   | SeeSNxWRLinuxLTS19        |
| ca-dictionary-lic          | 1.0+git0+52873a49cd-r21   | SeeSNxWRLinuxLTS19        |
| ipt_CLUSTERIP              | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| ncurses-lic                | 6.1+20190803-r0   | SeeSNxWRLinuxLTS19        |
| util-linux-rev             | 2.34-r0   | SeeSNxWRLinuxLTS19        |
| procps-lic                 | 3.3.15-r0+jci1  | SeeSNxWRLinuxLTS19        |
| jci-iptables-rules         | 1.0-r30   | SeeSNxWRLinuxLTS19        |
| libcap-dev                 | 2.27-r0   | SeeSNxWRLinuxLTS19        |
| nf_conntrack_pptp          | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| xkeyboard-config-lic       | 2.27-r0   | SeeSNxWRLinuxLTS19        |
| liblzo2-lic                | 2.10-r0   | SeeSNxWRLinuxLTS19        |
| nf_nat_ftp                 | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| ebt_nflög                  | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| ipcomp6                    | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| libgbm-dev                 | 2:19.1.6-r0+jci1  | SeeSNxWRLinuxLTS19        |
| libsqlite3-dev             | 3:3.29.0-r0   | SeeSNxWRLinuxLTS19        |
| systemd-conf-lic           | 243.2-r0  | SeeSNxWRLinuxLTS19        |
| cryptsetup-lic             | 2.2.1-r0  | SeeSNxWRLinuxLTS19        |
| tipc                       | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | BSD-1-Clause;GPL-1.0-only |

|                       |   |                           |
|-----------------------|---|---------------------------|
| cdc_ether             | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| util-linux-chcpu      | 2.34-r0   | SeeSNxWRLinuxLTS19        |
| util-linux-eject      | 2.34-r0   | SeeSNxWRLinuxLTS19        |
| syslog-ng-lic         | 3.24.1-r0+jci11   | SeeSNxWRLinuxLTS19        |
| ehset                 | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-2.0-only              |
| libmnl-lic            | 1.0.4-r0  | SeeSNxWRLinuxLTS19        |
| zip-lic               | 3.0-r2  | SeeSNxWRLinuxLTS19        |
| pango-lic             | 1.44.7-r0   | SeeSNxWRLinuxLTS19        |
| util-linux-script     | 2.34-r0   | SeeSNxWRLinuxLTS19        |
| xt_realm              | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| e2fsprogs-lic         | 1.45.3-r0   | SeeSNxWRLinuxLTS19        |
| socat-lic             | 1.7.3.3-r0  | SeeSNxWRLinuxLTS19        |
| serport               | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-1.0-only              |
| util-linux-resizepart | 2.34-r0   | SeeSNxWRLinuxLTS19        |
| ath9k_common          | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | BSD-1-Clause;GPL-1.0-only |
| ledtrig_camera        | 5.2.60-yocto-standard SMP<br>preempt mod_unload<br>modversions ARMv7 p2v8 | GPL-2.0-only              |
| jci-msl-lic           | 1.0+git0+892cd4a540-r8  | SeeSNxWRLinuxLTS19        |
| at-lic                | 3.1.23-r0   | SeeSNxWRLinuxLTS19        |

## SNx WindRiverLinuxLTS19

PACKAGE NAME: acl

PACKAGE VERSION: 2.2.52

RECIPE NAME: acl

LICENSE: GPLv2+

PACKAGE NAME: at

PACKAGE VERSION: 3.1.23

RECIPE NAME: at



LICENSE: GPLv2+

PACKAGE NAME: attr

PACKAGE VERSION: 2.4.47

RECIPE NAME: attr

LICENSE: GPLv2+

PACKAGE NAME: base-files

PACKAGE VERSION: 3.0.14

RECIPE NAME: base-files

LICENSE: GPLv2

PACKAGE NAME: base-passwd

PACKAGE VERSION: 3.5.29

RECIPE NAME: base-passwd

LICENSE: GPLv2+

PACKAGE NAME: bash

PACKAGE VERSION: 5.0

RECIPE NAME: bash

LICENSE:

PACKAGE NAME: bc

PACKAGE VERSION: 1.06

RECIPE NAME: bc

LICENSE: GPLv2+ & LGPLv2.1

PACKAGE NAME: board-interface-daemon

PACKAGE VERSION: 1.0+gitAUTOINC+27a61bf922

RECIPE NAME: board-interface-daemon

LICENSE: Commercial License

PACKAGE NAME: boost  
PACKAGE VERSION: 1.69.0  
RECIPE NAME: boost  
LICENSE: BSL-1.0 & MIT & Python-2.0

PACKAGE NAME: boost-thread  
PACKAGE VERSION: 1.69.0  
RECIPE NAME: boost  
LICENSE: BSL-1.0 & MIT & Python-2.0

PACKAGE NAME: bzip2  
PACKAGE VERSION: 1.0.8  
RECIPE NAME: bzip2  
LICENSE: bzip2

PACKAGE NAME: ca-dictionary  
PACKAGE VERSION: 1.0+gitAUTOINC+50bb5097bb  
RECIPE NAME: ca-dictionary  
LICENSE: Commercial License

PACKAGE NAME: ca-translations  
PACKAGE VERSION: 1.0+gitAUTOINC+b77ea5bebe  
RECIPE NAME: ca-translations  
LICENSE: Commercial License

PACKAGE NAME: cairo  
PACKAGE VERSION: 1.16.0  
RECIPE NAME: cairo  
LICENSE: MPL-1.1 | LGPLv2.1

PACKAGE NAME: clear-rsr

PACKAGE VERSION: 1.0

RECIPE NAME: clear-rsr

LICENSE: Commercial License

PACKAGE NAME: config-nae

PACKAGE VERSION: 1.0+gitAUTOINC+4f00981635

RECIPE NAME: g3-metasy-core

LICENSE: Commercial License

PACKAGE NAME: corelockr

PACKAGE VERSION: 1.0+gitAUTOINC+01f4c903ca

RECIPE NAME: corelockr

LICENSE: Commercial License

PACKAGE NAME: coreutils

PACKAGE VERSION: 8.31

RECIPE NAME: coreutils

LICENSE:

PACKAGE NAME: cpio

PACKAGE VERSION: 2.8

RECIPE NAME: cpio

LICENSE: GPLv2

PACKAGE NAME: cronie

PACKAGE VERSION: 1.5.4

RECIPE NAME: cronie

LICENSE: ISC & BSD-3-Clause & BSD-2-Clause & GPLv2+

PACKAGE NAME: cryptsetup

PACKAGE VERSION: 2.2.1  
RECIPE NAME: cryptsetup  
LICENSE: GPL-2.0-with-OpenSSL-exception

PACKAGE NAME: curl  
PACKAGE VERSION: 7.67.0  
RECIPE NAME: curl  
LICENSE: MIT

PACKAGE NAME: dbus  
PACKAGE VERSION: 1.12.16  
RECIPE NAME: dbus  
LICENSE: AFL-2.1 | GPLv2+

PACKAGE NAME: dbus-lib  
PACKAGE VERSION: 1.12.16  
RECIPE NAME: dbus  
LICENSE: AFL-2.1 | GPLv2+

PACKAGE NAME: delete-old-crash-dumps  
PACKAGE VERSION: 1.0+gitAUTOINC+4f00981635  
RECIPE NAME: g3-metasy-core  
LICENSE: Commercial License

PACKAGE NAME: deviceapi  
PACKAGE VERSION: 1.0+gitAUTOINC+4f00981635  
RECIPE NAME: g3-metasy-core  
LICENSE: Commercial License

PACKAGE NAME: diffutils  
PACKAGE VERSION: 2.8.1

RECIPE NAME: diffutils

LICENSE: GPLv2+

PACKAGE NAME: distro-feed-configs

PACKAGE VERSION: 1.0

RECIPE NAME: distro-feed-configs

LICENSE: MIT

PACKAGE NAME: dosfstools

PACKAGE VERSION: 2.11

RECIPE NAME: dosfstools

LICENSE: GPLv2

PACKAGE NAME: e2fsprogs

PACKAGE VERSION: 1.45.3

RECIPE NAME: e2fsprogs

LICENSE: GPLv2 & LGPLv2 & BSD & MIT

PACKAGE NAME: e2fsprogs-badblocks

PACKAGE VERSION: 1.45.3

RECIPE NAME: e2fsprogs

LICENSE: GPLv2

PACKAGE NAME: e2fsprogs-e2fsck

PACKAGE VERSION: 1.45.3

RECIPE NAME: e2fsprogs

LICENSE: GPLv2

PACKAGE NAME: e2fsprogs-mke2fs

PACKAGE VERSION: 1.45.3

RECIPE NAME: e2fsprogs

LICENSE: GPLv2

PACKAGE NAME: e2fsprogs-resize2fs

PACKAGE VERSION: 1.45.3

RECIPE NAME: e2fsprogs

LICENSE: GPLv2 & LGPLv2 & BSD & MIT

PACKAGE NAME: e2fsprogs-tune2fs

PACKAGE VERSION: 1.45.3

RECIPE NAME: e2fsprogs

LICENSE: GPLv2

PACKAGE NAME: ed

PACKAGE VERSION: 0.5

RECIPE NAME: ed

LICENSE: GPLv2+

PACKAGE NAME: elfutils

PACKAGE VERSION: 0.177

RECIPE NAME: elfutils

LICENSE:

PACKAGE NAME: enable-weston

PACKAGE VERSION: 1.0

RECIPE NAME: enable-weston

LICENSE: Commercial License

PACKAGE NAME: eth-led-driver

PACKAGE VERSION: 1.0

RECIPE NAME: eth-led-driver

LICENSE: Commercial License

PACKAGE NAME: ethtool

PACKAGE VERSION: 5.2

RECIPE NAME: ethtool

LICENSE: GPLv2+

PACKAGE NAME: expat

PACKAGE VERSION: 2.2.8

RECIPE NAME: expat

LICENSE: MIT

PACKAGE NAME: findutils

PACKAGE VERSION: 4.2.31

RECIPE NAME: findutils

LICENSE: GPLv2+

PACKAGE NAME: flex-libfl

PACKAGE VERSION: 2.6.0

RECIPE NAME: flex

LICENSE: BSD

PACKAGE NAME: fontconfig

PACKAGE VERSION: 2.13.1

RECIPE NAME: fontconfig

LICENSE: MIT-style & MIT & PD

PACKAGE NAME: freetype

PACKAGE VERSION: 2.10.1

RECIPE NAME: freetype

LICENSE: FreeType | GPLv2+

PACKAGE NAME: fribidi  
PACKAGE VERSION: 1.0.5  
RECIPE NAME: fribidi  
LICENSE: LGPLv2.1+

PACKAGE NAME: fuser  
PACKAGE VERSION: 23.2  
RECIPE NAME: psmisc  
LICENSE: GPLv2

PACKAGE NAME: g3-base  
PACKAGE VERSION: 1.0+gitAUTOINC+d4b2d5f943  
RECIPE NAME: g3-base  
LICENSE: Commercial License

PACKAGE NAME: g3-metasy-core  
PACKAGE VERSION: 1.0+gitAUTOINC+4f00981635  
RECIPE NAME: g3-metasy-core  
LICENSE: Commercial License

PACKAGE NAME: gawk  
PACKAGE VERSION: 3.1.5  
RECIPE NAME: gawk  
LICENSE: GPLv2

PACKAGE NAME: gawk-common  
PACKAGE VERSION: 3.1.5  
RECIPE NAME: gawk  
LICENSE: GPLv2

PACKAGE NAME: glib-2.0



PACKAGE VERSION: 2.60.7

RECIPE NAME: glib-2.0

LICENSE: LGPLv2.1+ & BSD & PD

PACKAGE NAME: glibc

PACKAGE VERSION: 2.30

RECIPE NAME: glibc

LICENSE: GPLv2 & LGPLv2.1

PACKAGE NAME: glibc-gconv

PACKAGE VERSION: 2.30

RECIPE NAME: glibc-locale

LICENSE: GPLv2 & LGPLv2.1

PACKAGE NAME: glibc-gconv-cp932

PACKAGE VERSION: 2.30

RECIPE NAME: glibc-locale

LICENSE: GPLv2 & LGPLv2.1

PACKAGE NAME: glibc-gconv-utf-16

PACKAGE VERSION: 2.30

RECIPE NAME: glibc-locale

LICENSE: GPLv2 & LGPLv2.1

PACKAGE NAME: glibc-utils

PACKAGE VERSION: 2.30

RECIPE NAME: glibc

LICENSE: GPLv2 & LGPLv2.1

PACKAGE NAME: gmp

PACKAGE VERSION: 6.1.2

RECIPE NAME: gmp

LICENSE: GPLv2+

PACKAGE NAME: gpio-export

PACKAGE VERSION: 1.0

RECIPE NAME: gpio-export

LICENSE: Commercial License

PACKAGE NAME: grep

PACKAGE VERSION: 3.3

RECIPE NAME: grep

LICENSE:

PACKAGE NAME: gzip

PACKAGE VERSION: 1.3.12

RECIPE NAME: gzip

LICENSE: GPLv2+

PACKAGE NAME: harfbuzz

PACKAGE VERSION: 2.6.1

RECIPE NAME: harfbuzz

LICENSE: MIT

PACKAGE NAME: htop

PACKAGE VERSION: 2.2.0

RECIPE NAME: htop

LICENSE: GPLv2

PACKAGE NAME: i2c-tools

PACKAGE VERSION: 4.1

RECIPE NAME: i2c-tools

LICENSE: GPLv2+

PACKAGE NAME: icu

PACKAGE VERSION: 64.2

RECIPE NAME: icu

LICENSE: ICU

PACKAGE NAME: init-ifupdown

PACKAGE VERSION: 1.0

RECIPE NAME: init-ifupdown

LICENSE: GPLv2

PACKAGE NAME: initscripts

PACKAGE VERSION: 1.0

RECIPE NAME: initscripts

LICENSE: GPLv2

PACKAGE NAME: initscripts-functions

PACKAGE VERSION: 1.0

RECIPE NAME: initscripts

LICENSE: GPLv2

PACKAGE NAME: iperf3

PACKAGE VERSION: 3.7

RECIPE NAME: iperf3

LICENSE: BSD

PACKAGE NAME: iproute2

PACKAGE VERSION: 5.2.0

RECIPE NAME: iproute2

LICENSE: GPLv2+

PACKAGE NAME: iptables

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ip6t-ah

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ip6t-dnat

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ip6t-dnpt

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ip6t-dst

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ip6t-eui64

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ip6t-frag

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ip6t-hbh

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ip6t-hl

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ip6t-icmp6

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ip6t-ipv6header

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ip6t-log

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ip6t-masquerade

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ip6t-mh

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ip6t-netmap

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ip6t-redirect

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ip6t-reject

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ip6t-rt

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ip6t-snat

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ip6t-snpt

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ip6t-srh

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ipt-ah

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ipt-clusterip

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ipt-dnat

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ipt-ecn

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ipt-icmp

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ipt-log

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ipt-masquerade

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ipt-netmap

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ipt-realm

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ipt-redirect

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+



PACKAGE NAME: iptables-module-ipt-reject

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ipt-snat

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ipt-ttl

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-ipt-uloop

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-addrtype

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-audit

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-bpf

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-cgroup

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-checksum

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-classify

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-cluster

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-comment

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-connbytes

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-connlimit

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-connmark

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-connsecmark

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-conntrack

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-cpu

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-ct

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-dccp

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-devgroup

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-dscp

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-ecn

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-esp

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-hashlimit

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-helper

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-hmark

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-idletimer

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-ipcomp

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-iprange

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-ipvs

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-led

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-length

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-limit

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-mac

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-mark

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-multiport

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-nfacct

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-nflog

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-nfqueue

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-osf

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-owner

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-physdev

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-pkttype

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-policy

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-quota

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-rateest

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-recent

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-rpfilter

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-sctp

PACKAGE VERSION: 1.8.3



RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-secmark

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-set

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-socket

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-standard

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-statistic

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-string

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-synproxy

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-tcp

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-tcpmss

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-tcptomstrip

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-tee

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-time

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-tos

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-tproxy

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-trace

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-u32

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-module-xt-udp

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iptables-modules

PACKAGE VERSION: 1.8.3

RECIPE NAME: iptables

LICENSE: GPLv2+

PACKAGE NAME: iputils

PACKAGE VERSION: s20190709

RECIPE NAME: iputils

LICENSE: BSD & GPLv2+

PACKAGE NAME: iputils-arping

PACKAGE VERSION: s20190709

RECIPE NAME: iputils

LICENSE: BSD & GPLv2+

PACKAGE NAME: iputils-clockdiff

PACKAGE VERSION: s20190709

RECIPE NAME: iputils

LICENSE: BSD & GPLv2+

PACKAGE NAME: iputils-ninfod

PACKAGE VERSION: s20190709

RECIPE NAME: iputils

LICENSE: BSD & GPLv2+

PACKAGE NAME: iputils-ping

PACKAGE VERSION: s20190709

RECIPE NAME: iputils

LICENSE: BSD & GPLv2+

PACKAGE NAME: iputils-rarpd

PACKAGE VERSION: s20190709

RECIPE NAME: iputils

LICENSE: BSD & GPLv2+

PACKAGE NAME: iputils-rdisc

PACKAGE VERSION: s20190709

RECIPE NAME: iputils

LICENSE: BSD & GPLv2+

PACKAGE NAME: iputils-tftpd

PACKAGE VERSION: s20190709

RECIPE NAME: iputils

LICENSE: BSD & GPLv2+

PACKAGE NAME: iputils-tracepath

PACKAGE VERSION: s20190709

RECIPE NAME: iputils

LICENSE: BSD & GPLv2+

PACKAGE NAME: iputils-traceroute6

PACKAGE VERSION: s20190709

RECIPE NAME: iputils

LICENSE: BSD & GPLv2+

PACKAGE NAME: jci-base-libs

PACKAGE VERSION: 1.0+gitAUTOINC+4907614e26

RECIPE NAME: jci-base-libs

LICENSE: Commercial License

PACKAGE NAME: jci-iptables-rules

PACKAGE VERSION: 1.0

RECIPE NAME: jci-iptables-rules

LICENSE: Commercial License

PACKAGE NAME: jci-mms

PACKAGE VERSION: 1.0+gitAUTOINC+f8a6fdad80

RECIPE NAME: jci-mms

LICENSE: Commercial License

PACKAGE NAME: jci-msl

PACKAGE VERSION: 1.0+gitAUTOINC+1133cdfd2e

RECIPE NAME: jci-msl

LICENSE: Commercial License

PACKAGE NAME: jci-release

PACKAGE VERSION: 1.0

RECIPE NAME: jci-release

LICENSE: Commercial License

PACKAGE NAME: json-c

PACKAGE VERSION: 0.13.1

RECIPE NAME: json-c

LICENSE: MIT

PACKAGE NAME: kbd

PACKAGE VERSION: 2.0.4

RECIPE NAME: kbd

LICENSE: GPLv2+

PACKAGE NAME: kernel-base

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-devicetree

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-image

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-image-zimage

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-6lowpan-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-8021q-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-act-mirred-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-act-police-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-af-key-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-ah4-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-arp-tables-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-arpt-mangle-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-arptable-filter-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-ath-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2



PACKAGE NAME: kernel-module-ath9k-common-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ath9k-htc-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ath9k-hw-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-binfmt-misc-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-bonding-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-br-netfilter-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-bridge-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ccm-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-cdc-acm-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-cdc-eem-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-cdc-ether-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-cdc-ncm-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-cdc-subset-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-cfg80211-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ci-hdrc-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ci-hdrc-imx-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ci-hdrc-msm-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ci-hdrc-tegra-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ci-hdrc-usb2-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ci-hdrc-zevio-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-cls-cgroup-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-configfs-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-cp210x-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-crc-itu-t-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-crc7-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ctr-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-cuse-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-diag-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-dmatest-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-dummy-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-ebt-802-3-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-ebt-among-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-ebt-arp-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-ebt-arpreply-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-ebt-dnat-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-ebt-ip-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-ebt-ip6-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-ebt-limit-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ebt-log-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ebt-mark-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ebt-mark-m-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ebt-nflog-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ebt-pkttype-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ebt-redirect-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ebt-snat-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ebt-stp-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ebt-vlan-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ebtable-broute-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ebtable-filter-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ebtable-nat-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto



LICENSE: GPLv2

PACKAGE NAME: kernel-module-ebtables-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ehci-hcd-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ehset-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-esp4-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ftdi-sio-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-fuse-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-g-ether-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-g-mass-storage-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-g-ncm-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-g-serial-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-gadgetfs-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-gcm-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-ghash-generic-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-gre-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-ip-gre-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-ip-tables-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-ip6-tables-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-ip6-tunnel-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-ip6-udp-tunnel-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ip6t-eui64-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ip6t-frag-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ip6t-hbh-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ip6t-ipv6header-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ip6t-rt-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ip6table-filter-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ip6table-mangle-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ip6table-raw-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ipcomp-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ipcomp6-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ipip-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ipt-ah-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ipt-clusterip-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ipt-ecn-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ipt-reject-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ipt-rpfilter-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ipt-synproxy-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-iptables-filter-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-iptables-mangle-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-iptables-nat-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-iptables-raw-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ipvlan-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-isofs-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ledtrig-backlight-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ledtrig-camera-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-libcomposite-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-llc-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-lttng-clock-5.2.60-yocto-standard  
PACKAGE VERSION: 2.10.11  
RECIPE NAME: lttng-modules  
LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-clock-plugin-test-5.2.60-yocto-standard  
PACKAGE VERSION: 2.10.11  
RECIPE NAME: lttng-modules  
LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-kprobes-5.2.60-yocto-standard  
PACKAGE VERSION: 2.10.11  
RECIPE NAME: lttng-modules  
LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-kretprobes-5.2.60-yocto-standard



PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-lib-ring-buffer-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-block-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-btrfs-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-compaction-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-ext4-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-gpio-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-i2c-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-irq-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-jbd2-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-kmem-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-module-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-napi-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-net-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-power-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-printk-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-random-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-rcu-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-regmap-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-regulator-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-sched-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-scsi-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-signal-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-skb-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-sock-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-statedump-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-sunrpc-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-timer-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-udp-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-vmscan-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-probe-workqueue-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-ring-buffer-client-discard-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-ring-buffer-client-mmap-discard-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-ring-buffer-client-mmap-overwrite-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-ring-buffer-client-overwrite-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-ring-buffer-metadata-client-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-ring-buffer-metadata-mmap-client-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-statedump-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-test-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lttng-tracer-5.2.60-yocto-standard

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: kernel-module-lvu-5.2.60-yocto-standard

PACKAGE VERSION: 3.27

RECIPE NAME: usbvni

LICENSE: GPLv2

PACKAGE NAME: kernel-module-mac80211-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-mii-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-mpls-gso-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-msdos-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-net1080-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-conncount-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-conntrack-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-conntrack-amanda-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-conntrack-broadcast-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2



PACKAGE NAME: kernel-module-nf-contrack-ftp-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-contrack-h323-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-contrack-irc-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-contrack-netbios-ns-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-contrack-netlink-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-contrack-pptp-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-contrack-sane-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-contrack-sip-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-contrack-tftp-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-defrag-ipv4-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-defrag-ipv6-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-log-common-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-log-ipv4-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-log-ipv6-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-nat-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-nat-amanda-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-nat-ftp-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-nat-h323-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-nat-irc-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-nat-pptp-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-nat-sip-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-nat-tftp-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-reject-ipv4-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nf-synproxy-core-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nfnetlink-log-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nfnetlink-queue-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nhc-dest-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nhc-fragment-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nhc-hop-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nhc-ipv6-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nhc-mobility-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-nhc-routing-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-nhc-udp-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-nls-iso8859-15-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-nsh-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-openvswitch-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-oprofile-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-p8022-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-pegasus-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-psnap-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-r8152-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-rtl8150-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-sch-ingress-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-sctp-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-sctp-diag-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-seqiv-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-serport-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-spi-loopback-test-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-stp-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-tcrypt-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a



RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-tipc-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ts-bm-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ts-fsm-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ts-kmp-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-tun-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-tunnel6-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-u-ether-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-u-serial-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-udf-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-udp-tunnel-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-ulpi-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-usb-f-acm-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-usb-f-ecm-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-usb-f-ecm-subset-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-usb-f-mass-storage-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-usb-f-ncm-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-usb-f-obex-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-usb-f-rndis-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-usb-f-serial-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-usbmisc-imx-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-usbnet-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-virtlton-5.2.60-yocto-standard  
PACKAGE VERSION: 1.0  
RECIPE NAME: virtlton  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-vport-gre-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-vport-vxlan-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-vxlan-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-x-tables-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xfrm-ipcomp-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xfrm-user-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xfrm4-tunnel-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xfrm6-tunnel-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-addrtype-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-checksum-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-classify-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-comment-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-connbytes-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-connlimit-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-connmack-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-contrack-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-ct-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-dccp-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-dscp-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-ecn-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-esp-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-hashlimit-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-helper-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-hl-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-length-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-limit-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-log-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2



PACKAGE NAME: kernel-module-xt-mac-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-mark-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-masquerade-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-multiport-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-nat-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-netmap-5.2.60-yocto-standard  
PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a  
RECIPE NAME: linux-yocto  
LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-nflog-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-nfqueue-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-pkttype-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-policy-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-quota-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-realm-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-redirect-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-sctp-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-state-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-Statistic-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-string-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-tcpmss-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-tcpudp-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-trace-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-module-xt-u32-5.2.60-yocto-standard

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: kernel-modules

PACKAGE VERSION: 5.2.60+gitAUTOINC+40c5d6042e\_3faeb28a4a

RECIPE NAME: linux-yocto

LICENSE: GPLv2

PACKAGE NAME: keyutils

PACKAGE VERSION: 1.6

RECIPE NAME: keyutils

LICENSE: LGPLv2.1+ & GPLv2.0+

PACKAGE NAME: killall

PACKAGE VERSION: 23.2

RECIPE NAME: psmisc

LICENSE: GPLv2

PACKAGE NAME: kmod

PACKAGE VERSION: 26

RECIPE NAME: kmod

LICENSE: GPL-2.0+ & LGPL-2.1+

PACKAGE NAME: ksz9563-reg-set  
PACKAGE VERSION: 1.0+gitAUTOINC+667da2d048  
RECIPE NAME: ksz9563-reg-set  
LICENSE: JCI

PACKAGE NAME: ldconfig  
PACKAGE VERSION: 2.30  
RECIPE NAME: glibc  
LICENSE: GPLv2 & LGPLv2.1

PACKAGE NAME: libacl  
PACKAGE VERSION: 2.2.52  
RECIPE NAME: acl  
LICENSE: LGPLv2.1+

PACKAGE NAME: libaio  
PACKAGE VERSION: 0.3.111  
RECIPE NAME: libaio  
LICENSE: LGPLv2.1+

PACKAGE NAME: libarchive  
PACKAGE VERSION: 3.4.0  
RECIPE NAME: libarchive  
LICENSE: BSD

PACKAGE NAME: libattr  
PACKAGE VERSION: 2.4.47  
RECIPE NAME: attr  
LICENSE: LGPLv2.1+

PACKAGE NAME: libbz2  
PACKAGE VERSION: 1.0.8  
RECIPE NAME: bzip2  
LICENSE: bzip2

PACKAGE NAME: libcap  
PACKAGE VERSION: 2.27  
RECIPE NAME: libcap  
LICENSE: BSD | GPLv2

PACKAGE NAME: libcap-bin  
PACKAGE VERSION: 2.27  
RECIPE NAME: libcap  
LICENSE: BSD | GPLv2

PACKAGE NAME: libcomerr  
PACKAGE VERSION: 1.45.3  
RECIPE NAME: e2fsprogs  
LICENSE: GPLv2 & LGPLv2 & BSD & MIT

PACKAGE NAME: libcrypto  
PACKAGE VERSION: 1.1.1v  
RECIPE NAME: openssl  
LICENSE: openssl

PACKAGE NAME: libcurl  
PACKAGE VERSION: 7.67.0  
RECIPE NAME: curl  
LICENSE: MIT

PACKAGE NAME: libdevmapper

PACKAGE VERSION: 2.03.05

RECIPE NAME: lvm2

LICENSE: GPLv2 & LGPLv2.1

PACKAGE NAME: libdrm

PACKAGE VERSION: 2.4.99

RECIPE NAME: libdrm

LICENSE: MIT

PACKAGE NAME: libdw

PACKAGE VERSION: 0.177

RECIPE NAME: elfutils

LICENSE: GPLv2

PACKAGE NAME: libe2p

PACKAGE VERSION: 1.45.3

RECIPE NAME: e2fsprogs

LICENSE: GPLv2 & LGPLv2 & BSD & MIT

PACKAGE NAME: libegl-mesa

PACKAGE VERSION: 19.1.6

RECIPE NAME: mesa

LICENSE: MIT

PACKAGE NAME: libegl-mesa-dev

PACKAGE VERSION: 19.1.6

RECIPE NAME: mesa

LICENSE: MIT

PACKAGE NAME: libelf

PACKAGE VERSION: 0.177

RECIPE NAME: elfutils

LICENSE: GPLv2

PACKAGE NAME: libevdev

PACKAGE VERSION: 1.8.0

RECIPE NAME: libevdev

LICENSE: MIT-X

PACKAGE NAME: libext2fs

PACKAGE VERSION: 1.45.3

RECIPE NAME: e2fsprogs

LICENSE: GPLv2 & LGPLv2 & BSD & MIT

PACKAGE NAME: libffi

PACKAGE VERSION: 3.3~rc0

RECIPE NAME: libffi

LICENSE: MIT

PACKAGE NAME: libgbm

PACKAGE VERSION: 19.1.6

RECIPE NAME: mesa

LICENSE: MIT

PACKAGE NAME: libgcc

PACKAGE VERSION: 9.2.0

RECIPE NAME: libgcc

LICENSE: GPL-3.0-with-GCC-exception

PACKAGE NAME: libgcrypt

PACKAGE VERSION: 1.8.4

RECIPE NAME: libgcrypt



LICENSE: LGPLv2.1+

PACKAGE NAME: libglapi

PACKAGE VERSION: 19.1.6

RECIPE NAME: mesa

LICENSE: MIT

PACKAGE NAME: libgles2-mesa

PACKAGE VERSION: 19.1.6

RECIPE NAME: mesa

LICENSE: MIT

PACKAGE NAME: libgpg-error

PACKAGE VERSION: 1.36

RECIPE NAME: libgpg-error

LICENSE: GPLv2+ & LGPLv2.1+

PACKAGE NAME: libgpod

PACKAGE VERSION: 1.4.1

RECIPE NAME: libgpod

LICENSE: LGPLv2.1+

PACKAGE NAME: libicudata

PACKAGE VERSION: 64.2

RECIPE NAME: icu

LICENSE: ICU

PACKAGE NAME: libcui18n

PACKAGE VERSION: 64.2

RECIPE NAME: icu

LICENSE: ICU

PACKAGE NAME: libicuio

PACKAGE VERSION: 64.2

RECIPE NAME: icu

LICENSE: ICU

PACKAGE NAME: libicutu

PACKAGE VERSION: 64.2

RECIPE NAME: icu

LICENSE: ICU

PACKAGE NAME: libicuuc

PACKAGE VERSION: 64.2

RECIPE NAME: icu

LICENSE: ICU

PACKAGE NAME: libinput

PACKAGE VERSION: 1.14.1

RECIPE NAME: libinput

LICENSE: MIT

PACKAGE NAME: libjpeg-turbo

PACKAGE VERSION: 2.0.3

RECIPE NAME: libjpeg-turbo

LICENSE: BSD-3-Clause

PACKAGE NAME: libkmod

PACKAGE VERSION: 26

RECIPE NAME: kmod

LICENSE: LGPL-2.1+

PACKAGE NAME: liblzma  
PACKAGE VERSION: 5.2.4  
RECIPE NAME: xz  
LICENSE: PD

PACKAGE NAME: libmnl  
PACKAGE VERSION: 1.0.4  
RECIPE NAME: libmnl  
LICENSE: LGPLv2.1+

PACKAGE NAME: libnl  
PACKAGE VERSION: 3.5.0  
RECIPE NAME: libnl  
LICENSE: LGPLv2.1

PACKAGE NAME: libnl-genl  
PACKAGE VERSION: 3.5.0  
RECIPE NAME: libnl  
LICENSE: LGPLv2.1

PACKAGE NAME: libnss-myhostname  
PACKAGE VERSION: 243.2  
RECIPE NAME: systemd  
LICENSE: GPLv2 & LGPLv2.1

PACKAGE NAME: libopkg  
PACKAGE VERSION: 0.4.1  
RECIPE NAME: opkg  
LICENSE: GPLv2+

PACKAGE NAME: libpam

PACKAGE VERSION: 1.3.1

RECIPE NAME: libpam

LICENSE: GPLv2+ | BSD

PACKAGE NAME: libpam-runtime

PACKAGE VERSION: 1.3.1

RECIPE NAME: libpam

LICENSE: GPLv2+ | BSD

PACKAGE NAME: libpcap

PACKAGE VERSION: 1.9.1

RECIPE NAME: libpcap

LICENSE: BSD

PACKAGE NAME: libpcre

PACKAGE VERSION: 8.43

RECIPE NAME: libpcre

LICENSE: BSD

PACKAGE NAME: libpng

PACKAGE VERSION: 1.6.37

RECIPE NAME: libpng

LICENSE: Libpng

PACKAGE NAME: libsolv

PACKAGE VERSION: 0.7.6

RECIPE NAME: libsolv

LICENSE: BSD-3-Clause

PACKAGE NAME: libss

PACKAGE VERSION: 1.45.3

RECIPE NAME: e2fsprogs  
LICENSE: GPLv2 & LGPLv2 & BSD & MIT

PACKAGE NAME: libssl  
PACKAGE VERSION: 1.1.1v  
RECIPE NAME: openssl  
LICENSE: openssl

PACKAGE NAME: libstdc++  
PACKAGE VERSION: 9.2.0  
RECIPE NAME: gcc-runtime  
LICENSE: GPL-3.0-with-GCC-exception

PACKAGE NAME: libsystemd  
PACKAGE VERSION: 243.2  
RECIPE NAME: systemd  
LICENSE: GPLv2 & LGPLv2.1

PACKAGE NAME: libudev  
PACKAGE VERSION: 243.2  
RECIPE NAME: systemd  
LICENSE: GPLv2 & LGPLv2.1

PACKAGE NAME: libunwind  
PACKAGE VERSION: 1.3.1  
RECIPE NAME: libunwind  
LICENSE: MIT

PACKAGE NAME: liburcu  
PACKAGE VERSION: 0.11.1  
RECIPE NAME: liburcu

LICENSE: LGPLv2.1+ & MIT-style

PACKAGE NAME: libusb1

PACKAGE VERSION: 1.0.22

RECIPE NAME: libusb1

LICENSE: LGPLv2.1+

PACKAGE NAME: libuv

PACKAGE VERSION: 1.32.0

RECIPE NAME: libuv

LICENSE: MIT

PACKAGE NAME: libwebsockets

PACKAGE VERSION: 4.3.1+gitAUTOINC+3acc9c8e74

RECIPE NAME: libwebsockets

LICENSE: MIT & Zlib & BSD-3-Clause

PACKAGE NAME: libwebsockets-evlib-uv

PACKAGE VERSION: 4.3.1+gitAUTOINC+3acc9c8e74

RECIPE NAME: libwebsockets

LICENSE: MIT & Zlib & BSD-3-Clause

PACKAGE NAME: libweston-7

PACKAGE VERSION: 7.0.0

RECIPE NAME: weston

LICENSE: MIT

PACKAGE NAME: libwrap

PACKAGE VERSION: 7.6

RECIPE NAME: tcp-wrappers

LICENSE: BSD

PACKAGE NAME: libx11-compose-data

PACKAGE VERSION: 1.6.8

RECIPE NAME: libx11-compose-data

LICENSE: MIT & MIT-style & BSD

PACKAGE NAME: libxcrypt

PACKAGE VERSION: 4.4.8

RECIPE NAME: libxcrypt

LICENSE: LGPLv2.1

PACKAGE NAME: libxkbcommon

PACKAGE VERSION: 0.8.4

RECIPE NAME: libxkbcommon

LICENSE: MIT & MIT-style

PACKAGE NAME: libxml2

PACKAGE VERSION: 2.9.9

RECIPE NAME: libxml2

LICENSE: MIT

PACKAGE NAME: linux-firmware-imx-sdma-imx6q

PACKAGE VERSION: 20190815

RECIPE NAME: linux-firmware

LICENSE: Firmware-imx-sdma\_firmware

PACKAGE NAME: linux-firmware-imx-sdma-license

PACKAGE VERSION: 20190815

RECIPE NAME: linux-firmware

LICENSE: Firmware-imx-sdma\_firmware

PACKAGE NAME: lmsensors-libsensors

PACKAGE VERSION: 3.5.0

RECIPE NAME: lmsensors

LICENSE: GPLv2+ & LGPLv2.1+

PACKAGE NAME: logrotate

PACKAGE VERSION: 3.15.1

RECIPE NAME: logrotate

LICENSE: GPLv2

PACKAGE NAME: lsof

PACKAGE VERSION: 4.91

RECIPE NAME: lsof

LICENSE: BSD

PACKAGE NAME: lttng-modules

PACKAGE VERSION: 2.10.11

RECIPE NAME: lttng-modules

LICENSE: LGPLv2.1 & GPLv2 & MIT

PACKAGE NAME: lttng-tools

PACKAGE VERSION: 2.10.7

RECIPE NAME: lttng-tools

LICENSE: GPLv2 & LGPLv2.1

PACKAGE NAME: lttng-ust

PACKAGE VERSION: 2.10.5

RECIPE NAME: lttng-ust

LICENSE: LGPLv2.1+ & MIT & GPLv2

PACKAGE NAME: luks-utils



PACKAGE VERSION: 1.0

RECIPE NAME: luks-utils

LICENSE: Commercial License

PACKAGE NAME: lvm2

PACKAGE VERSION: 2.03.05

RECIPE NAME: lvm2

LICENSE: GPLv2 & LGPLv2.1

PACKAGE NAME: lvm2-udevrules

PACKAGE VERSION: 2.03.05

RECIPE NAME: lvm2

LICENSE: GPLv2 & LGPLv2.1

PACKAGE NAME: lzo

PACKAGE VERSION: 2.10

RECIPE NAME: lzo

LICENSE: GPLv2+

PACKAGE NAME: manage-bootloop

PACKAGE VERSION: 1.0

RECIPE NAME: manage-bootloop

LICENSE: Commercial License

PACKAGE NAME: manage-usbmodule

PACKAGE VERSION: 1.0

RECIPE NAME: manage-usbmodule

LICENSE: Commercial License

PACKAGE NAME: mesa-megadriver

PACKAGE VERSION: 19.1.6

RECIPE NAME: mesa

LICENSE: MIT

PACKAGE NAME: metasyS-engine-host

PACKAGE VERSION: 14.0\_trunk

RECIPE NAME: metasyS-engine-host

LICENSE: Commercial License

PACKAGE NAME: metasyS-engine-ui

PACKAGE VERSION: 8.0

RECIPE NAME: metasyS-engine-ui

LICENSE: Commercial License

PACKAGE NAME: microsoft-aspnetcore-runtime

PACKAGE VERSION: 8.0.1

RECIPE NAME: microsoft-aspnetcore-runtime

LICENSE: Commercial License

PACKAGE NAME: miiidm

PACKAGE VERSION: 1.0+gitAUTOINC+4f00981635

RECIPE NAME: g3-metasyS-core

LICENSE: Commercial License

PACKAGE NAME: mingetty

PACKAGE VERSION: 1.08

RECIPE NAME: mingetty

LICENSE: GPLv2

PACKAGE NAME: modutils-initscripts

PACKAGE VERSION: 1.0

RECIPE NAME: modutils-initscripts

LICENSE: PD

PACKAGE NAME: mount-mx6

PACKAGE VERSION: 1.0

RECIPE NAME: mount-mx6

LICENSE: Commercial License

PACKAGE NAME: mtdev

PACKAGE VERSION: 1.1.5

RECIPE NAME: mtdev

LICENSE: MIT

PACKAGE NAME: nae-update

PACKAGE VERSION: 1.0+gitAUTOINC+4f00981635

RECIPE NAME: g3-metasys-core

LICENSE: Commercial License

PACKAGE NAME: ncurses

PACKAGE VERSION: 6.1+20190803

RECIPE NAME: ncurses

LICENSE: MIT

PACKAGE NAME: ncurses-libncurses

PACKAGE VERSION: 6.1+20190803

RECIPE NAME: ncurses

LICENSE: MIT

PACKAGE NAME: ncurses-libncursesw

PACKAGE VERSION: 6.1+20190803

RECIPE NAME: ncurses

LICENSE: MIT

PACKAGE NAME: ncurses-libtinfo  
PACKAGE VERSION: 6.1+20190803  
RECIPE NAME: ncurses  
LICENSE: MIT

PACKAGE NAME: ncurses-terminfo  
PACKAGE VERSION: 6.1+20190803  
RECIPE NAME: ncurses  
LICENSE: MIT

PACKAGE NAME: ncurses-terminfo-base  
PACKAGE VERSION: 6.1+20190803  
RECIPE NAME: ncurses  
LICENSE: MIT

PACKAGE NAME: net-tools  
PACKAGE VERSION: 1.60-26  
RECIPE NAME: net-tools  
LICENSE: GPLv2+

PACKAGE NAME: netbase  
PACKAGE VERSION: 5.6  
RECIPE NAME: netbase  
LICENSE: GPLv2

PACKAGE NAME: network-status  
PACKAGE VERSION: 1.0  
RECIPE NAME: network-status  
LICENSE: Commercial License

PACKAGE NAME: networking-disable-ssh

PACKAGE VERSION: 1.0

RECIPE NAME: networking-disable-ssh

LICENSE: Commercial License

PACKAGE NAME: networking-rndis

PACKAGE VERSION: 1.0

RECIPE NAME: networking-rndis

LICENSE: Commercial License

PACKAGE NAME: nginx

PACKAGE VERSION: 1.14.2

RECIPE NAME: nginx

LICENSE: BSD-2-Clause

PACKAGE NAME: ntp

PACKAGE VERSION: 4.2.8p13

RECIPE NAME: ntp

LICENSE: NTP

PACKAGE NAME: ntp-tickadj

PACKAGE VERSION: 4.2.8p13

RECIPE NAME: ntp

LICENSE: NTP

PACKAGE NAME: openssh

PACKAGE VERSION: 8.0p1

RECIPE NAME: openssh

LICENSE: BSD & ISC & MIT

PACKAGE NAME: openssh-keygen

PACKAGE VERSION: 8.0p1

RECIPE NAME: openssh

LICENSE: BSD & ISC & MIT

PACKAGE NAME: openssh-scp

PACKAGE VERSION: 8.0p1

RECIPE NAME: openssh

LICENSE: BSD & ISC & MIT

PACKAGE NAME: openssh-ssh

PACKAGE VERSION: 8.0p1

RECIPE NAME: openssh

LICENSE: BSD & ISC & MIT

PACKAGE NAME: openssh-sshd

PACKAGE VERSION: 8.0p1

RECIPE NAME: openssh

LICENSE: BSD & ISC & MIT

PACKAGE NAME: openssl

PACKAGE VERSION: 1.1.1v

RECIPE NAME: openssl

LICENSE: openssl

PACKAGE NAME: openssl-bin

PACKAGE VERSION: 1.1.1v

RECIPE NAME: openssl

LICENSE: openssl

PACKAGE NAME: openssl-conf

PACKAGE VERSION: 1.1.1v

RECIPE NAME: openssl

LICENSE: openssl

PACKAGE NAME: opkg

PACKAGE VERSION: 0.4.1

RECIPE NAME: opkg

LICENSE: GPLv2+

PACKAGE NAME: opkg-arch-config

PACKAGE VERSION: 1.0

RECIPE NAME: opkg-arch-config

LICENSE: MIT

PACKAGE NAME: optee-client

PACKAGE VERSION: 2.6.0+gitAUTOINC+6dc3d0fdea

RECIPE NAME: optee-client

LICENSE: BSD

PACKAGE NAME: os-release

PACKAGE VERSION: 1.0

RECIPE NAME: os-release

LICENSE: MIT

PACKAGE NAME: packagegroup-core-boot

PACKAGE VERSION: 1.0

RECIPE NAME: packagegroup-core-boot

LICENSE: MIT

PACKAGE NAME: packagegroup-graphics-support

PACKAGE VERSION: 1.0

RECIPE NAME: packagegroup-graphics-support

LICENSE: Commercial License

PACKAGE NAME: packagegroup-metasys-base

PACKAGE VERSION: 1.0

RECIPE NAME: packagegroup-metasys-base

LICENSE: Commercial License

PACKAGE NAME: packagegroup-tzdata

PACKAGE VERSION: 1.0

RECIPE NAME: packagegroup-tzdata

LICENSE: MIT

PACKAGE NAME: packagegroup-wr-base

PACKAGE VERSION: 1.0

RECIPE NAME: packagegroup-wr-base

LICENSE: MIT

PACKAGE NAME: packagegroup-wr-base-net

PACKAGE VERSION: 1.0

RECIPE NAME: packagegroup-wr-base

LICENSE: MIT

PACKAGE NAME: packagegroup-wr-boot

PACKAGE VERSION: 1.0

RECIPE NAME: packagegroup-core-boot

LICENSE: MIT

PACKAGE NAME: packagegroup-wr-bsps

PACKAGE VERSION: 1.0

RECIPE NAME: packagegroup-wr-bsps

LICENSE: MIT



PACKAGE NAME: packagegroup-wr-core-util

PACKAGE VERSION: 1.0

RECIPE NAME: packagegroup-wr-core-util

LICENSE: MIT

PACKAGE NAME: pam-plugin-access

PACKAGE VERSION: 1.3.1

RECIPE NAME: libpam

LICENSE: GPLv2+ | BSD

PACKAGE NAME: pam-plugin-deny

PACKAGE VERSION: 1.3.1

RECIPE NAME: libpam

LICENSE: GPLv2+ | BSD

PACKAGE NAME: pam-plugin-env

PACKAGE VERSION: 1.3.1

RECIPE NAME: libpam

LICENSE: GPLv2+ | BSD

PACKAGE NAME: pam-plugin-faildelay

PACKAGE VERSION: 1.3.1

RECIPE NAME: libpam

LICENSE: GPLv2+ | BSD

PACKAGE NAME: pam-plugin-group

PACKAGE VERSION: 1.3.1

RECIPE NAME: libpam

LICENSE: GPLv2+ | BSD

PACKAGE NAME: pam-plugin-keyinit

PACKAGE VERSION: 1.3.1

RECIPE NAME: libpam

LICENSE: GPLv2+ | BSD

PACKAGE NAME: pam-plugin-lastlog

PACKAGE VERSION: 1.3.1

RECIPE NAME: libpam

LICENSE: GPLv2+ | BSD

PACKAGE NAME: pam-plugin-limits

PACKAGE VERSION: 1.3.1

RECIPE NAME: libpam

LICENSE: GPLv2+ | BSD

PACKAGE NAME: pam-plugin-loginuid

PACKAGE VERSION: 1.3.1

RECIPE NAME: libpam

LICENSE: GPLv2+ | BSD

PACKAGE NAME: pam-plugin-mail

PACKAGE VERSION: 1.3.1

RECIPE NAME: libpam

LICENSE: GPLv2+ | BSD

PACKAGE NAME: pam-plugin-motd

PACKAGE VERSION: 1.3.1

RECIPE NAME: libpam

LICENSE: GPLv2+ | BSD

PACKAGE NAME: pam-plugin-nologin

PACKAGE VERSION: 1.3.1

RECIPE NAME: libpam

LICENSE: GPLv2+ | BSD

PACKAGE NAME: pam-plugin-permit

PACKAGE VERSION: 1.3.1

RECIPE NAME: libpam

LICENSE: GPLv2+ | BSD

PACKAGE NAME: pam-plugin-rootok

PACKAGE VERSION: 1.3.1

RECIPE NAME: libpam

LICENSE: GPLv2+ | BSD

PACKAGE NAME: pam-plugin-securetty

PACKAGE VERSION: 1.3.1

RECIPE NAME: libpam

LICENSE: GPLv2+ | BSD

PACKAGE NAME: pam-plugin-shells

PACKAGE VERSION: 1.3.1

RECIPE NAME: libpam

LICENSE: GPLv2+ | BSD

PACKAGE NAME: pam-plugin-tally2

PACKAGE VERSION: 1.3.1

RECIPE NAME: libpam

LICENSE: GPLv2+ | BSD

PACKAGE NAME: pam-plugin-unix

PACKAGE VERSION: 1.3.1

RECIPE NAME: libpam

LICENSE: GPLv2+ | BSD

PACKAGE NAME: pam-plugin-warn

PACKAGE VERSION: 1.3.1

RECIPE NAME: libpam

LICENSE: GPLv2+ | BSD

PACKAGE NAME: pango

PACKAGE VERSION: 1.44.7

RECIPE NAME: pango

LICENSE: LGPLv2.0+

PACKAGE NAME: pixman

PACKAGE VERSION: 0.38.4

RECIPE NAME: pixman

LICENSE: MIT & MIT-style & PD

PACKAGE NAME: pm-utils

PACKAGE VERSION: 1.4.1

RECIPE NAME: pm-utils

LICENSE: GPLv2

PACKAGE NAME: popt

PACKAGE VERSION: 1.16

RECIPE NAME: popt

LICENSE: MIT

PACKAGE NAME: procps

PACKAGE VERSION: 3.3.15

RECIPE NAME: procps

LICENSE: GPLv2+ & LGPLv2+

PACKAGE NAME: provision-daemon

PACKAGE VERSION: 1.0

RECIPE NAME: provision-daemon

LICENSE: Commercial License

PACKAGE NAME: psmisc

PACKAGE VERSION: 23.2

RECIPE NAME: psmisc

LICENSE: GPLv2

PACKAGE NAME: pstree

PACKAGE VERSION: 23.2

RECIPE NAME: psmisc

LICENSE: GPLv2

PACKAGE NAME: readline

PACKAGE VERSION: 5.2

RECIPE NAME: readline

LICENSE: GPLv2+

PACKAGE NAME: recovery-daemon

PACKAGE VERSION: 1.0+gitAUTOINC+03ee53090c

RECIPE NAME: recovery-daemon

LICENSE: Commercial License

PACKAGE NAME: rfcill

PACKAGE VERSION: 0.5

RECIPE NAME: rfcill

LICENSE: BSD

PACKAGE NAME: run-postinsts

PACKAGE VERSION: 1.0

RECIPE NAME: run-postinsts

LICENSE: MIT

PACKAGE NAME: sed

PACKAGE VERSION: 4.2.2

RECIPE NAME: sed

LICENSE:

PACKAGE NAME: setserial

PACKAGE VERSION: 2.17

RECIPE NAME: setserial

LICENSE: GPLv2.0

PACKAGE NAME: shadow

PACKAGE VERSION: 4.6

RECIPE NAME: shadow

LICENSE: BSD | Artistic-1.0

PACKAGE NAME: shadow-base

PACKAGE VERSION: 4.6

RECIPE NAME: shadow

LICENSE: BSD | Artistic-1.0

PACKAGE NAME: shadow-securetty

PACKAGE VERSION: 4.6

RECIPE NAME: shadow-securetty

LICENSE: MIT

PACKAGE NAME: snc-io-product-fw-rx-bin

PACKAGE VERSION: 1.0

RECIPE NAME: snc-io-product-fw-rx-bin

LICENSE: Commercial License

PACKAGE NAME: snx-power-state

PACKAGE VERSION: 1.00

RECIPE NAME: snx-power-state

LICENSE: Commercial License

PACKAGE NAME: socat

PACKAGE VERSION: 1.7.3.3

RECIPE NAME: socat

LICENSE: GPL-2.0-with-OpenSSL-exception

PACKAGE NAME: sudo

PACKAGE VERSION: 1.8.27

RECIPE NAME: sudo

LICENSE: ISC & BSD & Zlib

PACKAGE NAME: swapfeed

PACKAGE VERSION: gitAUTOINC+8aa1ad1b06

RECIPE NAME: swapfeed

LICENSE: JCI

PACKAGE NAME: syslog-ng

PACKAGE VERSION: 3.24.1

RECIPE NAME: syslog-ng

LICENSE: GPLv2 & LGPLv2.1

PACKAGE NAME: syslog-ng-libs

PACKAGE VERSION: 3.24.1

RECIPE NAME: syslog-ng

LICENSE: GPLv2 & LGPLv2.1

PACKAGE NAME: sysstat

PACKAGE VERSION: 12.1.6

RECIPE NAME: sysstat

LICENSE: GPLv2+

PACKAGE NAME: systemd

PACKAGE VERSION: 243.2

RECIPE NAME: systemd

LICENSE: GPLv2 & LGPLv2.1

PACKAGE NAME: systemd-compat-units

PACKAGE VERSION: 1.0

RECIPE NAME: systemd-compat-units

LICENSE: MIT

PACKAGE NAME: systemd-serialgetty

PACKAGE VERSION: 1.0

RECIPE NAME: systemd-serialgetty

LICENSE: GPLv2+

PACKAGE NAME: systemd-vconsole-setup

PACKAGE VERSION: 243.2

RECIPE NAME: systemd

LICENSE: GPLv2 & LGPLv2.1

PACKAGE NAME: tar

PACKAGE VERSION: 1.17



RECIPE NAME: tar

LICENSE: GPLv2

PACKAGE NAME: tcl

PACKAGE VERSION: 8.6.9

RECIPE NAME: tcl

LICENSE: tcl & BSD-3-Clause

PACKAGE NAME: tcl-lib

PACKAGE VERSION: 8.6.9

RECIPE NAME: tcl

LICENSE: tcl & BSD-3-Clause

PACKAGE NAME: tcpdump

PACKAGE VERSION: 4.9.3

RECIPE NAME: tcpdump

LICENSE: BSD

PACKAGE NAME: time

PACKAGE VERSION: 1.7

RECIPE NAME: time

LICENSE: GPLv2+

PACKAGE NAME: toybox

PACKAGE VERSION: 0.7.4+gitAUTOINC+7828920303

RECIPE NAME: toybox

LICENSE: BSD-0-Clause

PACKAGE NAME: tree

PACKAGE VERSION: 1.8.0

RECIPE NAME: tree

LICENSE: GPLv2

PACKAGE NAME: trusted-applications

PACKAGE VERSION: 1.0

RECIPE NAME: trusted-applications

LICENSE: Commercial License

PACKAGE NAME: tzdata

PACKAGE VERSION: 2021a

RECIPE NAME: tzdata

LICENSE: PD & BSD & BSD-3-Clause

PACKAGE NAME: tzdata-africa

PACKAGE VERSION: 2021a

RECIPE NAME: tzdata

LICENSE: PD & BSD & BSD-3-Clause

PACKAGE NAME: tzdata-americas

PACKAGE VERSION: 2021a

RECIPE NAME: tzdata

LICENSE: PD & BSD & BSD-3-Clause

PACKAGE NAME: tzdata-antarctica

PACKAGE VERSION: 2021a

RECIPE NAME: tzdata

LICENSE: PD & BSD & BSD-3-Clause

PACKAGE NAME: tzdata-arctic

PACKAGE VERSION: 2021a

RECIPE NAME: tzdata

LICENSE: PD & BSD & BSD-3-Clause

PACKAGE NAME: tzdata-asia  
PACKAGE VERSION: 2021a  
RECIPE NAME: tzdata  
LICENSE: PD & BSD & BSD-3-Clause

PACKAGE NAME: tzdata-atlantic  
PACKAGE VERSION: 2021a  
RECIPE NAME: tzdata  
LICENSE: PD & BSD & BSD-3-Clause

PACKAGE NAME: tzdata-australia  
PACKAGE VERSION: 2021a  
RECIPE NAME: tzdata  
LICENSE: PD & BSD & BSD-3-Clause

PACKAGE NAME: tzdata-core  
PACKAGE VERSION: 2021a  
RECIPE NAME: tzdata  
LICENSE: PD & BSD & BSD-3-Clause

PACKAGE NAME: tzdata-europe  
PACKAGE VERSION: 2021a  
RECIPE NAME: tzdata  
LICENSE: PD & BSD & BSD-3-Clause

PACKAGE NAME: tzdata-misc  
PACKAGE VERSION: 2021a  
RECIPE NAME: tzdata  
LICENSE: PD & BSD & BSD-3-Clause

PACKAGE NAME: tzdata-pacific  
PACKAGE VERSION: 2021a  
RECIPE NAME: tzdata  
LICENSE: PD & BSD & BSD-3-Clause

PACKAGE NAME: tzdata-posix  
PACKAGE VERSION: 2021a  
RECIPE NAME: tzdata  
LICENSE: PD & BSD & BSD-3-Clause

PACKAGE NAME: tzdata-right  
PACKAGE VERSION: 2021a  
RECIPE NAME: tzdata  
LICENSE: PD & BSD & BSD-3-Clause

PACKAGE NAME: udev  
PACKAGE VERSION: 243.2  
RECIPE NAME: systemd  
LICENSE: GPLv2 & LGPLv2.1

PACKAGE NAME: udev-extraconf  
PACKAGE VERSION: 1.1  
RECIPE NAME: udev-extraconf  
LICENSE: MIT

PACKAGE NAME: unzip  
PACKAGE VERSION: 6.0  
RECIPE NAME: unzip  
LICENSE: BSD-3-Clause

PACKAGE NAME: update-alternatives-opkg

PACKAGE VERSION: 0.4.2

RECIPE NAME: opkg-utils

LICENSE: GPLv2+

PACKAGE NAME: update-rc.d

PACKAGE VERSION: 0.8

RECIPE NAME: update-rc.d

LICENSE: GPLv2+

PACKAGE NAME: usbutils

PACKAGE VERSION: 012

RECIPE NAME: usbutils

LICENSE: GPLv2+

PACKAGE NAME: usbvni

PACKAGE VERSION: 3.27

RECIPE NAME: usbvni

LICENSE: GPLv2

PACKAGE NAME: util-linux

PACKAGE VERSION: 2.34

RECIPE NAME: util-linux

LICENSE: GPLv2+ & LGPLv2.1+ & BSD-3-Clause & BSD-4-Clause

PACKAGE NAME: util-linux-agetty

PACKAGE VERSION: 2.34

RECIPE NAME: util-linux

LICENSE: GPLv2+ & LGPLv2.1+ & BSD-3-Clause & BSD-4-Clause

PACKAGE NAME: util-linux-fdisk

PACKAGE VERSION: 2.34

RECIPE NAME: util-linux

LICENSE: GPLv2+ & LGPLv2.1+ & BSD-3-Clause & BSD-4-Clause

PACKAGE NAME: util-linux-findmnt

PACKAGE VERSION: 2.34

RECIPE NAME: util-linux

LICENSE: GPLv2+ & LGPLv2.1+ & BSD-3-Clause & BSD-4-Clause

PACKAGE NAME: util-linux-fsck

PACKAGE VERSION: 2.34

RECIPE NAME: util-linux

LICENSE: GPLv2+ & LGPLv2.1+ & BSD-3-Clause & BSD-4-Clause

PACKAGE NAME: util-linux-fstrim

PACKAGE VERSION: 2.34

RECIPE NAME: util-linux

LICENSE: GPLv2+ & LGPLv2.1+ & BSD-3-Clause & BSD-4-Clause

PACKAGE NAME: util-linux-getopt

PACKAGE VERSION: 2.34

RECIPE NAME: util-linux

LICENSE: GPLv2+ & LGPLv2.1+ & BSD-3-Clause & BSD-4-Clause

PACKAGE NAME: util-linux-hwclock

PACKAGE VERSION: 2.34

RECIPE NAME: util-linux

LICENSE: GPLv2+ & LGPLv2.1+ & BSD-3-Clause & BSD-4-Clause

PACKAGE NAME: util-linux-libblkid

PACKAGE VERSION: 2.34

RECIPE NAME: util-linux

LICENSE: GPLv2+ & LGPLv2.1+ & BSD-3-Clause & BSD-4-Clause

PACKAGE NAME: util-linux-libfdisk

PACKAGE VERSION: 2.34

RECIPE NAME: util-linux

LICENSE: GPLv2+ & LGPLv2.1+ & BSD-3-Clause & BSD-4-Clause

PACKAGE NAME: util-linux-libmount

PACKAGE VERSION: 2.34

RECIPE NAME: util-linux

LICENSE: GPLv2+ & LGPLv2.1+ & BSD-3-Clause & BSD-4-Clause

PACKAGE NAME: util-linux-libsmartcols

PACKAGE VERSION: 2.34

RECIPE NAME: util-linux

LICENSE: GPLv2+ & LGPLv2.1+ & BSD-3-Clause & BSD-4-Clause

PACKAGE NAME: util-linux-libuuid

PACKAGE VERSION: 2.34

RECIPE NAME: util-linux

LICENSE: GPLv2+ & LGPLv2.1+ & BSD-3-Clause & BSD-4-Clause

PACKAGE NAME: util-linux-logger

PACKAGE VERSION: 2.34

RECIPE NAME: util-linux

LICENSE: GPLv2+ & LGPLv2.1+ & BSD-3-Clause & BSD-4-Clause

PACKAGE NAME: util-linux-mount

PACKAGE VERSION: 2.34

RECIPE NAME: util-linux

LICENSE: GPLv2+ & LGPLv2.1+ & BSD-3-Clause & BSD-4-Clause

PACKAGE NAME: util-linux-sulogin

PACKAGE VERSION: 2.34

RECIPE NAME: util-linux

LICENSE: GPLv2+ & LGPLv2.1+ & BSD-3-Clause & BSD-4-Clause

PACKAGE NAME: util-linux-umount

PACKAGE VERSION: 2.34

RECIPE NAME: util-linux

LICENSE: GPLv2+ & LGPLv2.1+ & BSD-3-Clause & BSD-4-Clause

PACKAGE NAME: vendor-protocol-drivers

PACKAGE VERSION: 14.0

RECIPE NAME: vendor-protocol-drivers

LICENSE: Commercial License

PACKAGE NAME: vim

PACKAGE VERSION: 9.0.2190

RECIPE NAME: vim

LICENSE: vim

PACKAGE NAME: vim-common

PACKAGE VERSION: 9.0.2190

RECIPE NAME: vim

LICENSE: vim

PACKAGE NAME: vim-syntax

PACKAGE VERSION: 9.0.2190

RECIPE NAME: vim

LICENSE: vim



PACKAGE NAME: virtlon

PACKAGE VERSION: 1.0

RECIPE NAME: virtlon

LICENSE: GPLv2

PACKAGE NAME: virtlond

PACKAGE VERSION: 0.2.7

RECIPE NAME: virtlond

LICENSE: GPLv2

PACKAGE NAME: volatile-binds

PACKAGE VERSION: 1.0

RECIPE NAME: volatile-binds

LICENSE: MIT

PACKAGE NAME: watchdog-timing

PACKAGE VERSION: 1.0

RECIPE NAME: watchdog-timing

LICENSE: Commercial License

PACKAGE NAME: wayland

PACKAGE VERSION: 1.17.0

RECIPE NAME: wayland

LICENSE: MIT

PACKAGE NAME: weston

PACKAGE VERSION: 7.0.0

RECIPE NAME: weston

LICENSE: MIT

PACKAGE NAME: weston-init

PACKAGE VERSION: 1.0

RECIPE NAME: weston-init

LICENSE: MIT

PACKAGE NAME: which

PACKAGE VERSION: 2.18

RECIPE NAME: which

LICENSE: GPLv2+

PACKAGE NAME: wolfengine

PACKAGE VERSION: 1.2.0+gitAUTOINC+a6896399f6

RECIPE NAME: wolfengine

LICENSE: Commercial License

PACKAGE NAME: wolfssl

PACKAGE VERSION: 4.6.0+gitAUTOINC+86517a79a1

RECIPE NAME: wolfssl

LICENSE: Commercial License

PACKAGE NAME: wpa-supPLICANT

PACKAGE VERSION: 2.9

RECIPE NAME: wpa-supPLICANT

LICENSE: BSD

PACKAGE NAME: wr-init

PACKAGE VERSION: 1.0

RECIPE NAME: wr-init

LICENSE: MIT

PACKAGE NAME: xkeyboard-config

PACKAGE VERSION: 2.27

RECIPE NAME: xkeyboard-config

LICENSE: MIT & MIT-style

PACKAGE NAME: zip

PACKAGE VERSION: 3.0

RECIPE NAME: zip

LICENSE: BSD-3-Clause

PACKAGE NAME: zlib

PACKAGE VERSION: 1.2.11

RECIPE NAME: zlib

LICENSE: Zlib

## Licenses

---

### GPL-1.0-only

GNU GENERAL PUBLIC LICENSE

Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc. 51 Franklin St, Fifth Floor, Boston, MA 02110-1301  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else,

saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE

PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.> Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 675 Mass Ave, Cambridge, MA 02139, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:



Gnomovision version 69, Copyright (C) 19xx name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (a program to direct compilers to make passes at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989 Ty Coon, President of Vice

That's all there is to it!

## **GPL-2.0-only**

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change

free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program",

below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel,

and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give the program's name and an idea of what it does. Copyright (C) yyyy name of author

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA. Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.
```

signature of Ty Coon, 1 April 1989 Ty Coon, President of Vice

### **BSD-1-Clause**

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF



MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS AND CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## **LGPL-2.1-or-later**

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and

charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

#### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications

and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such

function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it

with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during

execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.



If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

**NO WARRANTY**

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give the library's name and an idea of what it does.

Copyright (C) year name of author

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in  
the library `Frob' (a library for tweaking knobs) written  
by James Random Hacker.

signature of Ty Coon, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

## **MIT**

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR

PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

### **BSD-3-Clause**

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

### **GPL-2.0-or-later**

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy

of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.



7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give the program's name and an idea of what it does. Copyright (C) yyyy name of author

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA. Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.
```

signature of Ty Coon, 1 April 1989 Ty Coon, President of Vice

## **BSD-2-Clause**

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

### **LGPL-2.0-or-later**

GNU LIBRARY GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is numbered 2 because it goes with version 2 of the ordinary GPL.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Library General Public License, applies to some specially designated Free Software Foundation software, and to any other libraries whose authors decide to use it. You can use it for your libraries, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link a program with the library, you must provide complete object files to the recipients so that they can relink them with the library, after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright the library, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the library.

Also, for each distributor's protection, we want to make certain that everyone understands that there is no warranty for this free library. If the library is modified by someone else and passed on, we want its recipients to know that what they have is not the original version, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that companies distributing free software will individually obtain patent licenses, thus in effect transforming the program into proprietary software. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License, which was designed for utility programs. This license, the GNU Library General Public License, applies to certain designated libraries. This license is quite different from the ordinary one; be sure to read it in full, and don't assume that anything in it is the same as in the ordinary license.

The reason we have a separate public license for some libraries is that they blur the distinction we usually make between modifying or adding to a program and simply using it. Linking a program with a library, without changing the library, is in some sense simply using the library, and is analogous to running a utility program or application program. However, in a textual and legal sense, the linked executable is a combined work, a derivative of the original library, and the ordinary General Public License treats it as such.

Because of this blurred distinction, using the ordinary General Public License for libraries did not effectively promote software sharing, because most developers did not use the libraries. We concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the users of those programs of all benefit from the free status of the libraries themselves. This Library General Public License is intended to permit developers of non-free programs to use free libraries, while preserving your freedom as a user of such programs to change the free libraries that are incorporated in them. (We have not seen how to achieve this as regards changes in header files, but we have achieved it as regards changes in the actual functions of the Library.) The hope is that this will lead to faster development of free libraries.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, while the latter only works together with the library.

Note that it is possible for a library to be covered by the ordinary General Public License rather than by this special one.

#### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Library General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.



4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

c) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

d) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Library General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give the library's name and an idea of what it does.

Copyright (C) year name of author

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Library General Public License for more details.

You should have received a copy of the GNU Library General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in  
the library `Frob' (a library for tweaking knobs) written  
by James Random Hacker.

signature of Ty Coon, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

## **Zlib**

zlib License

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

**Apache-2.0**

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

**TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION****1. Definitions.**

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:



- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE.

You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## **OpenSSL**

OpenSSL License

Copyright (c) 1998-2008 The OpenSSL Project. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgment: "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"
4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [openssl-core@openssl.org](mailto:openssl-core@openssl.org).
5. Products derived from this software may not be called "OpenSSL" nor may "OpenSSL" appear in their names without prior written permission of the OpenSSL Project.

6. Redistributions of any form whatsoever must retain the following acknowledgment: "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"

THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This product includes cryptographic software written by Eric Young ([ey@cryptsoft.com](mailto:ey@cryptsoft.com)). This product includes software written by Tim Hudson ([tjh@cryptsoft.com](mailto:tjh@cryptsoft.com)).

Original SSLeay License

Copyright (C) 1995-1998 Eric Young ([ey@cryptsoft.com](mailto:ey@cryptsoft.com)) All rights reserved.

This package is an SSL implementation written by Eric Young ([ey@cryptsoft.com](mailto:ey@cryptsoft.com)). The implementation was written so as to conform with Netscapes SSL.

This library is free for commercial and non-commercial use as long as the following conditions are aheared to. The following conditions apply to all code found in this distribution, be it the RC4, RSA, lhash, DES, etc., code; not just the SSL code. The SSL documentation included with this distribution is covered by the same copyright terms except that the holder is Tim Hudson ([tjh@cryptsoft.com](mailto:tjh@cryptsoft.com)).

Copyright remains Eric Young's, and as such any Copyright notices in the code are not to be removed. If this package is used in a product, Eric Young should be given attribution as the author of the parts of the library used. This can be in the form of a textual message at program startup or in documentation (online or textual) provided with the package.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgement:  
"This product includes cryptographic software written by Eric Young (eay@cryptsoft.com)"  
The word 'cryptographic' can be left out if the routines from the library being used are not cryptographic related :-).
4. If you include any Windows specific code (or a derivative thereof) from the apps directory (application code) you must include an acknowledgement: "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"

THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The licence and distribution terms for any publically available version or derivative of this code cannot be changed. i.e. this code cannot simply be copied and put under another distribution licence [including the GNU Public Licence.]

### **GPL-3.0-only**

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright © 2007 Free Software Foundation, Inc. <<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

#### 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it.

"Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.



The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

## 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

## 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

## 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

## 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

## 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not

accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

#### 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.



## 17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
```

This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<https://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<https://www.gnu.org/licenses/why-not-lgpl.html>>.

## **LGPL-2.1-only**

### GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former

contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.



7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and an idea of what it does. >

Copyright (C) <year > <name of author >

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in  
the library `Frob' (a library for tweaking knobs) written  
by James Random Hacker.

<signature of Ty Coon >, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

## **MPL-2.0**

Mozilla Public License Version 2.0

=====

### 1. Definitions

-----

#### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

#### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

#### 1.3. "Contribution"

means Covered Software of a particular Contributor.

#### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

#### 1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered

Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

-----

## 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

## 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

## 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License.

Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

(a) for any code that a Contributor has removed from Covered Software;

or

(b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other



equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

-----

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this

License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any

such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

#### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular

Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

## 6. Disclaimer of Warranty

-----

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing,

repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

## 7. Limitation of Liability

-----

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version

of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

#### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

**ICU**

ICU License - ICU 1.8.1 and later

**COPYRIGHT AND PERMISSION NOTICE**

Copyright (c) 1995-2014 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.



Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

## **LGPL-2.0-only**

GNU LIBRARY GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is numbered 2 because it goes with version 2 of the ordinary GPL.]

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Library General Public License, applies to some specially designated Free Software Foundation software, and to any other libraries whose authors decide to use it. You can use it for your libraries, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link a program with the library, you must provide complete object files to the recipients so that they can relink them with the library, after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright the library, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the library.

Also, for each distributor's protection, we want to make certain that everyone understands that there is no warranty for this free library. If the library is modified by someone else and passed on, we want its recipients to know that what they have is not the original version, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that companies distributing free software will individually obtain patent licenses, thus in effect transforming the program into proprietary software. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License, which was designed for utility programs. This license, the GNU Library General Public License, applies to certain designated libraries. This license is quite different from the ordinary one; be sure to read it in full, and don't assume that anything in it is the same as in the ordinary license.

The reason we have a separate public license for some libraries is that they blur the distinction we usually make between modifying or adding to a program and simply using it. Linking a program with a library, without changing the library, is in some sense simply using the library, and is analogous to running a utility program or application program. However, in a textual and legal sense, the linked executable is a combined work, a derivative of the original library, and the ordinary General Public License treats it as such.

Because of this blurred distinction, using the ordinary General Public License for libraries did not effectively promote software sharing, because most developers did not use the libraries. We concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the users of those programs of all benefit from the free status of the libraries themselves. This Library General Public License is intended to permit developers of non-free programs to use free libraries, while preserving your freedom as a user of such programs to change the free libraries that are incorporated in them. (We have not seen how to achieve this as regards changes in header files, but we have achieved it as regards changes in the actual functions of the Library.) The hope is that this will lead to faster development of free libraries.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, while the latter only works together with the library.

Note that it is possible for a library to be covered by the ordinary General Public License rather than by this special one.

#### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Library General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use

of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as

separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

c) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

d) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is



permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Library General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give the library's name and an idea of what it does.

Copyright (C) year name of author

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Library General Public License for more details.

You should have received a copy of the GNU Library General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in  
the library `Frob' (a library for tweaking knobs) written  
by James Random Hacker.

signature of Ty Coon, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

### **Microsoft SW License**

Microsoft Windows OS -

The Microsoft software associated with this product uses third-party libraries and components. For more information on these components and their licenses, please visit <https://3rdpartysource.microsoft.com/>.

### **GPL-3.0-or-later**

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright © 2007 Free Software Foundation, Inc. <<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

## 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

## 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

### 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger

program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

## 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.
- e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally



used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own

removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

#### 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

## 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the

third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
```

```
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
```

```
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<https://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<https://www.gnu.org/licenses/why-not-lgpl.html>>.

**BSD-3-Clause-Modification**

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions in source code must retain the accompanying copyright notice, this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the accompanying copyright notice, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Names of the copyright holders must not be used to endorse or promote products derived from this software without prior written permission from the copyright holders.
4. If any files are modified, you must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

**Disclaimer**

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED



TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## IJG

Independent JPEG Group License

## LEGAL ISSUES

In plain English:

1. We don't promise that this software works. (But if you find any bugs, please let us know!)
2. You can use this software for whatever you want. You don't have to pay us.
3. You may not pretend that you wrote this software. If you use it in a program, you must acknowledge somewhere in your documentation that you've used the IJG code.

In legalese:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane. All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

(1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

ansi2knr.c is included in this distribution by permission of L. Peter Deutsch, sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA. ansi2knr.c is NOT covered by the above copyright and conditions, but instead by the usual distribution terms of the Free Software Foundation; principally, that you must include source code if you redistribute it. (See the file ansi2knr.c for full details.) However, since ansi2knr.c is not needed as part of any program generated from the IJG code, this does not limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltconfig, ltmain.sh). Another support script, install-sh, is copyright by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi. Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that

"The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

### **libpng**

This copy of the libpng notices is provided for your convenience. In case of any discrepancy between this copy and the notices in the file png.h that is included in the libpng distribution, the latter shall prevail.

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE:

If you modify libpng you may insert additional notices immediately following this sentence.

This code is released under the libpng license.

libpng versions 1.2.6, August 15, 2004, through 1.4.5, December 9, 2010, are Copyright (c) 2004, 2006-2010 Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-1.2.5 with the following individual added to the list of Contributing Authors

Cosmin Truta

libpng versions 1.0.7, July 1, 2000, through 1.2.5 - October 3, 2002, are

Copyright (c) 2000-2002 Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors

Simon-Pierre Cadieux

Eric S. Raymond

Gilles Vollant

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are

Copyright (c) 1998, 1999 Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane

Glenn Randers-Pehrson

Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are

Copyright (c) 1996, 1997 Andreas Digger

Distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler

Kevin Bracey

Sam Bushell

Magnus Holmgren

Greg Roelofs

Tom Tanner

libpng versions 0.5, May 1995, through 0.88, January 1996, are

Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

A "png\_get\_copyright" function is available, for convenient use in "about" boxes and the like:

```
printf("%s",png_get_copyright(NULL));
```

Also, the PNG logo (in PNG format, of course) is supplied in the files "pngbar.png" and "pngbar.jpg (88x31) and "pngnow.png" (98x31).

Libpng is OSI Certified Open Source Software. OSI Certified Open Source is a certification mark of the Open Source Initiative.

Glenn Randers-Pehrson

glennrp at users.sourceforge.net

December 9, 2010

### **GPL-1.0-or-later**

GNU GENERAL PUBLIC LICENSE

Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc. 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

#### GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.



4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO

THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

#### Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.> Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 675 Mass Ave, Cambridge, MA 02139, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19xx name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (a program to direct compilers to make passes at assemblers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989 Ty Coon, President of Vice
```

That's all there is to it!

#### **BSD-4-Clause**

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. All advertising materials mentioning features or use of this software must display the following acknowledgement:

This product includes software developed by the organization.

4. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDER "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

### **BSD-3-Clause-LBNL**

Copyright (c) 2003, The Regents of the University of California, through Lawrence Berkeley National Laboratory (subject to receipt of any required approvals from the U.S. Dept. of Energy). All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

(1) Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

(2) Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

(3) Neither the name of the University of California, Lawrence Berkeley National Laboratory, U.S. Dept. of Energy nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

You are under no obligation whatsoever to provide any bug fixes, patches, or upgrades to the features, functionality or performance of the source code ("Enhancements") to anyone; however, if you choose to make your Enhancements available either publicly, or directly to Lawrence Berkeley National Laboratory, without imposing a separate written license agreement for such Enhancements, then you hereby grant the following license: a non-exclusive, royalty-free perpetual license to install, use, modify, prepare derivative works, incorporate into other computer software, distribute, and sublicense such Enhancements or derivative works thereof, in binary and source code form.

## **curl**

### **COPYRIGHT AND PERMISSION NOTICE**

Copyright (c) 1996 - 2015, Daniel Stenberg, <daniel@haxx.se>.

All rights reserved.

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

**AFL-2.1**

The Academic Free License

v.2.1

This Academic Free License (the "License") applies to any original work of authorship (the "Original Work") whose owner (the "Licensor") has placed the following notice immediately following the copyright notice for the Original Work:

Licensed under the Academic Free License version 2.1

1) Grant of Copyright License. Licensor hereby grants You a world-wide, royalty-free, non-exclusive, perpetual, sublicenseable license to do the following:

- a) to reproduce the Original Work in copies;
- b) to prepare derivative works ("Derivative Works") based upon the Original Work;
- c) to distribute copies of the Original Work and Derivative Works to the public;
- d) to perform the Original Work publicly; and
- e) to display the Original Work publicly.

2) Grant of Patent License. Licensor hereby grants You a world-wide, royalty-free, non-exclusive, perpetual, sublicenseable license, under patent claims owned or controlled by the Licensor that are embodied in the Original Work as furnished by the Licensor, to make, use, sell and offer for sale the Original Work and Derivative Works.

3) Grant of Source Code License. The term "Source Code" means the preferred form of the Original Work for making modifications to it and all available documentation describing how to modify the Original Work. Licensor hereby agrees to provide a machine-readable copy of the Source Code of the Original Work along with each copy of the Original Work that Licensor distributes. Licensor reserves the right to satisfy this obligation by placing a machine-readable copy of the Source Code in an information repository reasonably calculated to permit inexpensive and convenient access by You for as long as Licensor continues to distribute the Original Work, and by publishing the address of that information repository in a notice immediately following the copyright notice that applies to the Original Work.

4) Exclusions From License Grant. Neither the names of Licensor, nor the names of any contributors to the Original Work, nor any of their trademarks or service marks, may be used to endorse or promote products derived from this Original Work without express prior written permission of the Licensor. Nothing in this License shall be deemed to grant any rights to trademarks, copyrights, patents, trade secrets or any other intellectual property of Licensor except as expressly stated herein. No patent license is granted to make, use, sell or offer to sell embodiments of any patent claims other than the licensed claims defined in Section 2. No right is granted to the trademarks of Licensor even if such marks are included in the Original Work. Nothing in this License shall be interpreted to prohibit Licensor from licensing under different terms from this License any Original Work that Licensor otherwise would have a right to license.

5) This section intentionally omitted.

6) Attribution Rights. You must retain, in the Source Code of any Derivative Works that You create, all copyright, patent or trademark notices from the Source Code of the Original Work, as well as any notices of licensing and any descriptive text identified therein as an "Attribution Notice." You must cause the Source Code for any Derivative Works that You create to carry a prominent Attribution Notice reasonably calculated to inform recipients that You have modified the Original Work.

7) Warranty of Provenance and Disclaimer of Warranty. Licensor warrants that the copyright in and to the Original Work and the patent rights granted herein by Licensor are owned by the Licensor or are sublicensed to You under the terms of this License with the permission of the contributor(s) of those copyrights and patent rights. Except as expressly stated in the immediately preceding sentence, the Original Work is provided under this License on an "AS IS" BASIS and WITHOUT WARRANTY, either express or implied, including, without limitation, the warranties of NON-INFRINGEMENT, MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY OF THE ORIGINAL WORK IS WITH YOU. This DISCLAIMER OF WARRANTY constitutes an essential part of this License. No license to Original Work is granted hereunder except under this disclaimer.

8) Limitation of Liability. Under no circumstances and under no legal theory, whether in tort (including negligence), contract, or otherwise, shall the Licensor be liable to any person for any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or the use of the Original Work including, without limitation, damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses. This limitation of liability shall not apply to liability for death or personal injury resulting from Licensor's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

9) Acceptance and Termination. If You distribute copies of the Original Work or a Derivative Work, You must make a reasonable effort under the circumstances to obtain the express assent of recipients to the terms of this License. Nothing else but this License (or another written agreement between Licensor and You) grants You permission to create Derivative Works based upon the Original Work or to exercise any of the rights granted in Section 1 herein, and any attempt to do so except under the terms of this License (or another written agreement between Licensor and You) is expressly prohibited by U.S. copyright law, the equivalent laws of other countries, and by international treaty. Therefore, by exercising any of the rights granted to You in Section 1 herein, You indicate Your acceptance of this License and all of its terms and conditions.

10) Termination for Patent Action. This License shall terminate automatically and You may no longer exercise any of the rights granted to You by this License as of the date You commence an action, including a cross-claim or counterclaim, against Licensor or any licensee alleging that the Original Work infringes a patent. This termination provision shall not apply for an action alleging patent infringement by combinations of the Original Work with other software or hardware.

11) Jurisdiction, Venue and Governing Law. Any action or suit relating to this License may be brought only in the courts of a jurisdiction wherein the Licensor resides or in which Licensor conducts its primary business, and under the laws of that jurisdiction excluding its conflict-of-law provisions. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any use of the Original Work outside the scope of this License or after its termination shall be subject to the requirements and penalties of the U.S. Copyright Act, 17 U.S.C. Â§ 101 et seq., the equivalent laws of other countries, and international treaty. This section shall survive the termination of this License.

12) Attorneys Fees. In any action to enforce the terms of this License or seeking damages relating thereto, the prevailing party shall be entitled to recover its costs and expenses, including, without limitation, reasonable attorneys' fees and costs incurred in connection with such action, including any appeal of such action. This section shall survive the termination of this License.

13) Miscellaneous. This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable.

14) Definition of "You" in This License. "You" throughout this License, whether in upper or lower case, means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with you. For purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.



15) Right to Use. You may use the Original Work in all ways not otherwise restricted or conditioned by this License or by law, and Licensor promises not to interfere with or be responsible for such uses by You.

This license is Copyright (C) 2003-2004 Lawrence E. Rosen. All rights reserved.

Permission is hereby granted to copy and distribute this license without modification. This license may not be modified without the express written permission of its copyright owner.

### **BSL-1.0**

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

### **LGPL-3.0-or-later**

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

## 0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

## 1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

## 2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

### 3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

### 4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation

Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

#### 5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

#### 6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

## **GNU GENERAL PUBLIC LICENSE**

Version 3, 29 June 2007

Copyright © 2007 Free Software Foundation, Inc. <<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the

interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

## 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

### 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".



c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

## 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

#### 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

#### 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the

previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

## 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

## How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>

This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.



The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see [<https://www.gnu.org/licenses/>](https://www.gnu.org/licenses/).

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read [<https://www.gnu.org/licenses/why-not-lgpl.html>](https://www.gnu.org/licenses/why-not-lgpl.html).

## **Python-2.0**

### **PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2**

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

#### BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

#### BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI OPEN SOURCE LICENSE AGREEMENT (for Python 1.6b1)

IMPORTANT: PLEASE READ THE FOLLOWING AGREEMENT CAREFULLY.

BY CLICKING ON "ACCEPT" WHERE INDICATED BELOW, OR BY COPYING, INSTALLING OR OTHERWISE USING PYTHON 1.6, beta 1 SOFTWARE, YOU ARE DEEMED TO HAVE AGREED TO THE TERMS AND CONDITIONS OF THIS LICENSE AGREEMENT.

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6, beta 1 software in source or binary form and its associated documentation, as released at the [www.python.org](http://www.python.org) Internet site on August 4, 2000 ("Python 1.6b1").

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6b1 alone or in any derivative version,

provided, however, that CNRI's License Agreement is retained in Python 1.6b1, alone or in any derivative version prepared by Licensee.

Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6, beta 1, is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1011. This Agreement may also be obtained from a proxy server on the Internet using the URL:<http://hdl.handle.net/1895.22/1011>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6b1 or any part thereof, and wants to make the derivative work available to the public as provided herein, then Licensee hereby agrees to indicate in any such work the nature of the modifications made to Python 1.6b1.

4. CNRI is making Python 1.6b1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6b1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING PYTHON 1.6b1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by and interpreted in all respects by the law of the State of Virginia, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6b1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

## CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

### **Bzip2**

This program, "bzip2", the associated library "libbzip2", and all documentation, are copyright (C) 1996-2010 Julian R Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.

4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, [jseward@bzip.org](mailto:jseward@bzip.org) bzip2/libbzip2 version 1.0.6 of 6 September 2010

PATENTS: To the best of my knowledge, bzip2 and libbzip2 do not use any patented algorithms. However, I do not have the resources to carry out a patent search. Therefore I cannot give any guarantee of the above statement.

Neither the names of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without prior written permission.

## **MPL-1.1**

Mozilla Public License Version 1.1

### 1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control

compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. Source Code License.

2.1. The Initial Developer Grant. The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

- a. under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and
- b. under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).
- c. the licenses granted in this Section 2.1 (a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.
- d. Notwithstanding Section 2.1 (b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

2.2. Contributor Grant. Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

- a. under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and
- b. under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such



combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

c. the licenses granted in Sections 2.2 (a) and 2.2 (b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

d. Notwithstanding Section 2.2 (b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

3.1. Application of License. The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

3.2. Availability of Source Code. Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

3.3. Description of Modifications. You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

### 3.4. Intellectual Property Matters

(a) Third Party Claims

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

(b) Contributor APIs

If Contributor's Modifications include an application programming interface and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

(c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4 (a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

3.5. Required Notices. You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.6. Distribution of Executable Versions. You may distribute Covered Code in Executable form only if the requirements of Sections 3.1, 3.2, 3.3, 3.4 and 3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related

documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.7. Larger Works. You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

#### 4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

#### 6. Versions of the License.

##### 6.1. New Versions

Netscape Communications Corporation ("Netscape") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

##### 6.2. Effect of New Versions

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under

the terms of any subsequent version of the License published by Netscape. No one other than Netscape has the right to modify the terms applicable to Covered Code created under this License.

### 6.3. Derivative Works

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename Your license so that the phrases "Mozilla", "MOZILLAPL", "MOZPL", "Netscape", "MPL", "NPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and Netscape Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

## 7. DISCLAIMER OF WARRANTY

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 8. Termination

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

a. such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You

either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

b. any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

## 9. LIMITATION OF LIABILITY

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 10. U.S. government end users

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

## 11. Miscellaneous

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

## 12. Responsibility for claims

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## 13. Multiple-licensed code

Initial Developer may designate portions of the Covered Code as "Multiple-Licensed". "Multiple-Licensed" means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the MPL or the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

Exhibit A - Mozilla Public License.

"The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is \_\_\_\_\_.

The Initial Developer of the Original Code is \_\_\_\_\_.

Portions created by \_\_\_\_\_ are Copyright (C) \_\_\_\_\_  
 \_\_\_\_\_ . All Rights Reserved.

Contributor(s): \_\_\_\_\_.

Alternatively, the contents of this file may be used under the terms of the \_\_\_\_\_ license (the "[ ] License"), in which case the provisions of [ ] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [ ] License and not to allow others to use your version of this file under the MPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [ ] License. If you do not delete the provisions above, a recipient may use your version of this file under either the MPL or the [ ] License."

NOTE: The text of this Exhibit A may differ slightly from the text of the notices in the Source Code files of the Original Code. You should use the text of this Exhibit A rather than the text found in the Original Code Source Code for Your Modifications.

## ISC

ISC License:

Copyright (c) 2004-2010 by Internet Systems Consortium, Inc. ("ISC")

Copyright (c) 1995-2003 by Internet Software Consortium

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND ISC DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL ISC BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## Freetype

The FreeType Project LICENSE

2006-Jan-27

Copyright 1996-2002, 2006 by David Turner, Robert Wilhelm, and Werner Lemberg

### Introduction

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. ('as is' distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. ('royalty-free' usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. ('credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:



" Portions of this software are copyright © <year> The FreeType Project (www.freetype.org). All rights reserved. "

Please replace <year> with the value from the FreeType version you actually use.

## Legal Terms

### 0. Definitions

Throughout this license, the terms `package`, `FreeType Project`, and `FreeType archive` refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project`, be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

### 1. No Warranty

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

### 2. Redistribution

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.

o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

### 3. Advertising

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: 'FreeType Project', 'FreeType Engine', 'FreeType library', or 'FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

### 4. Contacts

There are two mailing lists related to FreeType:

o [freetype@nongnu.org](mailto:freetype@nongnu.org)

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution. If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o [freetype-devel@nongnu.org](mailto:freetype-devel@nongnu.org)

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<http://www.freetype.org>

--- end of FTL.TXT ---

## **NTP**

### NTP License (NTP)

Permission to use, copy, modify, and distribute this software and its documentation for any purpose with or without fee is hereby granted, provided that the above copyright notice appears in all copies and that both the copyright notice and this permission notice appear in supporting documentation, and that the name (TrademarkedName) not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. (TrademarkedName) makes no representations about the suitability this software for any purpose. It is provided "as is" without express or implied warranty.

## **Artistic-1.0**

### The Artistic License

#### Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

#### Definitions:

"Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.

"Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.

"Copyright Holder" is whoever is named in the copyright or copyrights for the package.

"You" is you, if you're thinking about copying or distributing this Package.

"Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)

"Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:

a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.

b) use the modified Package only within your corporation or organization.

c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package with your modifications.

c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

## **tcl**

This software is copyrighted by the Regents of the University of California, Sun Microsystems, Inc., Scriptics Corporation, ActiveState Corporation and other parties. The following terms apply to all files associated with the software unless explicitly disclaimed in individual files.

The authors hereby grant permission to use, copy, modify, distribute, and license this software and its documentation for any purpose, provided that existing copyright notices are retained in all copies and that this notice is included verbatim in any distributions. No written agreement, license, or royalty fee is

required for any of the authorized uses. Modifications to this software may be copyrighted by their authors and need not follow the licensing terms described here, provided that the new terms are clearly indicated on the first page of each file where they apply.

IN NO EVENT SHALL THE AUTHORS OR DISTRIBUTORS BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE, ITS DOCUMENTATION, OR ANY DERIVATIVES THEREOF, EVEN IF THE AUTHORS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE AUTHORS AND DISTRIBUTORS SPECIFICALLY DISCLAIM ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. THIS SOFTWARE IS PROVIDED ON AN "AS IS" BASIS, AND THE AUTHORS AND DISTRIBUTORS HAVE NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

GOVERNMENT USE: If you are acquiring this software on behalf of the U.S. government, the Government shall have only "Restricted Rights" in the software and related documentation as defined in the Federal Acquisition Regulations (FARs) in Clause 52.227.19 (c) (2). If you are acquiring the software on behalf of the Department of Defense, the software shall be classified as "Commercial Computer Software" and the Government shall have only "Restricted Rights" as defined in Clause 252.227-7013 (c) (1) of DFARS. Notwithstanding the foregoing, the authors grant the U.S. Government and others acting in its behalf permission to use and distribute the software in accordance with the terms specified in this license.

## **Vim**

### VIM LICENSE

I) There are no restrictions on distributing unmodified copies of Vim except that they must include this license text. You can also distribute unmodified parts of Vim, likewise unrestricted except that they must include this license text. You are also allowed to include executables that you made from the unmodified Vim sources, plus your own usage examples and Vim scripts.

II) It is allowed to distribute a modified (or extended) version of Vim, including executables and/or source code, when the following four conditions are met:

- 1) This license text must be included unmodified.

2) The modified Vim must be distributed in one of the following five ways:

a) If you make changes to Vim yourself, you must clearly describe in the distribution how to contact you. When the maintainer asks you (in any way) for a copy of the modified Vim you distributed, you must make your changes, including source code, available to the maintainer without fee. The maintainer reserves the right to include your changes in the official version of Vim. What the maintainer will do with your changes and under what license they will be distributed is negotiable. If there has been no negotiation then this license, or a later version, also applies to your changes. The current maintainer is Bram Moolenaar <Bram@vim.org>. If this changes it will be announced in appropriate places (most likely vim.sf.net, www.vim.org and/or comp.editors). When it is completely impossible to contact the maintainer, the obligation to send him your changes ceases. Once the maintainer has confirmed that he has received your changes they will not have to be sent again.

b) If you have received a modified Vim that was distributed as mentioned under a) you are allowed to further distribute it unmodified, as mentioned at 1). If you make additional changes the text under a) applies to those changes.

c) Provide all the changes, including source code, with every copy of the modified Vim you distribute. This may be done in the form of a context diff. You can choose what license to use for new code you add. The changes and their license must not restrict others from making their own changes to the official version of Vim.

d) When you have a modified Vim which includes changes as mentioned under c), you can distribute it without the source code for the changes if the following three conditions are met:

- The license that applies to the changes permits you to distribute the changes to the Vim maintainer without fee or restriction, and permits the Vim maintainer to include the changes in the official version of Vim without fee or restriction.

- You keep the changes for at least three years after last distributing the corresponding modified Vim. When the maintainer or someone who you distributed the modified Vim to asks you (in any way) for the changes within this period, you must make them available to him.

- You clearly describe in the distribution how to contact you. This contact information must remain valid for at least three years after last distributing the corresponding modified Vim, or as long as possible.

e) When the GNU General Public License (GPL) applies to the changes, you can distribute the modified Vim under the GNU GPL version 2 or any later version.

3) A message must be added, at least in the output of the ":version" command and in the intro screen, such that the user of the modified Vim is able to see that it was modified. When distributing as mentioned under 2)e) adding the message is only required for as far as this does not conflict with the license used for the changes.

4) The contact information as required under 2)a) and 2)d) must not be removed or changed, except that the person himself can make corrections.

III) If you distribute a modified version of Vim, you are encouraged to use the Vim license for your changes and make them available to the maintainer, including the source code. The preferred way to do this is by e-mail or by uploading the files to a server and e-mailing the URL. If the number of changes is small (e.g., a modified Makefile) e-mailing a context diff will do. The e-mail address to be used is <maintainer@vim.org>

IV) It is not allowed to remove this license from the distribution of the Vim sources, parts of it or from a modified version. You may use this license for previous Vim releases instead of the license that they came with, at your option.

### **GPL-2.0-with-OpenSSL exception**

#### GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change



free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program",

below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and an idea of what it does.>

Copyright (C) < yyyy> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon >, 1 April 1989 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

Standard License Header

Copyright (C) yyyy name of author

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; version 2.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

In addition, as a special exception, the copyright holders give permission to link the code of portions of this program with the OpenSSL library under certain conditions as described in each individual source file, and distribute linked combinations including the two.

You must obey the GNU General Public License in all respects for all of the code used other than OpenSSL. If you modify file(s) with this exception, you may extend this exception to your version of the file(s), but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version. If you delete this exception statement from all source files in the program, then also delete it here.

### **GPL-3.0-GCC-exception**

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright © 2007 Free Software Foundation, Inc. <<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we



have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

## 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

### 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

## 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the

recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a

license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

## 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

## 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

## 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent



license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

## 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

## 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>

This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute it under certain conditions; type ``show c'` for details.

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <https://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <https://www.gnu.org/licenses/why-not-lgpl.html>.

Standard License Header

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, version 3.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <https://www.gnu.org/licenses/>.

### **GCC RUNTIME LIBRARY EXCEPTION**

Version 3.1, 31 March 2009

General information: <http://www.gnu.org/licenses/gcc-exception.html>

Copyright (C) 2009 Free Software Foundation, Inc. <http://fsf.org/>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3"). It applies to a given file (the "Runtime Library") that bears a notice placed by the copyright holder of the file stating that the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of certain GCC header files and runtime libraries with the compiled program. The purpose of this Exception is to allow compilation of non-GPL (including proprietary) programs to use, in this way, the header files and runtime libraries covered by this Exception.

## 0. Definitions.

A file is an "Independent Module" if it either requires the Runtime Library for execution after a Compilation Process, or makes use of an interface provided by the Runtime Library, but is not otherwise based on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without modifications, governed by version 3 (or a specified later version) of the GNU General Public License (GPL) with the option of using any subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation, modification and use would permit combination with GCC in accord with the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual target processor architecture, in executable form or suitable for input to an assembler, loader, linker and/or execution phase. Notwithstanding that, Target Code does not include data in any format that is used as a compiler intermediate representation, or used for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely represented in non-intermediate languages designed for human-written code, and/or in Java Virtual Machine byte code, into Target Code. Thus, for example, use of source code generators and preprocessors need not be considered part of the Compilation Process, since the Compilation Process can be understood as starting with the output of the generators or preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or with other GPL-compatible software, or if it is done without using any work based on GCC. For example, using non-GPL-compatible Software to optimize any GCC intermediate representations would not qualify as an Eligible Compilation Process.

#### 1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by combining the Runtime Library with Independent Modules, even if such propagation would otherwise violate the terms of GPLv3, provided that all Target Code was generated by Eligible Compilation Processes. You may then convey such a combination under terms of your choice, consistent with the licensing of the Independent Modules.

#### 2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general presumption that third-party software is unaffected by the copyleft requirements of the license of GCC.